



भारतीय राष्ट्रीय राजमार्ग प्राधिकरण

(सड़क परिवहन एवं राजमार्ग मंत्रालय, भारत सरकार)

क्षेत्रीय कार्यालय - नागपुर: "नारंग टावर", तिसरी मंजिल, उपआयुक्त यातायात पुलिस (नागपुर शहर)
कार्यालय के सामने, पाम रोड, सिविल लाईन्स नागपुर-440 001 महाराष्ट्र टेलि. 0712-2520091, 2980554
ई-मेल : ronagpur@nhai.org वेबसाइट : www.nhai.gov.in



National Highways Authority of India

(Ministry of Road Transport & Highways, Govt. of India)

Regional Office - Nagpur: "Narang Towers", 3rd Floor, Opp. to Office of Dy. Commissioner of Police Traffic (Nagpur City), Palm Road, Civil Lines, Nagpur- 440 001 Maharashtra. Tel. 0712-2520091, 2980554
e-mail : ronagpur@nhai.org website : www.nhai.gov.in

NHAI/RO-NAG/Ut.-281/Pardi/Water Suppl./2023-24/ 2304

Date: 06.12.2023

Invitation of Public Comments

Sub: Construction 4 lane Flyover on NH-6 integrated with ROB's & river bridge including approach ramps, service roads, footpath over RCC utility duct from Pardi Octroi Naka to Itwari (Ch. 5441665 to 548/065) & inner Ring Road from Manewada to Kalamna (Ch. 201760 to 231190), & from Rani Prajapati Square to Vaishno Devi Square (Ch.00/000 to 00/596) including RUB on L.C. No. 71,72 & connecting inner ring road junction to APMC Kalamna market gate no. 1 & 2, Nagpur, Maharashtra on EPC Mode - Access Permission for crossing 700mm dia water pipeline across Kalamna Road at km 22.600 (Bharat Nagar Square) at Parli, Nagpur- Reg.

Ref.:

1. PD, PIU-1 Nagpur letter no. 3094 dated 01.12.2023
2. M/s Nagpur Smart & Sustainable City Development Crop. Ltd. letter no. 1171 dated 21.08.2023.

It is to inform all concern that M/s Nagpur Smart & Sustainable City Development Crop. Ltd. vide letter under reference (ii) has submitted a proposal for the subjected work and PD, has recommended the above proposal vide letter under reference (i) for approval of the Competent Authority / Highway Administrator.

2. The alignment proposed by that M/s Nagpur Smart & Sustainable City Development Crop. Ltd., Nagpur along on Stand Alone Ring Road / Bypasses for Nagpur city Package-II in the State of Maharashtra is as follows:

- Crossing of 700mm dia water pipeline across at km 22.600.
3. As per Para-4 of Ministry's Circular No.RW/NH-33044/29/2015/S&R(R), dated 22.11.2016, the Highway Administration shall be put out in the public domain for 30 days for seeking claims and objections (on grounds of public inconvenience, safety and general public interest).
 4. In view of the above, the comments / objections of affected public is hereby invited with reference to the Ministry's circular dated 22.11.2016 due to above underground line on the subjected stretch. The objections / comments may be addressed to the below mentioned address within 30 days from issuance of public comments, beyond due date, no comments/ objections will be accepted.

The Regional Officer,

Regional Office - Nagpur,

National Highways Authority of India,

"Narang Towers", 3rd Floor, Opp.to Office of Dy. Commissioner of Police Traffic (Nagpur City), Palm Road, Civil Lines, Nagpur-440 001, Maharashtra

Tel : 0712-2520091 Email: ronagpur@nhai.org

A. Wadethwar
06.12.23

(Naresh Y. Wadethwar)
General Manager (Tech.)
NHAI, RO, Nagpur

Copy to: (i) Web Admn., NHAI, HQ, New Delhi - for uploading in NHAI's website

[web-admin@nhai.org]

(ii) Director, NIC, New Delhi - for uploading in Ministry's website

[mansoor@nic.in]

मुख्यालय : जी-5 एवं 6, सेक्टर-10, द्वारका, नई दिल्ली - 110 075

Head Office : G-5 & 6, Sector-10, Dwarka, New Delhi - 110 075