



सत्यमेव जयते

भारतीय राष्ट्रीय राजमार्ग प्राधिकरण

(सड़क परिवहन और राजमार्ग मंत्रालय, भारत सरकार)

National Highways Authority of India

(Ministry of Road Transport & Highways, Govt. of India)

क्षेत्रीय कार्यालय : एफ-120, जनपथ, श्याम नगर, जयपुर-302019

Regional Office : F-120, Janpath, Shyam Nagar, Jaipur-302019

Tel. (O) / फोन : (ऑ.) 0141-2292056, 2292049

E-mail / ई-मेल : rojaipur@nhai.org Web. / वेब : www.nhai.gov.in



क्रमांक: NHAI/18013/1/2020-ROJ/Permission -JVVNL/NH-48, km 220.650 to 228.250/2337

दिनांक: 20.11.2023

INVITATION OF PUBLIC COMMENTS

विषय: Permission for laying electric cable on NH-48 (Old NH-8) (Gurgaon-Kotputli-Jaipur section) along the road at Km. 220.650 to Km. 228.250 and across the road at Km. 228.250 total length 7.700 Km. ROW applied in the state of Rajasthan.

सन्दर्भ: (i) Executive Engineer JVVNL (O&M), Jamvaramgarh letter no. ROW Permission/ NH-48/01 dated 11.10.2023
(ii) PD, PIU-Jaipur letter no. NHAI/JPR/NOC/JVVNL/220.650-228.250/2023/1978 dated 06.11.2023 (received on 06.11.2023).

Sir,

It is to inform all concern Executive Engineer, JVVNL (O&M), Jamvaramgarh vide cited under ref. (i) above has submitted a proposal for subject work and PD, NHAI, PIU-Jaipur has submitted the above proposal vide letter under reference (ii) for approval of Competent Authority, Highway Administration.

2. The proposal is for permission for laying electric cable on NH-48 (Old NH-8) (Gurgaon-Kotputli-Jaipur section) along the road at Km. 220.650 to Km. 228.250 and across the road at Km. 228.250 total length 7.700 Km. ROW applied in the state of Rajasthan in the state of Rajasthan.

3. As per para-4 of Ministry's Circular No. RW/NH-33044/29/2015 S&R (R) dated 22.11.2016, the application shall be put out in the public domain for 30 days for seeking claims and objections (on ground of public inconvenience, safety and general public interest).

4. In view of the above, before approval of the competent authority, the comments/objections of affected public is hereby invited with reference to the Ministry's circular dated 22.11.2016 due to laying and crossing of electric line on the subjected stretch. The objections/comments may be addressed to the below mentioned address upto 19.12.2023 beyond due date, no comments/objections will be accepted.

The Regional Officer, Regional Office - Jaipur
National Highways Authority of India,
F-120, Janpath, Shyam Nagar, Jaipur (Raj.)-302019,
Tel : 0141-2292049, 2292054 Email : rojaipur@nhai.org

This is issued with the approval of the Regional Officer, NHAI, RO, Jaipur (Rajasthan).

(मनोज खोड़ा)
प्रबन्धक (तकनीकी)

Copy to: (i) Web Admn., NHAI, HQ, New Delhi - for uploading in NHAI's website [web-admin@nhai.org]
(ii) Director, NIC, New Delhi - for uploading in Ministry's website. [mansoor@nic.in]
(iii) PD, PIU-Jaipur: for information and with the request to ensure deposition of license fee and BG amount as per applicable guideline of MoRTH.
(iv) Ex.En. JVVNL (O&M), Jamvaramgarh: for information.



भारतीय राष्ट्रीय राजमार्ग प्राधिकरण

(सड़क परिवहन और राजमार्ग मंत्रालय, भारत सरकार)

National Highways Authority of India

(Ministry of Road Transport & Highways, Government Of India)

परियोजना कार्यान्वयन इकाई, जयपुर/ Project Implementation Unit, Jaipur

डी-148, आर. एस.ई.बी. सब-स्टेशन के पीछे, वैशाली नगर, जयपुर-302021

D-148, Behind RSEB Sub-Satation, Vaishali Nagar, Jaipur-302021

Phone: 91-11-4026465, ई-मेल: E-mail: jai@nhai.org

No. NHAI/JPR/NUC/GR/JVVNL/220.650-228.250/2023/1978



2

Date: 06.11.2023

Regional Officer

National Highways Authority of India

Regional Office, F-120, Janpath

Shyam Nagar, Jaipur-302019

M.D-MK
10/11



Sub.: **Permission for laying electric cable on NH-48 (Old NH-8) along the road at km. 220.650 to km. 228.250 and across the road at km. 228.250 total length 7.700 km. ROW applied in the state of Rajasthan-reg.**

- Ref.: 1. Executive Engineer, JVVNL Jamwaramgarh letter no. ROW Permission/NH-4E/01 dated 11.10.2023
2. This office letter no. 1740 dated 17.10.2023
3. Executive Engineer, JVVNL Jamwaramgarh letter no. JVVNL/NIMS/02 dated 30.10.2023

Sir,

This has reference to Executive Engineer, JVVNL Jamwaramgarh above referred letter dated 11.10.2023 vide which said proposal has submitted to this office for laying electric cable on NH-48 (Old NH-8) along the road at km. 220.650 to km. 228.250 and across the road at km. 228.250 total length 7.700 km. ROW applied in the state of Rajasthan on Gurgaon-Kotputli-Jaipur section of NH-8.

2. The said proposal has been examined in consultation with IE of the project highway. Further, this office vide above referred letter dated 17.10.2023 has requested to applicant to deposit the requisite License Fee and Performance Bank Guarantee. Executive Engineer, JVVNL Jamwaramgarh, vide letter dated 30.10.2023 has submitted the proof of deposition of License Fee of amounting of Rs. 3,17,039/- in Bharat Kosh vide Receipt No. 2610230019215 dated 26.10.2023 and Performance Security in the form Bank Guarantee no. 1314NDDG00447424 of Rs. 7,70,000/- of ICICI Bank, Achrol Branch, and valid upto 24.10.2024, the same also confirmed by Canara Bank, Vaishali Nagar Branch on dated 04.11.2023

3. In view of the above, the said proposal has been examined in this office and seems to be found in order.

4. Duly signed checklist & documents is enclosed with the proposal and recommended to grant permission for laying electric cable on NH-48 (Old NH-8) along the road at km. 220.650 to km. 228.250 and across the road at km. 228.250 total length 7.700 km. ROW applied in the state of Rajasthan.

Encl. : As above

Yours faithfully,


0217
6111
Project Director

CHECK -LIST

Guidelines for processing the proposal for laying of Utility line in the land along National Highways vested with NHAI/PWD/BRO.

General Information

| | | | |
|----|---|---|---|
| 1 | Name and Address of the Applicant/ Agency | : | M/s Executive Engineer, JVVNL (O&M) Jamvarangarh |
| 2 | National Highway No. | : | NH-48 (Old NH-8) |
| 3 | State | : | Rajasthan |
| 4 | Location | : | Jaipur-Delhi road |
| 5 | Chainage in KM | : | MS- 220.650 to MS-228.250 and across the road at MS-228.250 |
| 6 | Length in mtrs | : | 7700 |
| 7 | Width of available ROW in both Side (M) | : | 30 Mtr Both Side |
| 8 | Side of NH (left or right side of NH towards increasing chainage/Km direction) | : | LHS and RHS |
| 9 | Name of Highway Authority of NH-PWD | : | Project Director, PIU-Jaipur |
| 10 | Highway Administration address | : | Regional Officer, National Highway Authority of India, Jaipur (Raj.) |


Executive Engineer (O&M)
Jaipur Discom, Jamwarengarh


Project Director

02m
परियोजना निदेशक / Project Director
भारत प्रा., प.का.ई. / NHAI PIU, Jaipur

| Check List | | | | |
|------------|---|---|---|------------------------------------|
| S.No. | Item | Measurement. Observation as per site conditions | MORTH Norms | Whether Complying with MORTH Norms |
| 1 | Details of already laid utility service, if any | NA | Enclosed | Yes |
| 2 | Whether up gradation of the stretch in near future is proposed or not | up gradation of the stretch in near future is proposed | | |
| | (a) if yes, provision of utility adversely affect the plan of up-gradation | NA | Not affect plan of Up-gradation | Yes |
| 3 | Laying of the utility service along the National Highways | Yes | | Yes |
| 3.1 | Location of proposed utility service along the stretch | Beyond the toe line of the embankment and drains, and close to the extreme edge of th RoW | Utility Duct/ beyond the toe line of the embankment and drains, and close to the extreme edge of th RoW | Yes |
| 3.2 | Depth of top of utility service from ground level | 1.5 M | 0.6 meter | Yes |
| 3.3 | Mechanism for crossing water channel | Beneath the bed of water channel (HDD Method) | Through utility duct (if provision exists) or beneath the bed of water channel | Yes |
| 3.4 | Whether ROW is restricted in this stretch | No | No | NA |
| 3.4.1 | if yes, whether provision of land acquisition is required to lay utility | NA | No | NA |
| | (a) if yes, whether undertaking for land acquisition along with relevant L.A.details has been furnished | NA | | NA |
| 3.4.2 | Width of concrete duct, if utility services are proposed to be laid in concrete ducts | NA | Not less than one lane | NA |
| 4 | Laying of utility services across the NH | Yes | | Yes |
| 4.1 | Whether Existing drainage structures is allowed to carry the utility lines. | NA | Not to be allowed | NA |
| 4.2 | Proposed crossing of utility service | Prependicular to NH | Prependicular to NH | Yes |
| 4.3 | Type of casing pipe/conduit carrying the utility line. | HDPE Duct Pipe | Steel, cast iron, or reinforced cement concrete and have adequate strength | Yes |
| 4.4 | Whether ends of the casing/conduit Pipe are sealed from the outside | Sealed | Sealed | Yes |
| 4.5 | Length of casing/conduit pipe crossing NH. | NA | Extend from drain to drain in cuts and toe to toe of slope in the fills | Yes |
| 4.6 | Depth of top of the casing/conduit pipe. | 2.0 Mtr | At least 1.2 m below the top of subgrade | NA |
| 4.7 | Crossing method in case of CC Pavement. | HDD Method | Only boring method(HDD) | NA |
| 4.8 | Horizontal and vertical clearances in case utilities are allowed overhead | NA | In accordance with IRC codes | NA |
| 5 | Document/Drawings enclosed with the proposal | Enclosed | | Yes |
| 5.1 | Cross-Section showing the size of trench for open trenching method | Enclosed | Enclosed if applicable | Yes |

Executive Engineer (O&M)
Jaipur Discom, Jamwaramgarh

Anurag Kumar

परियोजना निदेशक / Project Director
भारतप्रा, प.का.ई. / NHAI PIU, Jaipur

| | | | | |
|------|---|---|--|-----|
| | (a) Trench width | 30 cm | More than 30 cm and less than 60 cm wider than the outer diameter of the utility pipe | Yes |
| | (b) Filling of trench | as per Ministry guidelines vide letter No. RW/NH-34044/29/2015/S&R (R) dated 22.11.2016 | as per Ministry guidelines vide letter No. RW/NH-34044/29/2015/S&R (R) dated 22.11.2016 | Yes |
| | (c) location of trench | Extreme edge of the ROW, Drawing Enclosed | extreme edge of the ROW | Yes |
| 5.2 | Cross section showing the size of pit and location of conduit for HDD method | Enclosed | Enclosed ,if applicable | Yes |
| 5.3 | Strip plan/Route plan showing utility line, chainage, width of ROW, distance of proposed utility from the edge of ROW, important mile stone, intersections, cross drainage works etc. | Enclosed | Enclosed | Yes |
| 5.4 | Plan and profile drawing of stretch showing cross section of road at 20m distance along with ROW and proposed utility | Enclosed | Enclosed | Yes |
| 6 | Methodology for laying of utility line | Enclosed | Enclosed | Yes |
| 7 | Draft License Agreement is as per Ministry guidelines vide letter No. | Enclosed | Enclosed | Yes |
| 8 | License fees in favor of MoRTH RPAO Jaipur | | As per Ministry guidelines vide letter No. NH-6094/01/2022-S&R(P&B) (E-208825), Dated-24-April- 2023 | Yes |
| 9 | Whether Bank Guarantee has been obtained | As per Ministry guidelines vide letter No. RW/NH-34044/29/2015/S&R (R) dated 22.11.2016 | as per Ministry guidelines vide letter No. RW/NH-34044/29/2015/S&R (R) dated 22.11.2016 | Yes |
| | (a) if yes, whether Confirmation of BG has been obtained as per MoRTH/NHAI guidelines | | | Yes |
| 10 | Affidavit/Undertaking from the Applicant for | | | |
| 10.1 | Undertaking for not to damage other existing utility, if damaged than to pay the losses to either to MoRTH/NHAI or to the concerned agency | Enclosed | Enclosed | Yes |
| 10.2 | Undertaking for renewal of Bank Guarantees and when asked by NHAI/MoRTH | Enclosed | Enclosed | Yes |
| 10.3 | Undertaking for confirming all standard condition of MoRTH/NHAI guidelines. | Enclosed | Enclosed | Yes |
| 10.4 | Undertaking for Shifting of Utility as and when asked by MoRTH/NHAI within a month at their own cost | Enclosed | Enclosed | Yes |
| 10.5 | Undertaking for Indemnity against all damages and claims. | Enclosed | Enclosed | Yes |
| 10.6 | Undertaking for management of traffic movement during laying of utility line without hampering the traffic | Enclosed | Enclosed | Yes |

Executive Engineer (O&M)

Jaipur Division, Jaipur

Anup Kumar Rai

परियोजना निदेशक / Project Director
भारतप्रा, प.का.ई. / NHAI PIU, Jaipur

| | | | | |
|------|--|----------|----------|-----|
| 10.7 | Undertaking that if any claim is raised by the Concessionaire/ contractor then the same has to be paid by the applicant | Enclosed | Enclosed | Yes |
| 10.8 | Undertaking that the applicant has obtained Various safety clearances from the representative authorities such as directorate of Electricity, Chief controller of Explosives, Petroleum and Explosive Safety Organization, Oil Industry Safety Directorate, State/Central Pollution Control Board and any other statutory clearances applicable, before applying to Highway Administration | Enclosed | Enclosed | Yes |

The Right of the Way (ROW) of the National Highway available at the proposed location from the Center line of divided carriageway is (.....) m (from center of ROW to edge of ROW towards proposed utility)

The above particulars along with the drawings and documents have been verified and certified as correct as per prevailing site conditions.

[Name Designation and signature of the authorized representative of applicant]

[Name Designation and signature of concerned field authority of NH]

Executive Engineer (O&M)
Jaipur Division, Jaipur

परियोजना निदेशक / Project Director
भारतमार्ग, प.का.ई. / NHAI PIU, Jaipur