



भारतीय राष्ट्रीय राजमार्ग प्राधिकरण

(सड़क परिवहन एवं राजमार्ग मंत्रालय, भारत सरकार)

National Highways Authority of India

(Ministry of Road Transport and Highways, Govt. of India)

क्षेत्रीय कार्यालय : एफ-120, जनपथ, श्याम नगर, जयपुर-302019

Regional Office : F-120, Janpath, Shyam Nagar, Jaipur-302019

Tel. (O.)/ फोन : (ऑ.) 0141-2292056, 2292049

E-mail / ई-मेल : rojaipur@nhai.org Web. / वेब : www.nhai.gov.in



NHAI/18013/1/2024-ROJ/Permission- Laying RCC Sewer Pipeline /RUIDP/333/NH-65 (New 58)/03463

Dt.19.03.2024

INVITATION OF PUBLIC COMMENTS

Sub: Development and Construction of Two Laning with paved shoulder for up-gradation of Salasar-Nagaur Section of NH-65 (New NH-58) in the State of Rajasthan (Group A- Package 2) Design Chainage from Km. 151.141 to design Chainage Km. 270.735 on Hybrid Annuity Mode [UPC : N/08004/5001/RJ] : Proposal for Grant of Permission for Laying RCC 500mm dia sewer pipeline with NH-58 service road from Km. 180.828 to 181.337 (RHS) total length 509 mtr., ROW-45 mtr. on Salasar-Nagaur Section of NH-58 by RUIDP in the State of Rajasthan - reg.

Ref: 1. Executive Engineer, RUIDP, Phase-IV, Ladnu letter No. 921 dt. 31.01.2023, 1886 dt. 18.10.2023, 695 dt. 04.08.2022, 482 dt. 22.04.2022 & 1363 dt. 10.01.2024
2. PD,PIU-Jaipur letter No. NHAI/JPR/NOC/SN/2024/2735 dt. 24.02.2024 (Copy enclosed)

Sir,

It is to inform all concern Executive Engineer, RUIDP, Phase-IV, Ladnu vide cited under ref.

(i) above has submitted a proposal for the subjected work and PD, NHAI, PIU, Jaipur has submitted the above proposal vide letter under reference (ii) for approval of the Competent Authority, Highway Administration.

2. The proposal for grant of permission for Laying RCC 500mm dia Sewer Pipeline in service road from Km. 180.828 to 181.337 (RHS) total length 509 mtr., ROW-45 mtr. on Salasar-Nagaur Section of NH-58 by RUIDP.

3. As per Para-4 of Ministry's Circular No. RW/NH-33044/29/2015S&R(R) dated 22.11.2016, the Highway Administration shall be put out in the public domain for 30 days for seeking claims and objections (on grounds of Public inconvenience, Safety and General Public Interest).

In view of the above, before approval of the competent authority, the comments/objections of affected public is hereby invited with reference to the Ministry's Circular dated 22.11.2016 due to Laying RCC 500mm dia Sewer Pipeline in service road from Km. 180.828 to 181.337 (RHS) total length 509 mtr., ROW-45 mtr. by RUIDP to the subjected project stretch. The objections/comments may be addressed to the below mentioned address upto 18.04.2024, beyond due date, no comments/objections will be accepted.

The Regional Officer, Regional Office - Jaipur
National Highways Authority of India,
F-120, Janpath, Shyam Nagar, Jaipur (Raj.)-302019,
Tel : 0141-2292049, 2292054 Email : rojaipur@nhai.org

This issue with the approval of Highway Administration-cum RO, NHAI, Jaipur.

Yours faithfully,

(Manoj Khoda)
Manager (Tech.)

- Copy to:** (i) Web Admn., NHAI, HQ, New Delhi - for uploading in NHAI's website [web-admin@nhai.org]
(ii) Director, NIC, New Delhi - for uploading in Ministry's website. [rahu.sh@nic.in]
(iii) PD, PIU-Jaipur for information.
(iv) Executive Engineer, RUIDP, Phase-IV, Ladnu for information.



भारतीय राष्ट्रीय राजमार्ग प्राधिकरण

(सड़क परिवहन और राजमार्ग मंत्रालय, भारत सरकार)

National Highways Authority of India

(Ministry of Road Transport & Highways, Government Of India)

परियोजना कार्यान्वयन इकाई, जयपुर/ Project Implementation Unit, Jaipur

डी-148, आर. एस.ई.बी. सब-स्टेशन के पीछे, वैशाली नगर, जयपुर-302021

D-148, Behind RSEB Sub-Satation, Vaishali Nagar, Jaipur-302021

दूरभाष / Phone : 91-141 - 4026465, ई-मेल / E-mail : jai@nhai.org

No. NHAI/JPR/NOC/SN/2024/2735

Regional Officer

National Highways Authority of India

Regional Office, F-120, Janpath,

Shyam Nagar, Jaipur-302019



Date: 22.02.2024

24

28/2

Sh. Deshpande / PA
11/03

Project: Development and Construction of Two Laning with paved shoulder for up-gradation of Salasar-Nagaur section of NH-65 (New Nh-58) in the state of Rajasthan (Group A-Package 2) Design chainage from km. 151.141 to design chainage km. 270.735 on Hybrid Annuity Mode-[UPC : N/08004/5001/RJ]

Sub. : Proposal for grant of permission for laying RCC 500mm dia sewer pipeline with NH-58 service road from km. 180.828 to 181.337 (RHS) total length 509 mtr. on Salasar-Nagaur section of NH-58 by RUIDP in the State of Rajasthan-reg.

- Ref: (1) EE, RUIDP, Ladnu letter no. 921 dated 31.01.2023
(2) This office letter no. 1045 dated 26.07.2023
(3) Regional Office, NHAI, Jaipur letter no. 1246 dated 02.08.2023
(4) EE, RUIDP, Ladnu letter no. 1363 dated 10.01.2024

Sir,

Please refer this office letter dated 26.07.2023, vide which the proposal for grant of permission for laying RCC 500mm dia sewer pipeline with NH-58 service road from km. 180.828 to 181.337 (RHS) total length 509 mtr. on Salasar-Nagaur section of NH-58 by RUIDP in the State of Rajasthan has been submitted for approval.

2. Regional Office, NHAI, Jaipur vide letter dated 02.08.2023 has raised certain observations which have been conveyed to the applicant vide this office E-mail.

3. EE, RUIDP Ladnu vide letter under ref. (4) has submitted the compliance of above referred observation.

4. The said proposal has been inspected in view of MoRTH guidelines dated 22.11.2016 and found the following:-

- The ROW width as per available record is 45 mtr.
- The proposal for pipe laying is on RHS of ROB Ladnu on edge of exiting services road (05.50 mtr.) through HDD method.
- As per drawing submitted by applicant there exists utility line on edge of ROW with drain. Hence the laying of sewer pipeline proposed on edge of service road i.e. 06.00 mtr. from structure to carry traffic on top.
- It is also further stated that the maintenance of sewer line shall not interfere with the safe and smooth flow of traffic.

5. Hence, in view of above & based on joint site visit, the proposal is hereby recommended for approval of Competent Authority.

With regards

Yours Faithfully

Encl- As above

Project Director

CHECK- LIST

Guidelines for processing the proposal for laying of Utility line in the land along National Highways vested with NHAI.

General Information		
1	Name & Address of Applicant/Agency	Rajasthan Urban Infrastructure Development Project (RUIDP), Ladnun
2	National Highway No.	NH-58
3	State	Rajasthan
4	Location	Ladnun
5	Chainage in KM	180/828 to 181/337
6	Length in m	509 Meters
7	Width of Available ROW on both sides	45m & 4.
8	Side of NH (Left or right side of NH toward increasing chainage/KM direction)	Right Side
9	Name of Highway Authority of NHAI/PWD/BRO	NHAI
10	Highway Administration address	The Highway Administration Cum Chief Engineer & RO, MoRTH DCM, Ajmer Road, Jaipur - 302019.

[Signature]
Assistant Construction Manager
CMSC-01, Ladnu

[Signature]
IC

[Signature]
EXECUTIVE ENGINEER
R.U.I.D.P. PHASE - IV
LADNUN (RAJ.)

[Signature]

S. No	Item	Measurement. Observations as per site conditions	MORTH Norms	Whether complying with MORTH Norms
1	Details of already laid utility service, if any		Enclosed	
2	Whether up gradation of the stretch in near future is proposed or not	—		
	(a) If yes, provision of utility adversely affects the plan of up-gradation		Not affect plan of up-gradation	
3	Laying of the utility service along the National Highways.			
3.1.	Location of proposed utility service along the stretch	180/828 LS 181/337 (RHS)	Utility Duct/ beyond the toe line of the embankment and drains, and close to the extreme edge of the RoW.	
3.2	Depth of top of utility service from ground level	>0.6M	0.6 meter	
3.3	Mechanism for crossing water channel	—	Through utility duct (if provision exists) or beneath the bed of water channel	
3.4	Whether ROW is restricted in this stretch?	—		
3.4.1	If yes, whether provision of land acquisition is required to lay utility	—		
	(a) If yes, whether undertaking for land acquisition along with relevant L.A. details has been furnished	—		
3.4.2	Width of concrete duct, if utility services are proposed to be laid in concrete ducts		NA	
4	Laying of utility services across the NH			
4.1	Whether Existing drainage structures is allowed to carry the utility lines.		Not allowed	
4.2	Proposed crossing of utility service		Perpendicular to NH	
4.3	Type of casing pipe/conduit carrying the utility line.		MS Casing	
4.4	Whether ends of the casing/conduit pipe are sealed from the outside		Sealed	
4.5	Length of casing/conduit pipe crossing NH.		60m	

Rubingaker
Assistant Construction Manager
CMSC-01, Ladnu

WMS DS
EX
EXECUTIVE ENGINEER
R.U.I.D.P. PHASE - IV
LADNUN (RAJ.)

4.6	Depth of top of the casing/conduit pipe.		At least 1.2 m below the top of subgrade	
4.7	Crossing method in case of CC pavement.		Trenchless (HDD)	
4.8	Horizontal and vertical clearances in case utilities are allowed overhead,		In accordance with IRC codes.	
5	Document / Drawings enclosed with the proposal			
5.1	Cross-Section showing the size of trench for open trenching method		Enclosed, if applicable	
	(a) Trench width		More than 30 cm and less than 60 Cm wider than the outer diameter of the utility pipe	
	(b) Filling of trench		as per Ministry guidelines vide letter No. RW/NH-34044/29/2015/S&R (R) dated 22.11.2016	
	(c) location of trench		extreme edge of the ROW	
5.2	Cross section showing the size of pit and location of conduit for HDD method		Enclosed	
5.3	Strip plan/ Route plan showing utility line, chainage, width of ROW, distance of proposed utility from the edge of ROW, important mile stone, intersections, cross drainage works etc.		Enclosed	
5.4	Plan and profile drawing of stretch showing cross section of road at 20m distance along with ROW and proposed utility		Enclosed	
6	Methodology for laying of utility line		Enclosed	
7	Draft License Agreement is as per Ministry guidelines vide letter No. RW/NH-34044/29/2015/S&R (R) dated 22.11.2016 and signed by two witnesses		Enclosed	
8	License fees in Favor of MoRTH RPAO Jaipur		As per Ministry vide circular no. RE/NH-33044/29/2015/S&(R) dated 22.11.2016	

[Signature]
Assistant Construction Manager
CMSC-01, Ladnu

[Signature]
EXECUTIVE ENGINEER
R.U.D.P. PHASE - IV
LADNU (RAJ.)

9	Whether Bank Guarantee has been obtained		As per Ministry vide circular no. RE/NH-33044/29/2015/S&(R)dated 22.11.2016	
	(a) If yes, whether Confirmation of BG has been obtained as per MoRTH/NHAI guidelines			
10	Affidavit / Undertaking from the Applicant for			
10.1	Undertaking for not to damage other existing utility, if damaged then to pay the losses to either to MoRTH/NHAI or to the concerned agency.		Enclosed	
10.2	Undertaking for renewal of Bank Guarantees and when asked by NHAI/ MoRTH		Enclosed	
10.3	Undertaking for confirming all standard condition of MoRTH/NHAI guidelines.		Enclosed	
10.4	Undertaking for shifting of utility as and when asked by MoRTH/ NHAI within a month at their own cost.		Enclosed	
10.5	Undertaking for indemnity against all damages and claims.		Enclosed	
10.6	Undertaking for management of traffic movement during laying of utility line without hampering the traffic.		Enclosed	
10.7	Undertaking that If any claim is raised by the Concessionaire/contractor then the same has to be paid by the applicant		Enclosed	
10.8	Undertaking that the applicant has obtained various safety clearances from the representative authorities such as directorate of Electricity, Chief controller of Explosives, Petroleum and Explosive Safety Organization, Oil Industry Safety Directorate, State/Central Pollution Control Board and any other statutory clearance s applicable, before applying to Highway Administration		Enclosed	

[Signature]
Assistant Construction Manager,
CMSC-01, Ladnu

[Signature]
EXECUTIVE ENGINEER
R.U.I.D.P. PHASE - IV
LADNUN (RAJ.)