



भारतीय राष्ट्रीय राजमार्ग प्राधिकरण

(सड़क परिवहन एवं राजमार्ग मंत्रालय)

National Highways Authority of India

(Ministry of Road Transport & Highways)

क्षेत्रीय कार्यालय (राजस्थान) /Regional Office (Rajasthan)

एफ-120, जनपथ, श्याम नगर, जयपुर-302019

F-120, Janpath, Shyam Nagar, Jaipur-302019

दूरभाष /Tel : 0141-2292049

: 0141-2292054

फैक्स /Fax : 0141-2292049

ईमेल /Eail : rojaipur@nhai.org

No: NHAI/18013/1/2020-ROJ/Permission-ONGC Gas Pipeline Crossing/111/NH-70km270+800/1217 Date: 06.08.2021

INVITATION OF PUBLIC COMMENTS

Sub.: Proposal for grant of permission for crossing Munabao-Tanot road at Longewala section of NH-70 at Ch. 270+800 in the state of Rajasthan for laying 8" dia Gas Pipeline from GCS Gamnewala to Chinnewala Tibba Gas Field of RKOEa ONGC Jodhpur by M/s. ONGC Ltd. - reg.

Ref.: (i) M/s. ONGC Ltd. letter no. ONGC/RKOEa/EAM/GAS Pipeline/NHAI/BRM/2021/1 dated 16.03.2021.

(ii) PD, PIU-Barmer letter no. NHAI/PIU-Barmer/ONGC Crossing/NH-70/MS 270+800/2021-22/7366 dated 13.07.2021.

Sir,

It is to inform all concern that M/s. ONGC Ltd., Jaipur vide letter under reference (i) has submitted a proposal to NHAI for the subjected work and PD, NHAI, PIU, Barmer has forwarded the above proposal to this office vide letter under reference (ii) for approval of the Competent Authority, Highway Administrator.

2. The proposal is regarding permission for crossing Munabao-Tanot road at Longewala section of NH-70 at Ch. 270+800 in the state of Rajasthan for laying 8" dia Gas Pipeline from GCS Gamnewala to Chinnewala Tibba Gas Field of RKOEa ONGC Jodhpur by M/s. ONGC Ltd.

3. As per Para-4 of Ministry's Circular No. RW/NH-33044/29/2015S&R(R) dated 22.11.2016, the Highway Administration shall be put out in the public domain for 30 days for seeking claims and objections (on grounds of public inconvenience, safety and general public interest).

4. In view of the above, before approval of the competent authority, the comments/objections of affected public is hereby invited with reference to the Ministry's circular dated 22.11.2016 due to crossing Munabao-Tanot road at Longewala section of NH-70 at Ch. 270+800 in the state of Rajasthan for laying 8" dia Gas Pipeline from GCS Gamnewala to Chinnewala Tibba Gas Field of RKOEa ONGC Jodhpur by M/s. ONGC Ltd. The objections/comments may be addressed to the below mentioned address upto 05.09.2021, beyond due date, no comments/objections will be accepted.

The Regional Officer, Regional Office - Jaipur

National Highways Authority of India,

F-120, Janpath, Shyam Nagar, Jaipur (Raj.)-302019,

Tel : 0141-2292049, 2292054 Email : rojaipur@nhai.org

This is issued with the approval of the Regional Officer, NHAI, RO, Jaipur (Rajasthan).

Yours faithfully,


(K R Choudhary)

Dy. General Manager (T)

Copy to: (i) Web Admn., NHAI, HQ, New Delhi - for uploading in NHAI's website [web-admin@nhai.org]

(ii) Director, NIC, New Delhi - for uploading in Ministry's website. [mansoor@nic.in]

(iii) PD, PIU-Barmer: for information.

(iv) M/s. GM (P), Surface Manager, RKOEa, ONGC Ltd., KDM Complex, Mandore, Jodhpur-342026: for information.



भारतीय राष्ट्रीय राजमार्ग प्राधिकरण National Highways Authority of India

(सड़क परिवहन एवं राजमार्ग मंत्रालय, भारत सरकार)

(Ministry of Road Transport & Highways, Govt. Of India)

परियोजना कार्यान्वयन इकाई, बाड़मेर, कार्यालय : जे- 2/2, मालानी कर्मचारी कॉलोनी,

बलदेव नगर, एन.एच.-15, बाड़मेर-344001 (राज.)

Project Implementation Unit, Barmer, Office, J - 2/2, Malani Karamchhari Colony,

Baldev Nagar, NH-15, Barmer - 344001(Raj.)

ई-मेल/Email :- piubarmer@nhai.org दूरभाष/Tel. & Fax : 02982-227100



भारतमाला

प्रगति के पथ पर अग्रसर

3

Sh. N. K. 26/7/2021

No.: NHAI/PIU-Barmer/ONGC Crossing/NH-70/MS270+800/2021-22/ 7366

Date: 13.07.2021

श्रीमान मुख्य महाप्रबन्धक (तक.) एवं क्षेत्रीय अधिकारी
भारतीय राष्ट्रीय राजमार्ग प्राधिकरण
क्षेत्रीय कार्यालय एफ - 120, जनपथ
श्यामनगर जयपुर- 302019

2009



विषय: Permission for crossing Munabao -Tanot road at Longewala section of NH-70 at Ch. MS 270+800 in the State of Rajasthan, for laying of 8" diameter gas pipe line from GCS Gamnewala to Chinnewala Tibba gas Field of RKOEa ONGC Jodhpur -reg.

सन्दर्भ: ONGC Limited letter No. ONGC/RKOEa/EAM/GAS Pipe line/NHAI/BRM/2021/1 dated 16.03.2021

महोदय,

In the captioned subject matter, the subject proposal has been received vide OIL and Natural GAS Corporation Limited letter under reference, along with check list and layout plan for examination as per Ministry Guidelines dated 22.11.2016 Crossing Munabao -Tanot road at Longewala section of NH-70 at Ch. MS 270+800 in the State of Rajasthan, for laying of 8" diameter gas pipe line from GCS Gamnewala to Chinnewala Tibba gas Field of RKOEa ONGC. The proposal is in accordance with Ministry's guidelines issued vide letter no. RW/NH-33044/29/2005/S&R (R) dated 22.11.2016.

Check List has been duly signed by applicant & NHAI Barmer and Certificate/ undertaking as per Check List duly signed by the applicant are enclosed.

Proof of deposition of license fee Rs. 59/- and performance BG amounting to Rs. 1,07,500/- is enclosed.

In view of the above, the proposal for Crossing Munabao -Tanot road at Longewala section of NH-70 at Ch. MS 270+800 in the State of Rajasthan, for laying of 8" diameter gas pipe line from GCS Gamnewala to Chinnewala Tibba gas Field of RKOEa ONGC is hereby recommended for granting In-Principle approval.

संलग्न: उपरोक्तानुसार

प्रतिलिपि :-

GM (P) -Surface Manager
RKOEa, ONGC Limited
KDM Complex Mandore, Jodhpur
Rajasthan -342026

: For information.


13/7/2021
(जितेन्द्र चौधरी)
परियोजना निदेशक

CHECK- LIST

Guidelines for processing the proposal for laying of Utility line in the land along National Highways vested with NHAI/PWD/BRO.


<u>General Information</u>			
1.	Name and Address of the Applicant/Agency	:	Shakeel GM (P) -Surface Manager ONGC- RKOE, KDM Complex, Mandore, Jodhpur -342 026
2	National Highway No.	:	70
3	State	:	Rajasthan
4	Location	:	Munabao- Tanot Road
5	Chainage in km	:	Km 270+800 Munabao- Tanot section NH-70
6	Length in m	:	30 m
7	Width of available ROW in both side	:	30 m
8	Side of NH : (left or right side of NH towards increasing chainage/Km direction)	:	Both sides
9	Name of Highway Authority of NHAI/PWD/BRO	:	Project Director, NHAI PIU Barmer
10	Highway Administration address	:	Project Director, NHAI PIU Barmer


शकील
SHAKEEL
प्रबन्धक - सतल दल
SURFACE MANAGER
जयपुर - जयपुर
RKOE, JODHPUR


Project Director
National Highways Authority of India
P.I.U. BARMER (Raj.)


S.No	Item	Measurement. Observations as per site conditions	MORTH Norms	Whether complying with MORTH Norms
1	Details of already laid utility service, if any	NIL	NA	NA
2	Whether up gradation of the stretch in near future is proposed or not	NO	NA	NA
	(a) If yes, provision of utility adversely affect the plan of up-gradation	NO	NA	NA
3	Laying of the Gas pipe line along the National Highways.			
3.1.	Location of proposed road crossing for gas pipe line along the stretch	Km 270+800 Munabao- Tanot section NH-70	Utility Duct/ beyond the toe line of the embankment and drains, and close to the extreme edge of the RoW.	Complying
3.2	Depth of top of for gas pipe line from ground level	1.50 m	0.6 meter	Complying
3.3	Mechanism for crossing water channel	NA	Through utility duct(if provision exists) or beneath the bed of water channel	NA
3.4	Whether ROW is restricted in this stretch?	No		NA
3.4.1	If yes, whether provision of land acquisition is required to lay utility	NA		NA
	(a) If yes, whether undertaking for land acquisition along with relevant L.A. details has been furnished	NA		NA
3.4.2	Width of concrete duct, if gas pipe line are proposed to be laid in concrete ducts	NA	Not less than one lane	NA
4	Laying of gas pipe line across the NH			
4.1	Whether Existing drainage structures is allowed to carry the utility lines.	-	Not to be allowed	-
4.2	Proposed crossing for gas pipe line.	Yes, Ch. 270+800	Perpendicular to NH	Complying


 SHAKEEL
 SURFACE MANAGER
 R.K.D.E.A, JOHPUR


 Project Director
 National Highways Authority of India
 P.U. BARMER (Raj.)


4.3	Type of casing pipe/conduit carrying the utility line.	Carbon Steel	Steel, cast iron, or reinforced cement concrete and have adequate strength	Complying
4.4	Whether ends of the gas pipe line are sealed from the outside	sealed	Sealed	Complying
4.5	Length of gas pipe line crossing NH.	30 m	Extend from drain to drain in cuts and toe to toe of slope in the fills	Complying
4.6	Depth of top of the for gas pipe line.	1.5m	At least 1.2 m below the top of subgrade	Complying
4.7	Crossing method in case of CC pavement.	HDD/Boring	Only boring method (HDD)	Complying
4.8	Horizontal and vertical clearances in case utilities are allowed overhead,	NA	In accordance with IRC codes.	NA
5	Document / Drawings enclosed with the proposal			
5.1	Cross-Section showing the size of trench for open trenching method	NA	Enclosed, if applicable	NA
	(a)Trench width	NA	More than 30 cm and less than 60 Cm wider than the outer diameter of the utility pipe	NA
	(b) Filling of trench	NA	as per Ministry guidelines vide letter No. RW/NH-34044/29/2015/S&R (R) dated 22.11.2016	NA
	(c) location of trench	NA	extreme edge of the ROW	NA
5.2	Cross section showing the size of pit and location of gas pipe line for HDD method	Yes, Enclosed	Enclosed, if applicable	Complying
5.3	Strip plan/ Route plan showing gas pipe line, chainage, width of ROW, distance of proposed gas pipe line from the edge of ROW, important mile stone, intersections, cross drainage works etc.	Yes, Enclosed	Enclosed	Complying
5.4	Plan and profile drawing of stretch showing cross section of road at 20m distance along with ROW and proposed gas pipe line	Yes, Enclosed	Enclosed	Complying


SHAKER
 Project Director
 National Highways Authority of India
 P.I.U. BARMER (Raj.)


 Project Director
 National Highways Authority of India
 P.I.U. BARMER (Raj.)

6	Methodology for laying of gas pipe line	Yes, Enclosed	Enclosed	Complying
7	Draft License Agreement is as per Ministry guidelines vide letter No. RW/NH-34044/29/2015/S&R (R) dated 22.11.2016 and signed by two witnesses	Yes, Enclosed	Enclosed	Complying
8	License fees in Favor of MoRTH RPAO Jaipur	Will be submitted as per MoRTH/NHAI guidelines	As per Ministry vide circular no. RE/NH-33044/29/2015/S&R)dated 22.11.2016	
9	Whether Bank Guarantee has been obtained	Will be obtained at the time of permission	As per Ministry vide circular no. RE/NH-33044/29/2015/S&R)dated 22.11.2016	
	(a) If yes, whether Confirmation of BG has been obtained as per MoRTH/NHAI guidelines	as per MoRTH/NHAI guidelines		
10	Affidavit / Undertaking from the Applicant for			
10.1	Undertaking for not to damage other existing utility, if damaged then to pay the losses to either to MoRTH/NHAI or to the concerned agency.	Yes, Enclosed	Enclosed	Complying
10.2	Undertaking for renewal of Bank Guarantees and when asked by NHAI/ MoRTH	Yes, Enclosed	Enclosed	Complying
10.3	Undertaking for confirming all standard condition of MoRTH/NHAI guidelines.	Yes, Enclosed	Enclosed	Complying
10.4	Undertaking for shifting of gas pipe line as and when asked by MoRTH/ NHAI within a month at their own cost.	Yes, Enclosed	Enclosed	Complying
10.5	Undertaking for indemnity against all damages and claims.	Yes, Enclosed	Enclosed	Complying
10.6	Undertaking for management of traffic movement during laying of gas pipe line without hampering the traffic.	Yes, Enclosed	Enclosed	Complying
10.7	Undertaking that If any claim is raised by the Concessionaire / contractor then the same has to be paid by the applicant	Yes, Enclosed	Enclosed	Complying


 शाकेल
 SHAKEEL
 प्रमुख - सड़क एवं
 SURFACE MANAGER
 अरावली - जोधपुर
 RKDEA, JODHPU


 Project Director
 National Highways Authority of India
 P.L.U. BARMER (Raj.)

10.8	Undertaking that the applicant has obtained various safety clearances from the representative authorities such as directorate of Electricity, Chief controller of Explosives, Petroleum and Explosive Safety Organization, Oil Industry Safety Directorate, State/Central Pollution Control Board and any other statutory clearances applicable, before applying to Highway Administration	Yes, Enclosed	Enclosed	Complying
------	--	---------------	----------	-----------

The Right of the Way (ROW) of the National Highway available at the proposed location from the center line of undivided carriageway is 15.00 m from center of ROW to edge of ROW towards proposed utility.

The above particulars along with the drawings and documents have been verified and certified as correct as per prevailing site conditions.


SHAKEEL
SURFACE MANAGER
RMOEA, JOODPUR

[Name Designation and signature of the authorized representative of applicant]

[Name Designation and signature of concerned field authority of
Project Director
NHAI/PWD/BRO]
National Highways Authority of India
P.L.U. BARMER (Raj.)

CERTIFICATE

1. Undersigned has examined the proposal of the applicant **“for crossing Munabao-Tanot Road at Longewala Section of NH-70 at Ch.MS 270 + 800 in the State of Rajasthan, for laying of 8" diameter gas pipe line from GCS Gamnewala to Chinnewala Tibba gas Field of RKOEONGC Jodhpur”** and confirm that the all standard conditions issued vide Ministry circular No: RW/NH-33044/29/2015/S&(R) dated 22.11.2016 has been followed.
2. It is certified that any other location of utility line would be extremely difficult and unreasonable costly and installation of utility line within ROW will not adversely affect the design ,stability & traffic safety of the highway nor the likely future improvement such as widening of the carriageway ,easing of curve etc.
3. I will ensure supervision of the work of laying of utility and ensure that the defects in road portion after laying of utility are corrected.
4. I will notify/forfeit the BG for claims for damages done/disruption in working, if any.
5. I will ensure that proposed permission in entered the register of records
6. The record of previous approval, if any has been considered and copy of same is enclosed with the proposal.


[Name Designation and signature
of concerned field authority of
Project ~~Di~~**NHA**/PWD/BRO]
National Highways Authority of India
P.L.U. BARMER (Raj.)