



भारतीय राष्ट्रीय राजमार्ग प्राधिकरण

(सड़क परिवहन एवं राजमार्ग मंत्रालय, भारत सरकार)

National Highways Authority of India

(Ministry of Road Transport & Highways, Govt. of India)

क्षेत्रीय कार्यालय : "नारंग टावर", तिसरी मंजिल, उपआयुक्त यातायात पुलिस (नागपुर शहर) कार्यालय के सामने, पाम रोड, सिविल लाईन्स नागपुर-440 001 महाराष्ट्र
Regional Office : "Narang Tower", 3rd Floor, Opp. to Office of Dy. Commissioner of Police Traffic (Nagpur City), Palm Road, Civil Lines, Nagpur- 440 001 Maharashtra
Tel/Fax : 0712-2520091, 0712-2980554 ई-मेल/ Email : ronagpur@nhai.org



भारतमाला
प्रगति के पथ पर अग्रसर

NHAI/RO-NAG/Ut. 53/NH-6/WSP UG - 414.784/2020/ 1231

Date: 01.10.2020

Invitation of Public Comments

Sub: Permission for Crossing of Water Supply Pipeline Underground for M/s CALX Pigment Pvt. Ltd. on National Highways NH-53 at km. 414+784 in the State of Maharashtra-Reg.

Ref.: (i) PD, PIU-Jalgon Lr. No. NHAI/PIU-JAL/C-T/WSP. UG/NH-6/2020/815dated 19.08.2020.

(ii) Applicant M/s CALX Pigment Pvt. Ltd. letter dated 03.08.2020

* * *

It is to inform all concern that M/s CALX Pigment Pvt. Ltd vide letter under reference (ii) has submitted a proposal for the subjected work and PD, NHAI, PIU, Jalgaon has recommended the above proposal vide letter under reference (i) for approval of the Competent Authority / Highway Administrator.

2. The alignment proposed by that M/s CALX Pigment Pvt. Ltd crossing Chikhali to Tarsod Section of NH-53 in the State of Maharashtra as follows:

- Underground Water Supply Pipeline crossing at km. 414+784 on Chikhali to Tarsod Section of NH-53 for Water supply connection from MIDC Jalgaon main water line.
- Alignment of the cable is crossing Chikhali to Tarsod Section of NH-53
- Cable to be laid by Push through method.

3. As per Para-4 of Ministry's Circular No.RW/NH-33044/29/2015/S&R(R), dated 22.11.2016, the Highway Administration shall be put out in the public domain for 30 days for seeking claims and objections (on grounds of public inconvenience, safety and general public interest).

4. In view of the above, the comments / objections of affected public is hereby invited with reference to the Ministry's circular dated 22.11.2016 due to above underground line on the subjected stretch. The objections / comments may be addressed to the below mentioned address upto 18.10.2020, beyond due date, no comments/ objections will be accepted.

मुख्यालय : जी-5 एवं 6, सेक्टर-10, द्वारका, नई दिल्ली - 110 075
Head Office : G-5 & 6, Sector-10, Dwarka, New Delhi - 110 075

The Regional Officer,
Regional Office - Nagpur
National Highways Authority of India,
"Narang Towers", 3rd Floor,
Opp.to Office of Dy. Commissioner of Police Traffic (Nagpur City),
Palm Road, Civil Lines, Nagpur-440 001, Maharashtra
Tel : 0712-2520091
Email : ronagpur@nhai.org

N. Wadetwar
01.10.2020

(Naresh Wadetwar)
General Manager (Tech.)
NHAI, RO, Nagpur

Copy to: (i) Web Admn., NHAI, HQ, New Delhi - for uploading in NHAI's website
[web-admin@nhai.org]

(ii) Director, NIC, New Delhi - for uploading in Ministry's website
[mansoor@nic.in]