



**भारतीय राष्ट्रीय राजमार्ग प्राधिकरण**  
(सड़क परिवहन और राजमार्ग मंत्रालय, भारत सरकार)  
**NATIONAL HIGHWAYS AUTHORITY OF INDIA**  
(Ministry of Road Transport & Highways, Government of India)



**क्षेत्रीय कार्यालय - हैदराबाद**

प्रथम तल, नया भवन, भारतीय प्रशासनिक स्टाफ कॉलेज, रोड नं-3, बंजारा हिल्स, हैदराबाद-500 034, तेलंगाना.

**REGIONAL OFFICE - HYDERABAD**

First Floor, New Building, Administrative Staff College of India (ASCI), Road No. 3, Banjara Hills, Hyderabad - 500 034, Telangana.

टेली / Tele : 040 - 29562147 / 48 ई-मेल / Email : rohyderabad@nhai.org, nhairohyd@gmail.com

**Notice Inviting Public Comments**

NHAI/RO-HYD/25011/1/46/2022/Utility/1268

Dt.05.08.2022

**Sub:** NHAI - RO Hyderabad - PIU Hyderabad-Proposal for laying of Optical Fiber Cable for a total length of 13.10 Km from Km.162+600 to Km.163+530 (RHS), from Km.163.070 to Km.163+140 (LHS), from Km.165+800 to Km.170+290 (RHS), from Km.174+360 to Km.174+390 (RHS) & from Km.174+300 to Km.181+760 (LHS), along NH-44 by HDD method and Highway crossings at Km. 163+140 & km.172+930 by HDD methodology on Hyderabad to Bangalore section of NH-44 in the State of Telangana- Reg..

**Ref:** 1. PD, PIU Hyd Lr.no. NHAI/PIU-HYD/NH-44/ AP-5/T-Fiber/2022/1108, dated 14.07.2022

The Project Director, PIU, NHAI, Hyderabad vide letter cited above has recommended the Proposal M/s Telangana Fiber Grid Corporation Limited for laying of Optical Fiber Cable in between Km.162+600 to Km.181+860 for a total length of 13.10 Km along the National Highway of NH-44 & across the National Highway NH-44 by HDD methodology in Hyderabad to Bangalore section in the State of Telangana.

2. As per para 4 of the Ministry's guidelines no. RW/NH-33044/29/2015/S&R(R) dated 22.11.2016, public comments is hereby invited on the above proposal seeking claims and objections (on grounds of public inconvenience, safety and general public interest) within 30 days on public portal i.e. website of Ministry of Road Transport and Highways (www.morth.nic.in) in Form-A (copy enclosed) for "Accommodation of Public and Industrial Utility Services along and across National Highways".

**Comment Inviting Authority**

The Regional Officer,  
National Highways Authority of India,  
Regional Office: Hyderabad,  
First Floor, New Building,  
Administrative Staff College of India(ASCI),  
College Park Campus, Road No.3,  
Banjara Hills, Hyderabad - 500 034,  
Telangana State,  
Phone: 040-29562147, 040-29562148,  
Email: rohyderabad@nhai.org, nhairohyd@gmail.com

Yours faithfully,

Encls: Above Proposal

  
(V. Nagamani)

**Dy General Manager (Tech)**  
**For Regional Officer-cum-**  
**Highway Administrator, Hyderabad**

**To:**

1. Senior Technical Director, NIC, Transport Bhawan, New Delhi- 110001 for uploading on Ministry's website.
2. Shri S.Manivasagam, Dy. GM (IT), NHAI HQs, New Delhi for uploading on NHAI website.

**Copy to:-** 1. The Project Director, NHAI, PIU Hyderabad: for information  
2. M/s Telangana Fiber Grid Corporation Limited: for information

## FORM-A

Form for seeking claims and objections (on grounds of public inconvenience, safety and general public interest) on the application for Accommodation of Public and Industrial Utility Services along and across National Highways

**Sub:** NHAI - RO Hyderabad - PIU Hyderabad- Proposal for laying of Optical Fiber Cable for a total length of 13.10 Km from Km.162+600 to Km.163+530 (RHS), from Km.163.070 to Km.163+140 (LHS), from Km.165+800 to Km.170+290 (RHS), from Km.174+360 to Km.174+390 (RHS) & from Km.174+300 to Km.181+760 (LHS), along NH-44 by HDD method and Highway crossings at Km. 163+140 & km.172+930 by HDD methodology on Hyderabad to Bangalore section of NH-44 in the State of Telangana-  
**Reg.**

The claims and objections (on grounds of public inconvenience, safety and general public interest) by the general public needs to be given within 30 days of uploading the online application for comments

Sl. No	Item	Details
1	Name of the person who is desiring to give claims and objections (on grounds of public inconvenience, safety and general public interest)	
2	Address of the person	
3	Details of the application for Accommodation of Public and Industrial Utility Services along and across National Highways against which claims and objections are being given (name of applicant and other details like site address etc.)	
	a) Application No.	
	b) Name of applicant (who applied to Accommodation of Public and Industrial Utility Services along and across National Highways)	
	c) Details of Application	
4	The claims and objections (on grounds of public inconvenience, safety and general public interest)	



सत्यमेव जयते

# भारतीय राष्ट्रीय राजमार्ग प्राधिकरण

(सड़क परिवहन और राजमार्ग मंत्रालय, भारत सरकार)

## NATIONAL HIGHWAYS AUTHORITY OF INDIA

(Ministry of Road Transport & Highways, Government of India)

परियोजना कार्यान्वयन इकाई - हैदराबाद

आवास सं : 25A & 28A, भारत का प्रशासनिक स्टाफ कॉलेज, कॉलेज पार्क कैम्पस, सड़क सं : 3, बंजारा हिल्स, हैदराबाद - 500 034, तेलंगाना

### PROJECT IMPLEMENTATION UNIT - HYDERABAD

Qtr.No. 25A & 28A, Administrative Staff College of India (ASCI), College Park Campus, Road No.3, Banjara Hills, Hyderabad- 500 034, Telangana

Land Mark : Near TV9 Bus Stop

टेली / Tele : 040-29550558 ई-मेल / Email : hyd@nhai.org / nhaihyd@gmail.com



NHAI/PIU-HYD/NH-44/AP-5/T-Fiber/2022/1108

14.07.2022

To

The Regional Officer

National Highways Authority of India  
Regional Office, First Floor, New Building,  
Administrative Staff College of India (ASCI),  
College Park Campus, Road No.3  
Banjara Hills, Hyderabad-500034, Telangana.



Sub: NHAI-PIU- Hyderabad - Design, Construction, Development, Finance, Operation and Maintenance of Km.135.469 (end of Kothakota Bypass) to Km.211.000 (Kurnool) on NH-44 (old NH-7) in the State of Andhra Pradesh on BOT (Annuity) basis - Contract Package No.NS-2/BOT/AP-5 - Permission for laying of Optical Fiber Cable from Km. 162/615 to Km. 181/760 of Itikyala Mandal for T-Fibre along NH-44 road boundary and across the road under the jurisdiction of NHAI - Submitted for approval - Reg.

Ref: 1. MoRT&H guideline RW/NH-33044/29/2015/S&R(R) dated: 22.11.2016  
2. T-Fibre lr. no. T Fibre/ROW/1437 dated: 30.12.2021  
3. I.E lr. no. AA/TL/AP-05/NH-44/NHAI/2349/21-22/986 dated: 07.02.2022

\*\*\*\*\*

Sir,

This has reference to the letter 2<sup>nd</sup> cited wherein T-Fibre submitted proposal for laying of Optical Fiber Cable along NH-44 road boundary and across the road under the jurisdiction of NHAI and requested to accord permission. The same has been examined by I.E vide their letter dated 07.02.2022.

2. The proposal has been examined in this office and following documents have been submitted along with the proposal:

- Check list
- Methodology for laying of Optical Fiber Cable on the NH land (utility corridor) by HDD method.
- License fee calculation for an amount of Rs. 24,02,314/- receipt of the same is enclosed with Transaction No. 2304220010637 dated: 27.04.2022


*[Handwritten signature]*

Page 1 of 2

::2::

- iv. Bank Guarantee calculation for an amount of Rs. 39,90,000/- with BG No. 220133IBGP00063 dated: 23.03.2022
  - v. Indemnity bond
  - vi. Undertaking
  - vii. License Agreement
  - viii. Drawings
2. IE has inspected the site and checked the proposal as per MoRTH guidelines vide RW/NH-33044/29/2015/S&R(R) dated 22.11.2016.
3. In view of the above, the proposal for according permission to lay Optical Fiber Cable by the Senior Director, T-Fiber, is examined and found to be in order. Therefore, the proposal is herewith recommended for approval of the Competent Authority.

Yours faithfully



(P. Nageswara Rao)  
GM (T) & Project Director

## CERTIFICATE

Sub: NHAI-PIU- Hyderabad - Design, Construction, Development, Finance, Operation and Maintenance of Km.135.469 (end of Kothakota Bypass) to Km.211.000 (Kurnool) on NH-44 (old NH-7) in the State of Andhra Pradesh on BOT (Annuity) basis - Contract Package No.NS-2/BOT/AP-5 - Permission for laying of Optical Fiber Cable from Km. 162/615 to Km. 181/760 of Itikyala Mandal for T-Fibre along NH-44 road boundary and across the road under the jurisdiction of NHAI - Reg.

\*\*\*\*\*

In regard to the proposal for laying of Optical Fiber Cable, following is hereby certificated:

1. It is certified that the proposal is confirming of all standard condition issued vide Ministry Circular No.(58)/68 dated 31.1.1969, Ministry Circular No.P/66/76 DATED 18./19.11.1976 , Ministry RW/NH- III/P/66/76dated 11.5.1982, Minister RW/NH- 11037/1/86-DOI(ii) DATED 28.7.1993, Circular No.rw/nh-11037/1/86/DOI dated Ministry Circular No.RW/NH-34066/2/95/25.10.19999 and Ministry Circular No.RW/NH-34066/7/2003 S&R (B) dated 17.9.2003 (yes/No).
2. It is certified that any other location of OFC cable would be extremely and unreasonable costly and the OFC within ROW will not adversely affect the design, stability & of the highway nor the likely future (Yes/No) Such as widening of the carriageway curve etc.
3. For 6 - lanning: In case feasibility report is not available " it is certified that sufficient ROW is available at site for accommodating proposed six -laning".

  
SE

Yours faithfully

  
(P. Nageswara Rao)  
GM (T) & Project Director



## INSPECTION REPORT

Sub: NHAI-PIU- Hyderabad - Design, Construction, Development, Finance, Operation and Maintenance of Km.135.469 (end of Kothakota Bypass) to Km.211.000 (Kurnool) on NH-44 (old NH-7) in the State of Andhra Pradesh on BOT (Annuity) basis - Contract Package No.NS-2/BOT/AP-5 - Permission for laying of Optical Fiber Cable from Km. 162/615 to Km. 181/760 of Itikyala Mandal for T-Fibre along NH-44 road boundary and across the road under the jurisdiction of NHAI - Reg.

\*\*\*\*\*

The proposed site for laying of Optical Fiber Cable is inspected and the following are noted:

1. The proposed laying of water supply line falls under AP-5 package.
2. The proposal meeting the requirements of MORTH.
3. The proposal submitted is examined and recommended for granting the permission.

Yours faithfully

Bho  
SE

  
14/7/2

(P. Nageswara Rao)  
GM (T) & Project Director

**Check List**

**Name of the Work: Laying underground OFC Telangana Fiber Grid Corporation Limited Project Telangana Fiber (A BBNL Project)for Government of Telangana**

S.No.	Item	Information/status	Remarks
1	General Information	Permission for laying of OFC across NH-44, Itikyala Mandal from chainage 162/600 to 163/530 on RHS, 163/070 to 163/140 on LHS, 165/800 to 170/290 on RHS, 174/360 to 174/390 on RHS, 174/300 to 181/760 on LHS length for ROW applied is 13.100km (i.e.13100mtrs) including Road crossings (HDD) at 163/070 & 172/930 under the Jurisdiction of NHAI in the state of Telangana	
1.1	Name and Address of the Applicant/Agency	M/S Telangana Fiber Grid Coportaion Limited	
1.2	National Highway Number	NH-44	
1.3	State	Telangana	
1.4	Location	NH 44 Bangalore to Hyderabad Rd( Kurnool Rd)	2 road crossings
1.5	(Chainage in Km)	Along NH 44, 162/600 to 181/760 Road crossing 163/070 &172/930	
1.6	Length in Meters	A) along Road :7.530km(LHS) B)5.450km(RHS) C) Road Crossings 163/070 & 172/930= each crossing meters ( 2X 60=120m) =13.100km	
1.7	Width of available ROW		
(a)	Left side from center line towards increasing chainage / km Direction	30 M	
(b)	Right side from center line towards chainage/km direction	30 M	
1.8	Proposal to lay OFC		
(a)	Left side from center line towards increasing chainage / km Direction	As per Drawing	
(b)	Right side from center line towards chainage/km direction	As per Drawing	
1.9	Proposal to acquire land	No	
(a)	left side from center line	NA	
(b)	Right side from center line	NA	
1.10	Whether proposal is in the same side where land is not to be acuired if not then where to lay the cable	Yes	

✓  
Point no 1



BN

**PROJECT DIRECTOR**  
**NATIONAL HIGHWAYS AUTHORITY OF INDIA**  
**PROJECT IMPLEMENTATION UNIT**  
**HYDERABAD - 500 034**

1.11	Details of already laid services, if any, along the proposed route	YES (indicated in Drawing)	
1.12	Number of lanes (2/4 6/8 lanes) existing	2 /4 Lane	
1.13	Proposed Number of lanes (2 lane with paved shoulders/4 6/8 lanes)		
1.14	Service road existing or not if yes then which side	YES (indicated in Drawing)	
(a)	left side from center line	-	
(b)	Right side from center line	-	
1.15	Proposed Service Road	NA	
(a)	Left side from center line		
(b)	Right side from center line		
1.16	Whether proposal to laying of OFC Cable is after the service road or between the service road carriageway	After the service Road	
1.17	The permission for laying of OFC cable shall be considered for approval / rejection Ministry Circulars Mentioned as above	Approval	
(a)	Carrying of Sewage/gas pipelines on highway bridges shall not be permitted as Furnes / gases pipes accelerate the process of corrosion or ma explosions, thus, being much more injurious of water	NA	
(b)	Carring of OFC on bridges shall discouraged. However, if the OFC seem to have no other viable alternative and the highway authority well in time before the bridge is finalized, they may be permitted to pipeline on independent superstructure, extended portions of piers and abutments in manner that in the final arrangement enough around the superstructure of the bridge for inspection and repairs, etc.	NA	



*Signature*

**PROJECT DIRECTOR**  
**NATIONAL HIGHWAYS AUTHORITY OF INDIA**  
**PROJECT IMPLEMENTATION UNIT**  
 HYDERABAD - 500 034.



(c)	Cost of required extension of the as that of the supporting superstructure shall the agency-in-charge of the utilities.	NA	
(d)	Services are not being allowed parapet/any part of the bridges, Safety of the bridge to be kept in view while permitting various bridge. Approvals are to be accorded in this the concurrence of the <b>Ministry's Project Engineers only</b>	May be approved <b>✓</b>	
1.18	<b>If crossings of the road involved</b> If Yes, it shall be either encased in pipes or structure or conduits specially built for that expenses of the agency owning the line	Yes (encased with PLB 40mm Duct)	
(a)	Existing drainage structures shall not be allowed to carry the lines	No existing drainage system	
(b)	Is it on a line normal to <b>NH</b>	yes	
(c)	Crossings shall not be too near the existing structures on the National Highway, the distance being 15 meter. What is the distance from the existing structures	Yes. (250m)	
(d)	The casing pipe (or conduit pipe in the case electric cable) carrying the utility line shall cast iron, or reinforced cement concrete adequate strength and be large enough to ready withdrqwal of the carrier pipe/cable	Yes	
(e)	Ends of the casing/conduit pipe shall be sealed from the outside, so that it does not act as path.	Yes	
(f)	(f) The Casing/conduit pipe should be extended from drain to drain in cuts and toe of slope in the fills	Yes	
(g)	The top of the casing/conduit pipe should be atleast 1.2 meter below the surface of the Drain & atleast 0.3 m below the drain bottom	Yes	



*Handwritten signature/initials*

*Handwritten signature*  
**PROJECT DIRECTOR**  
**NATIONAL HIGHWAYS AUTHORITY OF INDIA**  
**PROJECT IMPLEMENTATION UNIT**  
**HYDERABAD - 500 034.**


(1b)	Crossing shall be Horizontal Boring method (HDD) specially where the existing road pavement cement concrete or dense bituminous	HDD- proposed existing road pavement is of DBM	
(i)	The casing/conduit pipe shall be installed throughout its length and in manner as to prevent the formation of a water way along it.	Yes	
2	Document/Drawings enclosed with the proposal	Yes	
2.1	Cross section showing the size of trench for open trenching method (Is it normal size of 1.2m deep x 0.3m wide)	HDD Method , Not Opentrench Method	
(i)	Should not be greater than 60 Cm wider than diameter of the pipe	Yes	
(ii)	Located as close to the extreme edge of the Right of way but not less than 15 meter from centre-lines of the nearest carriageway	Yes	
(iii)	Shall not be permitted to run along the Highways when the road formation is situated cutting. Nor shall these be laid over the bridges.	NA	
(iv)	These should be laid that their top is at 0.6 meter below the ground level so as not drainage of the road land.	NA	
2.2	Cross section showing the size of pit and location of cable for HDD method	YES (Enclosed)	
2.3	Strip plan/Route Plan showing OFC laying Chainage, Width of RoW, distance from the edge of ROW, important mile stone intersections, cross drainage work etc.	Strip plan (Enclosed)	
2.4	Methodology for laying of showing OFC	Yes	



*Signature*

**PROJECT DIRECTOR**  
**NATIONAL HIGHWAYS AUTHORITY OF INDIA**  
**PROJECT IMPLEMENTATION UNIT**  
 HYDERABAD - 500 034.

2.4.1	Open trenching method.( May be allowed in utility corridor only where pavement is neither nor dense bituminous concrete type. If yes of refilling of trench	HDD	
(a)	The trench width should be at least 30 cm, more than 60cm wider than the outer pipe.	NA - HDD Method (not Open Trench )	
(b)	For filling of the trench, Bedding shall be not less than 30cm. It shall consist of free of lumps, clods and cobbles and graded firm surface without sudden change in the Unsuitable soil and rock edged should be replaced by selected material	NA	
( c )	The backfill shall be completed in two stages fill to the level of the top of the pipe and (ii) bottom of the road crust.	NA	
(d)	The sidefill shall consist of granular material & sand layers each consolidated by mechanical and controlled addition of moisture to 95 % of Proctor's Density. Overfill shall be compacted same density as the material that had been consolidation by saturation or ponding will not permitted.	NA	
(e)	(e) The road crust shall be built to the same the existing crust on either side of the trench be taken to avoid the formation of a dip at the	NA	
(f)	(f) The excavation shall be protected by barricades, and red lights reflector during night.	NA	
( g )	(g) If required, a diversion shall be constructed at the expense of agency owning the utility line.	NA	
2.4.2	Horizontal Directional Drilling (HDD) Method.	HDD Method for crossing	
2.4.3	Laying of OFC through CD works and method of laying.	NA	
(a)	(a) On approaches, OFC Cables carried along a line as close to the edge of way as possible, upto a distance of 30m from and subject to all other stipulations contained Ministry's guidelines issued with letter No.NH dated 19.11.1976.	NA	



Bh

PROJECT DIRECTOR  
NATIONAL HIGHWAYS AUTHORITY OF INDIA  
PROJECT IMPLEMENTATION UNIT  
HYDERABAD - 500 034.


3	Draft License Agreement signed by two witnesses.	Enclosed	
4	Performance Bank Guarantee in favour of NHAI has to be obtained @ Rs250/- per running meter NH) and Rs32,75000/- BG value of NH, of one year initially (extendable if required satisfactory completion of work) as a ensuring/making good the excavated trench the cables/ducts by proper filling and clearing debris/loose earth produced due to of trenching at least 50m away from the right of way. No payment shall be payable NHAI to the licensee for clearing	Yes (undertaking is give that once the proposal is approved the BG will be furnished)	
4.1	Performance BG as per above is to be obtained.	Obtained	
4.2	Confirmation of BG has been obtained as per NHAI guidelines.	Yes	
5	<b>Affidavit / Undertaking from the Applicant for</b>	NA	
5.1	Not to Damage to other utility, if damaged then to pay the losses either to NHAI or to the concerned.	Yes Undertaking given	
5.2	Renewal of Bank Guarantee	if Required Will be renewed	
5.3	Confirming all standard condition of NHAI 's guideline	Yes	
5.4	Shifting of OFC as and when required NHAI Whether won cost	No	
5.5	Shifting due to 6 lanning / widening of NH	Yes Undertaking given	
5.6	Indemnity against all damages and claims clause (xxiv)	Yes Undertaking given	



*Sh*

*Sh*  
**PROJECT DIRECTOR**  
**NATIONAL HIGHWAYS AUTHORITY OF INDIA**  
**PROJECT IMPLEMENTATION UNIT**  
**HYDERABAD - 500 034.**

5.7	Traffic movement during laying of OFC to be Managed by the applicant	Yes Undertaking given	
5.8	If any claim is raised by the concessionaire then the same has to be paid by the applicant.	Yes Undertaking given	
5.9	Prior approval of the NHAI shall be obtained before Undertaking any work of installation, shifting alterations to the showing OFC cable in the National highway right-of-ways	Yes Undertaking given	
5.10	Expenditure, if any, incurred by NHAI for repairing any damage caused to the National Highway by maintenance or shifting of the OFC be borne by the agency owning the line	Yes Undertaking given	
5.11	If the NHAI considers it necessary in future to move the utility line for any work of improvement or road, it will be carried out as desired by the cost of the agency owning the utility line within reasonable time (not exceeding 60 days) of the intimation given	Yes Undertaking given	
5.12	Certificate from the applicant in the following		
(i)	(i) Laying of OFC will not deleterious effects on any of the bridge and roadway safety for traffic.	Yes Undertaking given	
(ii)	(ii) for 6-laning "We do undertake that I will service road/approach road/utilities at my notwithstanding the permission granted with in as will be stipulated by NHAI" for future six any other development	Yes Undertaking given	
6	Who will sign the agreement on behalf of OFC cable agency.	M/S Telangana Fiber Grid Corporation Limited	
7	Certificate from the Project Director		



*Handwritten mark*

*Handwritten signature*  
**PROJECT DIRECTOR**  
**NATIONAL HIGHWAYS AUTHORITY OF INDIA**  
**PROJECT IMPLEMENTATION UNIT**  
**HYDERABAD - 500 034.**

7.1	Certificate for confirming of all standard condition issued vide Ministry Circular No.(58)/68 dated 31.1.1969, Ministry Circular No.P/66/76 DATED 18./19.11.1976 , Ministry RW/NH-III/P/66/76dated 11.5.1982, Minister RW/NII- 11037/1/86-DOI(ii) DATED 28.7.1993, Circular No.rw/nh-11037/1/86/DOI dated Ministry Circular No.RW/NH-34066/2/95/25.10.19999 and Ministry Circular No.RW/NH-34066/7/2003 S&R (B) dated 17.9.2003 (yes/No).	YES	
7.2	Certificate from PD in the following format		
(i)	(i) "It is certified that the OFC within ROW will not affect the design, stability of the highway nor the likely future (Yes/No) Such as widening of the carriageway, curve etc."	YES	
(ii)	for 6 - lanning		
(a)	(a) Where feasibility is available "I do Certify that no hindrance to proposed six laning based feasibility report considering proposed said location"	yes	
(b)	(b) In case feasibility report is not available " I that sufficient ROW is available at site for accommodating proposed six - laning".	yes	
8	If NH section proposed to be taken up by NHAI on BOT basis - clause is to be inserted in the agreement "The permitted Highway on which licensee has been granted the right to lay cable/duct has also been right of way to the concessionaire under the agreement	NA	



*Handwritten signature*

*Handwritten signature*  
**PROJECT DIRECTOR**  
**NATIONAL HIGHWAYS AUTHORITY OF INDIA**  
**PROJECT IMPLEMENTATION UNIT**  
**HYDERABAD - 500 034.**



9	Who will supervise the work of laying of OFC cable	(i) NHA I Supervision Consultant (ii) T.Fiber -DGM	
10	Who will ensure that defects in road portion after laying of OFC Cable are correctd and if not corrected then what action will be taken.	Senior Director-T.fiber - if the defects are not corrected NIIAI will encash the amount from BG	
11	Who will pay the claims for damages done/disruption in working of Concessionaire if asked by the concessionaire.	M/S Telangana Fiber Grid Corporation Limited, Telangana	
12	A certificate from PD that he will enter the proposed permission in the register of records of the prescribed proforma (copy enclosed)	Yes	
13	If any previous approval is accorded for laying of underground OFC cable then register of records of permissions accorded maintained by PD then copy be enclosed	Yes	



Pb

**PROJECT DIRECTOR**  
**NATIONAL HIGHWAYS AUTHORITY OF INDIA**  
**PROJECT IMPLEMENTATION UNIT**  
**HYDERABAD - 500 034.**

**Methodology of Laying of OFC-Open Trenching & Trenchless (HDD) along NH 44**

**Trenching Method:**

Laying of Optical Fiber Cable along the mentioned route will be done by conventional method/manual and Machine Trenching method. The dimension of the trench will be 165 cms in depth and 45 cms in width. The Cable laying work will be carried out in phased manner in such a way that after the HDPE / Protection ducts are laid for Optical Fiber Cable, the trench will be reinstated to its original surface.

**Trench Filling Method:**

As a measure of abundant precaution against future settlement and other allied problems, only selected granular material will be used in filling reinstatement of trenches. The entire depth of cutting will be filled either with coarse sand or the excavated material, compacted in layers not exceeding 75 mm when compacted by ordinary power roller /plate compacter. Special Compaction equipment like plate compacter, frog hammer will be utilised besides ordinary power roller.

**Trenchless Crossing: HDD Method**


Horizontal Directional Drilling (HDD) is a technique for installing product pipes, including utility lines, below ground using a surface-mounted drill rig that launches and places a drill string at a shallow angle to the surface and has tracking and steering capabilities. In recent years HDD has been the preferred methodology due to several government policies conducive to infrastructure growth.

All crossing on the Route will be done by Horizontal Directional Drilling method without disturbing the road surface.

*A Typical HDD Methodology is shown below:*



**ANNEXURE NO-7**



ooooooooooooooooooooooooooooo  
**SUB: Laying Of Underground Cables Along The National Highway**

**DETAILS REGARDING UNDERGROUND CABLE LAYING.**

1. (i) Name of company asking for Permission : M/S Telangana Fiber Grid Corporation Limited.
- (ii) Full Address (Registered) : Telangana Fiber Grid Corporation Limited..  
7<sup>th</sup> Floor splendid Tower SP Road Begumpet  
Hyderabad. Telangana-500003
- Corporate Address : Telangana Fiber Grid Corporation Limited..  
7<sup>th</sup> Floor splendid Tower SP Road Begumpet  
Hyderabad. Telangana-500003
- (iii) Details & purpose for laying the Cable : Providing high speed internet connectivity to  
12751 Gram panchayats, 31 District and  
584 Mandals, educational Institutes
- (iv) Any other details regarding laying
- (a) Distance of proposed site from  
the centre of the road at the  
Extreme edge within the road  
boundary : or at extreme edge of Road boundary
- (b) Whether it is possible to  
lay the proposed lines or not,  
reasons : Yes, the proposed cable is to  
be laid at depth of 1.65  
meters, which is far below any  
existing line.
2. Details regarding road alignment  
where UG is to be laid along the  
road :
- (i) Name of Road : **NH. 44**
- (ii) Category of road (to be ascertained) :

NHAI-44, Itkyala (Hyderabad to Banglore Highway) from 172/930 to 181/760 on RHS, 165/800 to 170/290, 162/600 to 163/530 on LHS. Section length for ROW applied 13.500kms (i.e. 7550+4490mtrs+1010mtrs=13100mtrs) including road crossings at 172/930, 163/070 under the Jurisdiction of NHAI.

**(On Left side of the road of increasing chainage) : 162/600 to 170/290**

**(On Right side of the road of increasing chainage) : 172/930 to 181/760**

- (iii) Width of the road :



- (a) Formation width measured from earthen bank : 1) 50 Meters
- (b) Black top road carriage-way width : 1) 25 Mtrs. from centre of road from Km
- (c) Road boundary : 1) 25 Mtrs. from centre of road from Km
- (d) Location of cable laying along the roadside to be mentioned.

NH-44, Itkya (Hyderabad to Bangalore Highway) from 172/930 to 181/760 on RHS, 165/800 to 170/290, 162/6 to 163/5 on LHS. Section length for ROW applied 13.100kms (i.e. 7550+4490mtrs+1060mtrs=13100mtrs) including road crossings at 172/930, 163/070 under the Jurisdiction of NHAI.

Details to be supplied on lay out drawings. : 4 sets of proposed route drawings are enclosed.

#### 4. GEOGRAPHICS OF THE CABLE ROUTE

- (a) Dimension of the cable trench : Width 0.45 meter and Depth 1.65 meter
  - (b) Dimension of Cable/HDPE/ protection pipe. : 40 mm (outer dia)
  - (c) Size of Optical Fibre Telecom Transmission cable. : Light weight 48F Optical Fibre Cable of Outer dia of 18 mm.
  - (e) Right of way : Vested with the NHAI, the proposed cable will be laid within the road boundary of NH-44
5. (i) This is to certify that no Govt. Road land shall be occupied by M/S Telangana Fiber Grid Corporation Limited for (BBNL Project) for Government of Telangana except for the purpose of laying of UG cables.
- (ii) This is to certify that the work shall be in accordance with the Govt. Rules and regulations in force from time to time and binding to M/S Telecommunications Consultants India Ltd (Master system Integrator) for M/S Telangana Fiber Grid Corporation Limited (A BBNL Project) for Government of Telangana
- (iii) This is to certify that all required Cost and fees as per rules and regulation of the Govt. will be deposited timely.

Yours Sincerely,

**M/S Telangana Fiber Grid Corporation Limited**

Authorised Signatory

Date :

Place:

Encl : Route Drawing.

**Proposal for Granting of Permission for laying of OFC cable NH- 44, Road in Itikiyala Mandal by M/s Telangana Fiber Grid corporation Limited between from chainage Km. 162/600 to Km. 174/390**

S NO	LOCATION	CHAINAGE (in KM)		LHS / RHS	LENGTH (Mtrs)	WIDTH( Mtrs)	AREA (in Sq Mtrs)	Guidence value per Sq Yard (in RS)	Guidence value (in RS) / Sqm	AMOUNT (in RS)
		FROM	TO							
1	Itikiyala	162/600	163/530	RHS	960	0.45	432	1,700	2,040.0	8,81,280.0
2	Itikiyala	165/800	170/290	RHS	4490	0.45	2020.5	1,700	2,040.0	41,21,820.0
3	Itikiyala	172/930	181/860	LHS	8930	0.45	4018.5	1,700	2,040.0	81,97,740.0
4	Itikiyala	172/930	174/390	RHS	1460	0.45	657	1,700	2,040.0	13,40,280.0
5	Itikiyala	163/140		Crossing	60	0.45	27	1,700	2,040.0	55,080.0
6	Itikiyala	172/930		Crossing	60	0.45	27	1,700	2,040.0	55,080.0
7	Itikiyala	2 working pits of size 1*1 at crossings 163/140 & 172/930		Crossing	1	1	4	1,700	2,040.0	8,160.0
							TOTAL AMOUNT (RS)			1,46,51,280.00
						LICENSE FEE (Rs per month)= 14651280.00 /(10 X 12)				1,22,094.00
						LICENSE FEE Rs per 5 years 122094.00000 X 5X 12				73,25,640.00
						For Public Utility of 33% of industrial utilities as per MORTH no RW/NH-33044/29/2015 /S&R (R) Dated 22.11.2016				24,17,461.20

24,02,314/-

Bank Guarantee								
S NO	Along the Road	CHAINAGE		LHS / RHS	LENGTH (Mtrs)	Rate per Mtr	AMOUNT	REMARKS
		From	To					
1	Itikiyala	162/600	163/530	RHS	960	250	2,40,000	
2	Itikiyala	165/800	170/290	RHS	4490	250	11,22,500	
3	Itikiyala	172/930	181/860	LHS	8930	250	22,32,500	
4	Itikiyala	172/930	174/390	RHS	1460	250	3,65,000	
Across the Road								
1	Itikiyala	163/140		Crossing	60	250	15,000	
2	Itikiyala	172/930		Crossing	60	250	15,000	
Total Amount in the shape of BG							39,90,000	



**darvee associates**  
architects engineers & consultants pvt. ltd.

**Shree Bhawani Consultancy Services Pvt. Ltd.**  
in Association with

IE Services during O&M of 4-lane divided carriageway from Thondupally to km. 211.000 (Kurnool) of NH-44 (Old NH-7) in the State of Andhra Pradesh on BOT (Toll/Annuity) basis (NHDP Phase-III)

Letter No. AA/TLAP-04/NH-44/NHA/2349/21-22/707  
Date: 24<sup>th</sup> September 2021

To  
The Project Director,  
Project Implementation Unit,  
National Highways Authority of India,  
Hyderabad, Telangana.

**Subj:** Consultancy Services as Independent Engineer during O&M of 4-lane divided Carriageway from km. 22.300 (Thondupally) to km. 211.000 (Kurnool) of Package Nos. NS-2/BOT/AP-3, AP-4 & AP-5 on Hyderabad - Bangalore section of NH-44 (Old NH-7) in the State of Telangana & Andhra Pradesh on BOT (Toll/Annuity) basis under North-South Corridor (NHDP Phase-III) - Reg: Permission for laying of Optical Fiber Cable for T-Fibre along with NH-44 road boundary and across the road under the jurisdiction of NHAI - remarks requested - IE Comments

**Ref:**  
1. Authority's letter no: NHA/PIU-KRD/NH-44/AP-4/T Fiber/2021/1174 dt. 28.08.2021  
2. T-Fiber R. no. T-Fibre/Projects / ROW /NHA/1114 dt. 06.08.2021  
3. NORTH guideline No. RW/NH-3304/29/2015-5&R(R) dated 22.11.2016

Dear Sir,

This has reference to the above cited letter wherein Authority while forwarding the letter of M/s Telangana Fiber Grid Corporation Ltd for laying of OFC from chainage 112/0 to 115/4 on LHS, 115/4 to 118/0 on LHS, 118/0 to 122/4 on RHS, Total section length for ROW applied is 10.580 km. (i.e. 10580 Mtrs) including road crossings (HDD) at 112/0, 113/4 & 118/0 Under the jurisdiction of NHAI along the project highway on NH-44, desired for our inspection and remarks in line with NORTH guidelines of RW/NH-3304/29/2015-5&R(R) dated: 22.11.2016.

In view of above, we have inspected the site and our observations are as under:

- As per checklist no.1.11, applicant did not mention the information regarding existing Project facilities (HTMS cables) and Mission Bhageeratha water pipeline on LHS and OFC defence cable & Raman pahad water pipe line on RHS along the Proposed route.
- As per checklist no.1.14, applicant did not mention the information regarding the existing service roads from km.113+240 to 113+735(495m) & from km.117+620 to km.118+480 (860m) on LHS and from km.117+750 to 118+480 (730m) on RHS.
- As per checklist no.1.16, there is only 1.0 m or less space available for utility corridor beyond lined drains. Moreover, HTMS cables and Mission Bhageeratha water pipe line already exist. Hence, it is difficult to lay the cable within the existing ROW.
- As per checklist no.1.17(i), 2 mts corridor not available at service road locations.
- As per checklist no.2.3, The intersections at Km 112+330(Kandam) LHS, Km 117+260(Katavaram) LHS & Toll Plaza at Km 114+800 to Km 115+000 are not shown in submitted drawings. At intersection location laying of cable to be done by HDD method only. The layout plan for crossing toll plaza is not shown correctly.



Project Office  
Head Office

Shree Bhawani Consultancy Services Pvt. Ltd.  
Plot No. 401 & 402, Road No. 3, Madhura Nagar, Shamshabad - 501218, R.V. Nagar, Hyderabad - 500 083, India. CN: 074200193005PTC045491  
Tel: +91-40-23737633, 48483456; Fax: +91-40-23736277; e-mail: sarve@sarve.net, web: www.sarve.com

केनरा बैंक



Canara Bank


( H.O. : BANGALORE )

DPDO MASAB TANK – HYDERABAD

REF: NHAI/PIU-HYD/BG/2022/922

DT: 15/06/2022  
Place: Hyderabad

To,  
The Project Director  
NHAI  
PIU - HYD.



SE  
68

Dear Sir,

Sub: Confirmation of Bank Guarantee (BG) issued by IDBI BANK LTD OF INDIA on 23.03.2022 for Rs. 39,90,000 /- issued to you on behalf of "M/S TELANGANA FIBER GRID CORPORATION OF INDIA." in favor of NHAI.

Ref : Your letter dated 08.06.2022

With reference to the subject, we confirm you that we have received a bank guarantee in our SFMS package, the detail of which are below:

**Bank Name:** IDBI BANK LTD OF INDIA

**Beneficiary:** NHAI

**Bank guarantee number:** 220133IBGP00063

**Date of issue:** 23.03.2022

**Validity period of guarantee:** 22.03.2023

**Bank date for Lodgement of claim:** 22.03.2024

**Amount:** Rs 39,90,000 /- (Rupees Thirty Nine Lakhs Ninety Thousand Only)

It is certified that this information is furnished without risk and responsibility on our part in any respect whatsoever more particularly either as guarantor or otherwise.

कृते केनरा बैंक For CANARA BANK

Sr Branch Manager  
Canara Bank  
DPDO Masab Tank (13051)

10-1-127,  
PHONE No. 9440905039 (G)  
DPDO MASAB TANK BRANCH,  
040 23436966 (ADV)  
HYDERABAD-500 028.  
E-Mail : cb13051@canarabank.com  
website: canarabank.com



भारतीय राष्ट्रीय राजमार्ग प्राधिकरण  
(सड़क परिवहन और राजमार्ग मंत्रालय, भारत सरकार)  
**NATIONAL HIGHWAYS AUTHORITY OF INDIA**  
(Ministry of Road Transport & Highways, Government of India)



परियोजना कार्यान्वयन इकाई - हैदराबाद

आवास सं : 25A & 28A, भारत का प्रशासनिक स्टाफ कॉलेज, कोलेज पार्क कैंपस, रोड नं.3, बंजारा हिल्स, हैदराबाद - 500 034, तेलंगाना

**PROJECT IMPLEMENTATION UNIT - HYDERABAD**

Qtr.No. 25A & 28A, Administrative Staff College of India (ASCI), College Park Campus, Road No.3, Banjara Hills, Hyderabad- 500 034, Telangana

Land Mark : Near TV9 Bus Stop

टेली / Tele : 040-29550558 ई-मेल / Email : hyd@nhai.org / nhaihyd@gmail.com

NHAI/PIU-HYD/BG/2022-23/922

Date: 08.06.2022

To,  
The Bank Manager  
Canara Bank  
Masab Tank  
Hyderabad.

**Sub:** NHAI-PIU-Hyderabad- Bank Guarantee issued on behalf of M/s. Telangana Fiber Grid Corporation Ltd favor of National Highways Authority of India-  
**Confirmation of Bank Guarantee requested -reg.**

**Ref:** BG.No.220133IBGP00063 Date: 23.03.2022.

\*\*\*\*\*

Sir,

The details of Bank Guarantee issued on behalf of M/s. Telangana Fiber Grid Corporation Ltd in favor of NHAI by IDBI Bank Limited of India are as follows:

Sl.No	BG No. & Date	BG Amount (RS)	Valid up to
1	BG.No.220133IBGP00063 Date: 23.03.2022.	Rs.39,90,000/-	22.03.2023

It is requested to provide the confirmation of above Bank Guarantee.

Thanking You

Encl: Copy of Bank Guarantee

Yours faithfully

(P. Nageswara Rao)  
GM (T) & Project Director





## TELANGANA FIBER GRID CORPORATION LTD

Hi Sir,

Lr.No.T-Fiber/Projects/ROW/NHAI-NH-44/1651

Dt:02.05.2022

To,  
The Project Director,  
National Highways Authority of India,  
Project Implementation Unit, Hyderabad,  
Qlr.No.25A & 28A, Administrative Staff College of India(ASCI),  
Road.No.3, Banjara Hills, Hyderabad-500034



Dear Sir,

**Sub:** T-Fiber - Request for Right of way (RoW) permission for laying OFC along the Road of NHAI-PIU-Hyderabad-Design, Construction, Development, Finance, Operation & Maintenance of Km 135.469 (end of Kothakota Bypass) to Km 211.000 (Kurnool) on NH-44 (old NH-7) in the state of Andhra Pradesh on BOT (Annuity) Basis-Contract Package No NS2/BOT/AP- 5- Permission for Laying of Optical Fiber Cable for T- Fibre from 162/615 to Km 181/760 in Itikyala Mandal along NH- 44 road Boundary and across the road under Jurisdiction of NHAI- Submission of BG & License Fee- Request for Acknowledgement-Reg

Ref:1) NHAI/PIU -HYD/NH -44/ AP-5/T -Fiber/2022/363, Dated: 03.03.22

\*\*\*

We invite your kind attention to the subject and references cited above, wherein NHAI, Hyderabad has sent a letter to T-Fiber to arrange to pay the License Fee and Bank Guarantee for issuing the ROW permission under NHAI-Hyderabad Jurisdiction.

We are herewith enclosing the Original Bank Guarantee and License fee receipt (paid in BharatKosh online Portal).


- 1) Bank Guarantee Details :
  - a) Bank Guarantee No. **220133IBGP00063**
  - b) Bank Name: IDBI BANK, Hyderabad
  - c) BG period : 23-03-2022 to 22-03-2023
  - d) BG amount : Rs. 39,90,000/-
- 2) License Fee Details:
  - a) **Transaction Ref.No. 2304220010637**
  - b) Payment Dt.27<sup>th</sup> April 2022
  - c) License fee Amount: Rs.24,02,314/-

We request you to kindly arrange to grant ROW permissions to T-Fiber at the earliest.

Thanking You,

Yours Sincerely,

Encl : Original BG & copy of License fee





220133IBGP00063

Branch:-D.NO.5-9-89/1, CHAPEL ROAD, P.B.NO.370 HYDERABAD-SCB 500001

To  
THE CHAIRMAN, NIAI, G 5 & G,  
SECTOR-10, DWARAKA  
NEW DELHI 110075  
INDIA

Dear Sir/Madam,

Bank Guarantee No: 220133IBGP00063

Amount INR 3990000.00

Guarantee Cover From 23-03-2022 To 22-03-2023

Last date for Lodgement of Claim 22-03-2024

This deed of guarantee executed by IDBI Bank Ltd., a company constituted under the Companies Act 1956 and deemed to be a banking company under the Banking Regulation Act, 1949, having its Registered Office and Head Office at IDBI Tower, WTC Complex, Cuffe parade, Mumbai 400005, and among other places a branch at D.NO.5-9-89/1, CHAPEL ROAD, P.B.NO.370 HYDERABAD-SCB 500001

(Hereinafter referred to as 'the Bank') in favour of  
THE CHAIRMAN, NIAI, G-5 & 6, SECTOR-10, DWARAKA, NEW DELHI 110075, INDIA

(Hereinafter referred to as 'the Beneficiary')  
for an amount not exceeding INR 3990000.00  
(INR Thirty Nine Lakh Ninety Thousand only)

at the request of TELANGANA FIBER GRID CORPORATION LIMITED  
(Hereinafter referred to as 'the Contractor(s)')

This Guarantee is issued subject to the condition that the liability of the bank under this Guarantee is limited to maximum of INR 3990000.00  
(INR Thirty Nine Lakh Ninety Thousand only)

and the Guarantee shall remain in full force up to 22-03-2023 (expiry date) and can not be invoked otherwise than by a written demand under this Guarantee served on the Bank on or before the 22-03-2024 (last claim date). The beneficiary in its own interest is advised to seek a confirmation of the issuance of this Guarantee from the controlling office/Head Office. Bank Guarantee confirmation may be obtained online or through post, as under:

- Login to <https://bgcon.idbibank.co.in> (faster mode) or, alternatively
- By sending letter over post to the below address:  
IDBI Bank Limited,  
Centralised Swift Cell,  
IDBI Building, Plot No. 39-41, Ground Floor  
Sector 11, CBD Belapur,  
Navi Mumbai Pin: 400614

This Guarantee consists of (4) pages including this page.

Authorised Signatory

हस्ताक्षर/For IDBI BANK LTD.

श्री. वारा प्रसाद/B. VARA PRASAD  
ए.आई.एम./EIN - 114110  
प्रबंधन वि.एफ./Manager-T.F.  
चापल रोड, हैदराबाद/Chapel Road, Hyd.



Authorised Signatory

हस्ताक्षर/For IDBI BANK LTD.

श्री. सुनील मोहन/SUNIL MOHAN G.  
ए.आई.एम./EIN-123481  
प्रबंधन वि.एफ./Manager-TF  
चापल रोड, हैदराबाद/Chapel Road, Hyd.

Phone No:  
Sold to/Issued To:  
Subba Rao  
For Bank/ID Proof:  
IDBI BANK LTD.



FEB-23-2022 17:43:16  
₹ 0000500/-  
3018327 11/2012

IDBI BANK LIMITED  
D.NO:5-8-89/1, CHAPEL ROAD,  
P.B.NO:370, HYDERABAD MAIN BRANCH,  
HYDERABAD-500 001,  
TELANGANA.

### PERFORMANCE BANK GUARANTEE

**Bank Guarantee No.:220133 IBGP00063**  
**Bank Guarantee Amount:Rs.39,90,000/-**  
**Effective From: 23-03-2022 to 22-03-2023**  
**Last Date for Lodgment of Claim: 22-03-2024**

**To**  
**The Chairman,**  
**National Highways Authority of India,**  
**G-5 & 6, Sector-10, Dwarka,**  
**New Delhi -110 075 India**

WHEREAS TELANGANA FIBER GRID CORPORATION LTD (T-FIBER) (hereinafter called "the licensee") has undertaken in pursuance of Highway Administrator Letter Number **NHAI/PIU-HYD/NH-44/AP-5/T-Fiber/2022/363, Dated 03.03.2022** to execute **Laying of Optical Fiber Cable for T-FIBER Project** on terms and conditions set forth in (hereinafter called the "the Work/Contract").

AND WHEREAS it has been stipulated by you in the said Work/Contract that the Licensee shall furnish you with a Bank Guarantee by a recognized bank for the sum specified therein as security for compliance with his obligations in accordance with the Work/ Contract;

AND WHEREAS we have agreed to give the Licensee such a Bank Guarantee; .

NOW THEREOF we hereby affirm that we **IDBI Bank Limited**, a Bank registered under the Companies Act, 1956 (1 of 1956) and within the meaning of Section 2(20) of Companies Act, 2013, bearing CIN- L65190MH2004G01148838 and a "Banking Company" within the meaning of Section 5 (c) of the Banking Regulation Act, 1949 (10 of 1949) and having its registered office at IDBI Tower, WTC Complex, Cuffe Parade, Mumbai - 400005 and having its office at IDBI Bank Ltd, Trade Finance Department, Specialized Corporate Branch, D.No.5-9-89/1 and 2, Chapel Road, Hyderabad -500 001, in the State of Telangana (hereinafter referred to as "the Bank or "IDBI Bank" or the Guarantor) are the Guarantor and responsible to you, on behalf of the Licensee upto a total of **Rs. 39,90,000 /- (Rupees Thirty Nine Lakhs Ninety Thousand Only)** such sum being payable, and we undertake to pay you, upon your first written demand and without cavil or argument, any sum or sums within the limits of of **Rs. 39,90,000 /- (Rupees Thirty Nine Lakhs Ninety Thousand Only)** as aforesaid without your needing to prove or to show grounds or reasons for your demand for the sum specified therein.

कृते आई.डी.बी.आई. बैंक लि. / For IDBI BANK LTD.

जी. वारा प्रसाद / B. VARA PRASAD  
ई.आई.एन. / E.I.N - 114110  
प्रबंधक टि.एफ. / Manager-T.F.  
चापल रोड, हैदराबाद / Chapel Road, Hyd.



कृते आई.डी.बी.आई. बैंक लि. / For IDBI BANK LTD.

सुनील मोहन जी. / SUNIL MOHAN G.  
ई.आई.एन. / E.I.N-123491  
प्रबंधक व्यापार वि. / Manager-TF  
चापल रोड, हैदराबाद / Chapel Road, Hyd.



**Bank Guarantee No.: 220133IBGP00063**

**Date: 23-03-2022**

We hereby waive the necessity of your demanding the said debt from the Licensee before presenting us with the demand.

We further agree that no change or addition to or other modification of the terms of the Work/Contract or of the services to be performed there under or of any of the Work/Contract documents which may be made between you and the Licensee shall in any way release us from any liability under this guarantee, and we hereby waive notice of any such change, addition or modification.

The liability of the Bank under this Guarantee shall not be affected by any change in the constitution of the Licensee or of the Bank.

"This guarantee shall be operatable at our IDBI Bank Ltd, Trade Finance Department, Specialized Corporate Branch, D.No.5-9-89/1 and 2, Chapel Road ,Hyderabad -500 001,from whom, confirmation regarding the issuance of this guarantee or extension / renewal there of shall be made available on demand.In the contingency of this guarantee being invoked and payment there under claimed, the said branch shall accept such invocation letter and make payment of amounts so demanded under the said invocation. However any claim under the said guarantee to be received at our counters before the claim expiry ie., dd.mm.yyyy and our liability under this guarantee is restricted of **Rs. 39,90,000/- (Rupees Thirty Nine Lakhs Ninety Thousand Only)**

The guarantor/ bank hereby confirms that it is on the SFMS (Structural Finance Messaging System) platform & shall invariably send an advice of this Bank Guarantee to the designated bank of NIAI detailed as under:

Particulars	Details
Name of Beneficiary	National Highways Authority of India
Branch	DPDO-HYDERABAD
Name of the Bank	Canara Bank
Account No.	0798201001991
IFSC code.	CNRB0013051

कृते आई.डी.बी.आई. बैंक लि./For IDBI BANK LTD.

श्री. वारा प्रसाद/B. VARA PRASAD  
ई.आई.एम./EIN - 114110  
प्रबंधक टि.एफ./Manager-T.F.  
चापल रोड, हैदराबाद/Chapel Road, Hyd.



कृते आई.डी.बी.आई. बैंक लि./For IDBI BANK LTD.

सुनील मोहन जी./SUNIL MOHAN G.  
ई.आई.एम./EIN-123481  
प्रबंधक वित्त/Manager-TF  
चापल रोड, हैदराबाद/Chapel Road, Hyd.

**Bank Guarantee No.: 220133IBGP00063**  
**Date: 23-03-2022**

**Notwithstanding anything to the contrary contained herein:**

- a) Our liability under this Guarantee shall not exceed of Rs.39,90,000/- (Rupees Thirty Nine Lakhs Ninety Thousand Only)
- b) This Bank Guarantee shall remain valid up to **22-03-2023**
- c) We are liable to pay up to the guarantee amount or any part thereof under this bank guarantee only and only if we receive from you a written claim or demand not later than **22-03-2024**. All your rights as well as our liability under this Bank Guarantee shall stand extinguished unless a written claim or demand is made under this guarantee not later than **22-03-2024** at our counters i.e., IDBI Bank Ltd, Trade Finance Department, Specialized Corporate Branch, D.No.5-9-89/1 and 2, Chapel Road ,Hyderabad -500 001

कृते आई.डी.बी.आई. बैंक लि./For IDBI BANK LTD.

बी. वारा प्रसाद / B. VARA PRASAD  
ई.आई.एन. / EIN - 114110  
प्रबंधक, टि.एफ. / Manager-T.F.  
चापलरोड, हैदराबाद / Chapel Road, Hyd.



कृते आई.डी.बी.आई. बैंक लि./For IDBI BANK LTD.

सुनील मोहन जी. / SUNIL MOHAN G.  
ई.आई.एन. / EHN-123481  
प्रबंधक, व्यापार विभाग / Manager-TF  
चापल रोड, हैदराबाद / Chapel Road, Hyd.

Itikya

Rs. 34,90,000/-



# bharatkosh.gov.in

Government of India Receipt Portal

## RECEIPT

Transaction Ref.No. 2304220010637

Dated: Apr 27 2022 12:04AM

Received from M/S. TELANGANA FIBER GRID CORPORATION LIMITED  
with Transaction Ref.No. 2304220010637

Dated Apr 27 2022 12:04AM the sum of INR 2402314 (Twenty-Four Lakhs Two Thousand Three Hundred Fourteen Only) through Internet based Online payment in the account of

License fee for laying of utility services, NHAI/PIU-HYD/NH-44/AP-5/T-Fiber/2022/363.

**Disclaimer:- This is a system generated electronic receipt, hence no physical signature is required for the purpose of authentication**

Printed On: 28-04-2022 12:29:37

Courtesy :- Controller General of Accounts

S. LAKSHMI NARAYANA  
S.V.L.NO. 02/2006  
H.NO.5-3-392,R.LNO.....  
BEHIND PUNJAGUTTA POLICE STATION  
HYDERABAD  
LICENCE NO. 12/2006



31579  
123827

3107503  
SEP 11 2021

280 280 280 280 000 280 280 12:18  
Rs.0000100 PB5553


NON-JUDICIAL  
STAMP DUTY

TELANGANA

### INDEMINITY BOND

Srinivas jukuri Age 51 years working as M/S Telangana Fiber Grid Corporation Limited. (BBNL Project) for Government of Telangana is hereby given the following undertaking to the NHAI in connection with the permission for the laying of OFC provide high speed internet connectivity up to Gram Panchayat hereby do undertake in Reference to our ROW Application for the route along NH-44, Itikyala Mandal from chainage 162/600 to 163/530 on RHS, 163/070 to 163/140 on LHS, 165/800 to 170/290 on RHS, 174/360 to 174/390 on RHS, 174/300 to 181/760 on RHS length for ROW applied is 13.100km (i.e.13100mtrs) including Road crossings (HDD) at 163/070 & 174/300 under the Jurisdiction of NHAI in the state of Telangana


- 1) Not to damage to other utility, if damaged then to pay the losses either to NHAI or to the concerned.
- 2) Renewal of bank guarantee for the further period if the work contemplated is not completed to the satisfaction of authority.
- 3) Confirming all standard condition of guidelines issued by ministry of road transport & Highways/NHAI vide ministry circle no. NH -41.58/68 Dated 31.01.1969, Ministry circle no NH-III/P/66/76 dated 19.11.1976, Ministry Circle No:RW/NH/P/66/76 Dt.11.5.1982, Ministry circle no. RW/NH -11037/1/86 - DOI (ii) dated 28.07.1993 ministry circle no. RW/NH – 11037/1/86 – DOI dated 19.01.1995 Ministry circle no: RW/NH -34066/2/95dated 25.10.1999 and Ministry circle No. RW/NH -34066/7/2003 S & R (B) dated 17.09.2003, Ministry circle No: RW/NH -33044/27/2005/S & R (PT.) dated 06.08.2013



- 4) Shifting of OFC cable as and when required by NHAI at our own cost.
- 5) Shifting due to 6 lanning /Widening of NH 44.
- 6) Indemnity against all damages and claims.
- 7) Traffic movement during laying of OFC cable to be managed by the applicant
- 8) If any claim is raised by the concessionaire then use same has to be paid by us.
- 9) Prior approval of the NHAI shall be obtained before undertaking any work of installation, shifting repairs or alteration to the showing OFC cable in the national highway right of ways.
- 10) Expenditure if any incurred by NHAI for repairing any damage caused to the NH by the laying maintenance or shifting of the OFC cable will be borne by us.
- 11) If NHAI Considers it necessary in future to move the utility line for any work of improvement or repairs to the road it will be carried out as desired by the NHAI at the cost us within reasonable time (not exceeding 60 days) of the intimation given.
- 12) Laying of OFC cable will not have any deleterious effects on any of the bridge/culvert/underpasses components and road ways safety for traffic.
- 13) For 6 lanning we do undertake that we will relocate our OFC line on service road/approach road at our own cost notwithstanding the permission granted within as will be stipulated by NHAI for future six lanning or any other development.
- 14) Performance bank guarantee for an amount Rs 32.75Lakhs in favour of NHAI will be furnished once the proposal is approved.

**M/S Telangana Fiber Grid Corporation Limited.**

**Authorized Signatory**





*[Signature]*  
K. LAKSHI NARAYANA  
S.V.L.NO. 02/2006  
H.NO.6-3-392,R.L.NO. ....  
BEHIND PUNDAGUTTA POLICE STATION  
HYDERABAD  
LICENCE NO. 12/2006



31580  
158829  
SEP 11 2021  
12:19  
R.S.0000100 PB5553  
NON JUDICIAL  
STAMP DUTY  
TELANGANA

### UNDERTAKING

I, M/S Telangana Fiber Grid Corporation Limited. (BBNL Project) for Government of Telangana do hereby certify that

- 1) Laying of OFC will not have any deleterious effects on any of the bridge components and road way safety for traffic.
- 2) For four lanning "we do undertake that I will relocate service road/approach road/utilities any my own cost not withstanding the permission granted with in such time as will be stipulated by NHAI for further six lanning or any other development "
- 3) Not to damage to other utility, if damaged then to pay the losses either to NHAI or to the concerned agency
- 4) Renewal of bank guarantee.
- 5) Confirming all standard condition of NHAI's guidelines.

*[Signature]*



- 6) Shifting to OFC Cable as and when required by NHAI at our (public Health department) Own cost shifting due to 6 Lanning / Widening of NH44
- 7) Indemnity against all damages and claims clause (xxiv)
- 8) Traffic movement during laying of OFC Cable to be managed by the applicant.
- 9) If any claim is raised by the concessionaire then the same has to paid by the applicant.
- 10) Prior approval of the NHAI shall be obtained before undertaking any work of installation, shifting or repairs, of alternation to the showing OFC Cable located the national Highway right of ways.
- 11) Expenditure, if any incurred by NHAI for repairing any damage cause to the National Highway by the laying maintenance or shifting of the OFC Cable line located the will be borne by the agency owning the line.
- 12) If the NHAI consider it necessary in future to move the utility line for any work of improvement or repairs of the road, it will be carried out as desired by the NHAI or the cost of the agency owning the utility lie with in a reasonable time (not exceeding 60 days) of the intimation given.

**M/S Telangana Fiber Grid Corporation Limited.**

**Authorized Signatory**



S. LAXMI NARAYANA  
S.V.L.NO. 02/2006  
H.NO.6-3-392,R.L.NO.....  
BEHIND PUNJAGUTTA POLICE STATION  
HYDERABAD  
LICENCE NO. 12/2006



30123  
183821

DEC 14 2020

12:46

Rs.0000100 P85553

NON JUDICIAL  
STAMP DUTY

TELANGANA

Enclosure to Ministry of Road Transport & Highways letter No. 33044/29/2015/S&R® Dtd.22/11/2016

**AGREEMENT REGARDING GRANTING OF RIGHT OF WAY PERMISSIONS  
FOR LAYING UTILITY SERVICES ON NATIONAL HIGHWAYS**

**Agreement to lay Telecom Cables/Duct/Optical Fiber along the road NH -44,Itkyala (Hyderabad to Bangalore Highway) from 172/930 to 181/760 on RHS,165/800 to 170/290,162/600 to 163/530 on LHS. Section length for ROW applied 13.10kms (i.e.7550+4490mtrs+1060mtrs=13060mtrs) including road crossings at 172/930,163/070 under the Jurisdiction of NHAI in the state of Telangana.**

This Agreement made this \_\_\_\_\_ day of \_\_\_\_\_ Month of \_\_\_\_\_ year between National Highway Authority of India acting in his executive capacity through \_\_\_\_\_ (hereinafter referred to as the "Authority" which expression shall unless excluded by or repugnant to the context, include his successors in office and assigns) on the one part and **"Telangana Fiber Grid Corporation Limited" (T-Fiber)** (A BBNL Project) for Government of Telangana referred as Project Telangana Fiber, which expression shall, unless excluded by repugnant to the context, include his successors/administrator assignees on the second part.

Whereas the authority is responsible, inter-alia for development and maintenance of lands in along road NH. -44,Itkyala (Hyderabad to Bangalore Highway) from 172/930 to 181/760 on RHS,165/800 to 170/290,162/600 to 163/530 on LHS. Section length for ROW applied 13.10kms (i.e.7550+4490mtrs+1020mtrs=13060mtrs) including road crossings at 172/930,163/070 under the Jurisdiction of NHAI in the state of Telangana.



whereas the Authority has agreed to grant such permission for way leave on the NH RoW as per terms and conditions hereinafter mentioned.

Now this agreement witnessed tat in consideration of the conditions hereinafter contained and on the part of the Licensee to be observed and performed, the Authority hereby grants to the Licensee permission to lay utility services as per the approved drawing attached hereto subject to the following conditions, namely.

1. RoW permissions are only enabling in nature. The purpose of extending the way leave facility on the National Highway RoW is not for enhancing the scope of activity of a utility service provider, either by content or by intent. Further, enforceability of the permission so granted shall be restricted only to the extent of provisions/scope of activities defined in the license agreement & for the purpose for which it is granted.
2. No Licensee shall claim exclusive right on the RoW and any subsequent user will be permitted to use the RoW, either above or below, or by the side of the utilities laid by the first user, subject to technical requirements being fulfilled. Decision of the Authority in relation to fulfillment of technical requirements shall be final and binding on all concerned parties. In case any disruption/damage is caused to any existing user by the subsequent user, the Authority shall not be held accountable or liable in any manner.
3. The Licensee shall be responsible for undertaking all activities including, but not limited to site identification, survey, design, engineering, arranging finance, project management, obtaining regulatory approvals & necessary clearances, supply of equipment, material, construction, erection, testing and commissioning, maintenance and operation and all other activities essential or required for efficient functioning of their own utility/industrial infrastructure facilities.
4. The Licensee shall pay license fees @ Rs. ....../sq m/month to the Authority. The License fee shall become payable from the date of handing over of RoW land to the Licensee, for laying of utilities/cables/conduits/pipelines for infrastructure/ service provider. As regards Tariff and Terms and conditions for providing common utility ducts along National Highways, there shall be a separate agreement regime.
5. Fee shall have to be paid in advance for the period for which permission is granted for entering into a license agreement. In case of renewal, rate prevailing at the time of renewal shall be charged. Delay in deposition of fee shall attract interest @15% per annum compounded annually.
6. Present policy of the MoRT&H is to provide a 2.00 m wide utility corridor on either side of the extreme edge of RoW. In cases where utility ducts with sufficient space are already available along NH, the utility services shall be laid in such ducts subject to technical requirements being fulfilled.
7. The utility services shall be laid at the edge of the RoW. In case of restricted width of RoW, which may be adequate only to accommodate the carriageway, central verge, shoulders, slopes of embankment, drains, other road side furniture etc; the utility services shall be laid beyond the toe line of the embankments and clear of the drain.



8. The Licensee shall make his own arrangement for crossing of cross drainage structure, rivers, etc. below the bed in case, this is not feasible, the utility services may be carried outside the railings/parapets and the bridge superstructure. The fixing and supporting arrangement with all details shall be required to be approved in advance from the concerned Highway Administration. Additional cost on account of fixing and supporting arrangement as assessed by the Authority shall be payable by the Licensee.
9. In exceptional cases, where RoW is restricted the utility services can be allowed beneath the carriageway of service road, if available, subject to the condition that the utility services be laid in concrete ducts, which will be designed to carry traffic on top. The width of the duct shall not be less than one lane. In such cases, it also needs to ensure that maintenance of the utility services shall not interfere with the safe and smooth flow of traffic. The cost of operation and maintenance will have to be borne by the Licensee.
10. It is to be ensured that at no time there is interference with the drainage of the road land and maintenance of the National Highways. Towards this, the top of the utility services shall be at least 0.6 metre below the ground level. However any structure above ground shall be aesthetically provided for / landscaped with required safety measures as directed by the concerned Authority;
11. The utility services shall be permitted to cross the National Highway either through structure or conduits specially built for that purpose. The casing/ conduit pipe should, as minimum, extend from drain in cuts and toe of slope to toe of slope in the fills and shall be designed in accordance with provision of IRC and executed following the Specifications of the Ministry.
12. Existing drainage structures shall not be allowed to carry the lines across.
13. The top of the casing/conduit pipe containing the utility services to cross the road shall be at least 1.2m below the top of the sub grade or the existing ground level whichever is lower, subject to being at least 0.3m below the drain Inverts. A typical sketch showing the clearances is given in Attachment-I.
14. The utility services shall cross the National Highway preferable on a line normal to it or as nearly so as practicable.
15. The casing/conduit pipe for crossing the road may be installed under the road embankment either by boring or digging a trench. Installation by boring method shall be preferred.
16. In case of trenching, the sides of the trench should be done as nearly vertical as possible. The trench width should be at least 30 cm. but not more than 60 cms wider than the outer diameter of the pipe. Filling of the trench shall conform to the specifications contained here-in-below or as supplied by the Highway Authority.
  - a. Bedding shall be to a depth not less than 30 cm. It shall consist of granular material, free of lumps, clods and cobbles, and graded to yield a firm surface without sudden change in the bearing value. Unsuitable soil and rock edges should be excavated and replaced by selected material.
  - b. The backfill shall be completed in two stages (i) Side-fill to the level of the top of the pipe (ii) Overfill to the bottom of the road crust.
  - c. The side fill shall consist of granular material laid in 15cm. Layers each consolidated by mechanical tamping and controlled addition of moisture to 95% of the Proctor's Density. Overfill shall be compacted





to the same density as the material that had been removed. Consolidation by saturation or ponding will not be permitted.

- d. The road crust shall be built to the same strength as the existing crust on either side of the trench or to thickness and specifications stipulated by the Highway Authority.
17. The Licensee shall ensure making good the excavated trench for laying utility services by proper filling and compaction, so as to restore the land in to the same condition as it was before digging the trench, clearing debris/loose earth produced due to execution of trenching at least 50 m away from the edge of the right of way;
18. All required restoration work subsequent to laying of the cable shall be required to be undertaken by the Licensee at its cost either by itself or through its authorized representative in consultation with the Authority as per predetermined time schedule and quality standards.
19. Prior to commencement of any work on the ground, a performance Bank Guarantee @Rs 100/- per route meter with a validity of one year initially (extendable if required till satisfactory completion of work) shall have to be furnished by the Licensee to the Authority/its designated agency as a security against improper restoration of ground in terms of filling/unsatisfactory compaction damages caused to other underground installations/utility services & interference, interruption, disruption or failure caused thereof to any services etc. In case of the Licensee failing to discharge the obligation of making good of the excavated trench/other restoration work, the Authority shall have a right to make good the damages caused by excavation, at the cost of the Licensee and recover the amount by forfeiture of the Bank Guarantee.
20. In case, the Performance Bank Guarantee is invoked as mentioned above, the Licensee shall be required to replenish and reinstate the required Performance Bank Guarantee within one month of such invoking. In case the work contemplated herein is not completed to the satisfaction of the Authority, which has granted the permission, within a period of 11 months from the date of issue of the Bank Guarantee, the Licensee shall either furnish a fresh guarantee or extend the guarantee for a further period of one year. Notwithstanding this, the Licensee shall be liable to pay full compensation to the aggrieved Authority/ its designated agency for any damage sustained by them by reason of the exercise of the RoW facility;
21. The Licensee shall shift the utility services within 90 days (or as specified by the respective Authority) from the date of issue of the notice by the concerned Authority to shift/relocate the utility services, in case it is so required for the purpose of improvement/widening of the road/route/highway or construction of flyover/bridge and restore the road/land to its original condition at his own cost and risk.
22. The Licensee shall be responsible to ascertain from the respective agency in co-ordination with Authority, regarding the location of other utilities / underground installations/ facilities etc. The Licensee shall ensure the safety and security of already existing underground installations/utilities/facilities etc. before commencement of the excavation/using the existing cable ducts. The Licensee shall procure insurance from a reputed insurance company against damages to already existing underground installations/utilities /facilities etc.
23. The Licensee shall be solely responsible/ liable for full compensation/indemnification of concerned agency / aggrieved Authority for any direct, indirect or consequential damage caused to them / claims or replacements sought for, at the cost and risk of the Licensee. The concerned agency in co-ordination with Authority shall also have a right make good such damages/ recover the claims by forfeiture of Bank Guarantee.



24. If the Licensee fails to comply with any condition to the satisfaction of the Authority, the same shall be executed by the Authority at the cost and risk of the Licensee.
25. Grant of License is subject to the Licensee satisfying (a) minimum disruption of traffic and (b) no damage to the highways. As far as possible, the Licensee should avoid cutting of the road for crossing highway, and other roads and try to carry out the work by trenchless technology. In case any damage is caused to the road pavement in this process, the Licensee will be required to restore the road to the original condition at its cost. If due to unavoidable reasons the road needs to be cut for crossing or laying utility services, the Licensee has to execute the restoration work in a time bound manner at its cost either by itself or through its authorized representative in consultation with the Authority as per predetermined time schedule and quality standards. In case of the Licensee failing to discharge the obligation of making good of the excavated trench/other restoration work, the Authority shall have a right to make good the damages caused by excavation, at the cost of the Licensee and recover the amount by forfeiture of the Bank Guarantee.
26. The Licensee shall inform/give a notice to the concerned agency designated by the Authority at least 15 day in advance with route details prior to digging trenches, for fresh or maintenance/repair works. A separate performance Bank Guarantee for maintenance/repair works shall have to be furnished by the Licensee.
27. Each day, the extent of digging the trenches should be strictly regulated so that utility services is laid and trenches filled up before the close of the work that day. Filling should be completed to the satisfaction of the concerned agency designated by the Authority.
28. The licensee shall indemnify the concerned agency in co-ordination with Authority, against all damages and claims, if any due to the digging of trenches for laying cables/ducts.
29. The permission for laying utility services is granted maximum for 5 years at a time, which can thereafter be considered for renewal. On payment of additional fee at the time of renewal, the permission shall automatically be renewed, unless defaults exist. In case of renewal, rate prevailing at the time of renewal shall be charged. Delay in deposition of fee shall attract interest @15% per annum compounded annually.
30. The permission shall be valid only for the period it is issued and fee deposited. However, the Authority also has a right to terminate the permission or to extend the period of Agreement.
31. That the Licensee shall not undertake any work of shifting, repairs or alterations to the utility services without prior written permission of the concerned agency in co-ordination with the Authority.
32. The permission granted shall not in any way be deemed to convey to the Licensee any ownership right or any interest in route/road/highway land/ property, other than what is herein expressly granted. No use of NH RoW will be permitted for any purpose other than that specified in the Agreement.
33. During the subsistence of this Agreement, the utility services located in highway land / property shall be deemed to have been constructed and continued only by the consent and permission of the Authority so that the right of the Licensee to the use thereof shall not become absolute and indefeasible by lapse of time.
34. The Licensee shall bear the Stamp Duty charged on this Agreement.



35. Three copies of 'as laid drawings' of utilities (hard and soft copies) with geo-tagged photographs and geo-tagged video recordings of laying of cables in the trench (with respect to the NH) and after complete restoration shall be submitted to the Authority for verification and record within a month of completion of works.
36. The Licensee shall allow free access to the Site at all times to the authorized representatives of Authority to inspect the Project Facilities and to investigate any matter within their Authority, and upon reasonable notice, shall provide reasonable assistance necessary to carry out their respective duties and functions.
37. The utility services shall not be made operational by the Licensee unless a completion certificate to the effect that the utility services has been laid in accordance with the approved specifications and drawings and the trenches have been filled up to the satisfaction of the concerned agency in co-ordination with the Authority has been obtained. Notwithstanding anything contained herein, this Agreement may be cancelled at any time by Authority for breach of any condition of the same and the Licensee shall neither be entitled to any compensation for any loss caused to it by such cancellation nor shall it be absolved from any liability already incurred.
38. The Licensee shall ensure adherence to relevant Indian standards and follow best industry practices, methods and standards for the purpose of ensuring the safe, efficient and economic design, construction, commissioning, operation, repair and maintenance of any part of the utility lines/industrial infrastructure facilities and which practices, methods and standards shall be adjusted as necessary, to take account of:
- operation, repair and maintenance guidelines given by the manufacturers,
  - the requirements of Law,
  - the physical conditions at the Site, and
  - The safety of operating personnel and human beings.
39. The Licensee shall have to provide safety measures like barricading, danger lighting and other necessary caution boards while executing the work.
40. While laying utility services, at least one lane of road shall be kept open to traffic at all times. In case of single lane roads, a diversion shall be constructed. If any traffic diversion works are found necessary during the working period such diversion shall be provided at the cost of Licensee.
41. After the termination/expiry of the agreement, the Licensee shall remove the utility services within 90 days and the site shall be brought back to the original condition failing which the Licensee will lose the right to remove the utility services. However before taking up the work of removal of utility services the Licensee shall furnish a Bank Guarantee to the Authority for a period of one year for an amount assessed by the Authority as a security for making good the excavated trench by proper filling and compaction, clearing debris, loose earth produced due to excavation of trenching at least 50m away from the edge of the RoW.
42. Any disputes in interpretation of the terms and conditions of this Agreement or their implementation shall be referred to the redress mechanism prevailing in the Ministry and the decision of the redress mechanism shall be final and binding on all.



43. For PPP Projects, in case of any financial loss incurred by the respective project concessionaires due to such laying/shifting of utility services by the Licensee, compensation for the same shall be required to be borne by the Licensee in mutual agreement with the respective project concessionaires. MoRT&H

44. NHAI/ implementing authorities for the project shall not be liable to the concessionaire in any way in this regard.

This Agreement has been made in duplicate, each on Stamp Paper. Each party to this Agreement has retained one stamped copy each.

IN WITNESS WHEREOF THE PARTIES HERETO HAVE CAUSED THIS AGREEMENT TO BE EXECUTED THROUGH THEIR RESPECTIVE AUTHORISED REPRESENTATIVES THE DAY AND THE YEAR FIRST ABOVE WRITTEN.

SIGN, SEALED AND DELIVERED FOR AND ON BEHALF OF AUTHORITY

By Shri \_\_\_\_\_

(Signature, Name and Address with Stamp)

By Shri \_\_\_\_\_

(Signature, Name and Address with Stamp)

SIGNED ON BEHALF OF M/S Telangana Grid Corporation Limited.

HOLDER OF GENERAL POWER OF ATTORNEY DATED \_\_\_\_\_EXECUTED IN  
ACCORDANCE WITH THE RESOLUTION NO. \_\_\_\_\_DATED \_\_\_\_\_PASSED BY THE  
BOARD OF DIRECTORS IN THE MEETING HELD ON \_\_\_\_\_.


IN THE PRESENCE OF (WITNESSES):

1.

2.



Mandal- Itikyala  
 District- Jogulamba Gadwal



ROW Plan for Itikyala  
 All Dimensions are in Meter


Road name: Bangalore -  
 Hyderabad highway  
 NHAI-44



Signature







Sensitivity: LNT Construction Internal Use



**PROJECT DIRECTOR**  
**NATIONAL HIGHWAYS AUTHORITY OF INDIA**  
**PROJECT IMPLEMENTATION UNIT**  
**HYDERABAD - 500 034.**

