



भारतीय राष्ट्रीय राजमार्ग प्राधिकरण

(सड़क परिवहन एवं राजमार्ग मंत्रालय, भारत सरकार)

National Highways Authority of India

(Ministry of Road Transport and Highways, Govt. of India)

क्षेत्रीय कार्यालय : एफ-120, जनपथ, श्याम नगर, जयपुर-302019

Resional Office : F-120, Janpath, Shyam Nagar, Jaipur-302019

Tel. (O.) / फोन: (ऑ.) 0141-2292056, 2292049

E- mail/ई-मेल: rojaipur@nhai.org Web./ वेब: www.nhai.gov.in



क्रमांक: NHAI/18013/1/2024-ROJ/Laying Gas Pipeline & Crossing/Torrent Gas/345/NH-27, Km. 1074.800 to 1075.100/1448 दिनांक: 30.09.2024

INVITATION OF PUBLIC COMMENTS

विषय: Operation and Maintenance of 4-lane of Kota Bypass Section from Km. 1052.429 to 1080.263, total length 26.434 Km. Excluding 1.4 Km. Length of CBS, of NH-27 (Old NH-76) in the State of Rajasthan [Application ID 20240214/1/5/22465/6644] : Permission for Laying of proposed Dia 125mm MDPE Pipe Across NH-27 at Ch. 1075.100 and 8" Casing Pipe with 4" Carrier Pipe Laying along NH-27 at Ch. 1074.800 to 1075.100 (LHS & RHS) on NH-27 (Kota-Baran Shivpuri) to develop City Gas Distribution Network in Kota City and its surrounding areas under Kota-Baran GA : In-principal approval - reg.

- संदर्भ: 1. M/s Torrent Gas Limited Kota letter No. TGPL/KOTA/PROJ/2023-24/95 dated 18.03.2024, TGPL/KOTA/PROJ/2023-24 dated 26.12.2023
2. PIU-Kota letter No. 290120/2024/Kota Bypass/Torrent Gas/164/836 dated 06.05.2024.
3. Regional Office-Jaipur letter no. NHAI/18013/1/2024-ROJ/Laying Gas Pipeline & Crossing/Torrent Gas/345/NH-27, Km. 1074.800 to 1075.100/407 dated 29.05.2024.
4. PIU-Kota letter No. 290120/2024/Kota Bypass/Torrent Gas/164/1815 dated 20.09.2024.

Sir,

It is to inform all concern that M/s. Torrent Gas Limited, Kota vide cited under ref. (i) above has submitted a proposal for subject work and PD, NHAI, PIU-Kota has submitted the above proposal vide letter under reference (2) for approval of Competent Authority, Highway Administration.

2. The proposal is for permission for laying of gas pipe line along the ROW for 02 nos. crossing & 600 mtr along NH-27) (Kota-Baran Shivpuri) in the State of Rajasthan.

3. As per para-4 of Ministry's Circular No. RW/NH-33044/29/2015 S&R (R) dated 22.11.2016, the application shall be put out in the public domain for 30 days for seeking claims and objections (on ground of public inconvenience, safety and general public interest).

4. In view of the above, before approval of the competent authority, the comments/objections of affected public is hereby invited with reference to the Ministry's circular dated 22.11.2016 due to laying and crossing of Water Pipeline on the subjected stretch. The objections/comments may be addressed to the below mentioned address upto 29.10.2024 beyond due date, no comments/objections will be accepted.

The Regional Officer, Regional Office - Jaipur
National Highways Authority of India,
F-120, Janpath, Shyam Nagar, Jaipur (Raj.)-302019,
Tel : 0141-2292049, 2292054 Email : rojaipur@nhai.org

यह पत्र राजमार्ग प्रशासक सह-क्षेत्रीय कार्यालय, भाराग्रा, जयपुर के अनुमोदन से जारी किया जा रहा है।

संलग्न : उपरोक्तानुसार।

भारतीय,
(मनोज खोड़ा)
प्रबंधक (तक.)

- Copy to: (i) Web Admn., NHAI, HQ, New Delhi - for uploading in NHAI's website [web-admin@nhai.org]
(ii) Director, NIC, New Delhi - for uploading in Ministry's website. [mansoor@nic.in]
(iii) PD, PIU-Kota: for information and with the request to ensure deposition of license fee and BG amount as per applicable guideline of MoRTH.
(iv) M/s Torrent Gas Limited Kota: for information.



भारतीय राष्ट्रीय राजमार्ग प्राधिकरण

(सड़क परिवहन और राजमार्ग मंत्रालय)

National Highways Authority of India

(Ministry of Road Transport and Highways)

परियोजना कार्यान्वयन इकाई

ए-112, तलवंडी, कोटा (राजस्थान)-324005

Project Implementation Unit

A-112, Talwandi, Kota (Rajasthan)-324005

दूरभाष/Phone : +91-744-2406315

+91-8130006149

ई-मेल/ E-mail : kota@nhai.org

kotapiu@gmail.com

No. 290120/2024/Kota Bypass/Torrent Gas/164/ 1815



20th September, 2024

Regional Officer

National Highways Authority of India

F-120, Janpath, Shyam Nagar

Jaipur (Raj.)- 302019

Sub: - Permission for laying of proposed Dia 125 mm MDPE Pipe Across NH-27 at Ch. 1074.800 to Ch. 1075.100 (LHS & RHS) and 8" Casing pipe with 4" Carrier Pipe laying Along NH-27 at Ch.1075.100 on NH-27 (Kota-Baran- Shivpuri) to develop City Gas Distribution Network in Kota city and its surrounding areas under Kota-Baran GA.: **In-principal approval – reg.**

- Ref.:**
1. Torrent Gas Limited, Kota Letter No. TGPL/KOTA/PROJ/2023-24/95 dated 18.03.2024 (Received on 27.03.2024)
 2. This office letter No. 621 dated 01.04.2024
 3. SC, M/s L.N. Malviya infra projects Pvt. Ltd. Letter No. 1127 dated 08.04.2024
 4. This office letter No. 290120/2024/Kota Bypass/Torrent Gas/164/836 dated 06.05.2024
 5. RO-Jaipur Letter No. NHAI/18013/1/2024-ROJ/Lay Gas Pipeline & Crossing/Torrent/345/NH-27, Km. 1074.800 to 1075.100/407 dated 29.05.2024 (Received on 03.06.2024)
 6. This office letter No. 1058 dated 06.06.2024
 7. Torrent Gas Kota Letter No. TGL/KOTA/PROJ/2024-25/30 dated 28.06.2024(Received on 01.07.2024)
 8. This office letter No. 1239 dated 04.07.2024
 9. This office letter No. 1390 dated 30.07.2024
 - 10.This office email dated 16.08.2024 (Reminder-I to Canara Bank for BG confirmation)
 - 11.This office email dated 11.09.2024 (Reminder-II, to Canara Bank for BG confirmation)
 - 12.Canara Bank email dated 13.09.2024

Sir,

This is in reference to the above cited letter dated 06.05.2024 (at ref.1) submitted the proposal for grant of permission for laying proposed Dia 125 mm MDPE Pipe Across NH-27 at Ch. 1074.800 to Ch. 1075.100 (LHS & RHS) and 8" Casing pipe with 4" Carrier Pipe laying Along NH-27 at Ch.1075.100 on NH-27 (Kota-Baran-Shivpuri) to develop City Gas Distribution Network in Kota city and its surrounding areas under Kota-Baran GA by M/s Torrent Gas Limited, Kota.

2. In the matter, Competent Authority i.e. NHAI, RO-Jaipur vide letter dated 29.05.2024 (Ref.5) has raised some observations, the same was conveyed to Torrent Gas Kota submit the compliance of directions/ observations raised by RO-Jaipur for further needful in the matter. Subsequently, Torrent Gas Kota vide letter dated 28.06.2024 (at ref.7) submit the payment receipt of amounting to Rs. 43,747/- deposited in Bharatkosh and BG against the security having no. 44410ILG020324 amounting to Rs. 66,000/- (**copies enclosed**). As well as this office vide letters dated 04.07.2024 & 30.07.2024 also email dated 16.08.2024 & 11.09.2024 repeatedly requests to Canara Bank, Subzimandi Kota to confirm issuance of the aforesaid Bank Guarantee & its genuineness and provide system generated report duly signed by Branch Manager regarding linking our account with BG under SFMS Platform.

Signature

3. Subsequently, Canara Bank, Subzimandi Kota email dated 13.09.2024 (at ref.12) confirmed the Bank guarantee furnish by Torrent Gas Kota.

In view of the above, the above proposal again submitted herewith for consideration and issuance of provisional NOC by the Competent Authority.

Yours faithfully,


20/09/2024
(Sandeep Agrawal)

GM (Tech.) cum Project Director



भारतीय राष्ट्रीय राजमार्ग प्राधिकरण

(सड़क परिवहन एवं राजमार्ग मंत्रालय, भारत सरकार)

National Highways Authority of India

(Ministry of Road Transport and Highways, Govt. of India)

क्षेत्रीय कार्यालय : एफ-120, जनपथ, श्याम नगर, जयपुर-302019

Regional Office : F-120, Janpath, Shyam Nagar, Jaipur-302019

Tel. (O.)/ फोन : (ऑ.) 0141-2292056, 2292049

E-mail / ई-मेल : rojaipur@nhai.org Web. / वेब : www.nhai.gov.in



NHAI/18013/1/2024-ROJ/Lay Gas Pipeline & Crossing/Torrent/345/NH-27, Km. 1074.800 to 1075.100/407 Dt. 29.05.2024

Project Director,
NHAI, PIU Kota
A-504, Indra Vihar
Kota (Raj.)-324005

Sub: Operation and Maintenance of 4-lane of Kota Bypass Section from Km. 1052.429 to 1080.263, total length 26.434 Km. Excluding 1.4 Km.Length of CBS, of NH-27 (Old NH-76) in the State of Rajasthan [Application ID 20240214/1/5/22465/6644] : Permission for Laying of proposed Dia 125mm MDPE Pipe Across NH-27 at Ch. 1075.100 and 8" Casing Pipe with 4" Carrier Pipe Laying along NH-27 at Ch. 1074.800 to 1075.100 (LHS & RHS) on NH-27 (Kota-Baran Shivpuri) to develop City Gas Distribution Network in Kota City and its surrounding areas under Kota-Baran GA : In-principal approval - reg.

Ref: 1. M/s Torrent Gas Limited Kota letter No. TGPL/KOTA/PROJ/2023-24/95 dated 18.03.2024 & TGPL/KOTA/PROJ/2023-24 dated 26.12.2023
2. PIU-Kota letter No. 290120/2024/Kota Bypass/Torrent Gas/164/836 dated 06.05.2024

Sir,

Please refer above cited letter under ref.-2, vide which you have submitted the proposal for Grant of Permission for Laying of proposed Dia 125mm MDPE Pipe Across NH-27 at Ch. 1075.100 and 8" Casing Pipe with 4" Carrier Pipe Laying along NH-27 at Ch. 1074.800 to 1075.100 (LHS & RHS) on NH-27 (Kota-Baran Shivpuri) to develop City Gas Distribution Network in Kota City and its surrounding areas under Kota-Baran GA in the State of Rajasthan by M/s Torrent Gas Limited Kota for Approval of the Competent Authority..

2. The above proposal is seen in this office and following observed that :

- Requisite charges such as License Fee through Bharatkosh and BG amount as per the MoRTH Guidelines dated 22.11.2016 are not found with the proposal for proof in support.
- BG confirmation letter is not found with the proposal for proof in support.

Therefore, the proposal is hereby return back unapproved to PIU-Kota.

This issues with the approval of Regional Officer-Raj.

Yours faithfully,

(Manoj Khoda)
Manager (Tech)

Encl : As above



भारतीय राष्ट्रीय राजमार्ग प्राधिकरण

(सड़क परिवहन और राजमार्ग मंत्रालय)

National Highways Authority of India

(Ministry of Road Transport and Highways)

परियोजना कार्यान्वयन इकाई

ए-504, इन्द्रा विहार, कोटा (राजस्थान)-324005

Project Implementation Unit

A-504, Indra Vihar, Kota (Rajasthan)-324005

दूरभाष/ Phone : 91-744-2406315

ई-मेल/ E-mail : kota@nhai.org
kotapiu@gmail.com



No. 290120/2024/Kota Bypass/Torrent Gas/164/836

Date: 06.05.2024

Regional Officer

National Highways Authority of India

F-120, Janpath, Shyam Nagar

Jaipur (Raj.)- 302019

Sub: - Permission for laying of proposed Dia 125 mm MDPE Pipe Across NH-27 at Ch. 1074.800 to Ch. 1075.100 (LHS & RHS) and 8" Casing pipe with 4" Carrier Pipe laying Along NH-27 at Ch.1075.100 on NH-27 (Kota-Baran- Shivpuri) to develop City Gas Distribution Network in Kota city and its surrounding areas under Kota-Baran GA.: **Provisional Permission – reg.**

- Ref.: 1. Torrent Gas Limited, Kota Letter No. TGPL/KOTA/PROJ/2023-24/95 dated 18.03.2024
(Received on 27.03.2024)
2. This office letter No. 621 dated 01.04.2024
3. SC, M/s L.N. Malviya infra projects Pvt. Ltd. Letter No. 1127 dated 08.04.2024

Sir,

This is in reference to above referred letter in cited subjected matter regarding permission for laying proposed Dia 125 mm MDPE Pipe Across NH-27 at Ch. 1074.800 to Ch. 1075.100 (LHS & RHS) and 8" Casing pipe with 4" Carrier Pipe laying Along NH-27 at Ch.1075.100 on NH-27 (Kota-Baran- Shivpuri) to develop City Gas Distribution Network in Kota city and its surrounding areas under Kota-Baran GA by M/s Torrent Gas Limited, Kota.

2. In this regard, PIU vide letter dated 01.04.2024 (Ref.2) forwarded to SC, M/s L.N. Malviya infra projects Pvt. Ltd. & requested to examine the proposal in accordance with Ministry's guidelines issued vide letter No.RW/NH-33044/29/2015/S&R dated 22.11.2016 & No. NH-36094/01/2020-S&R(P&B) dated 17.04.2023 & its subsequent Amendments and submit SC comments/recommendations to this office after consultation with TOT Concessionaire M/s IRB Kota Tollway Pvt. Ltd.

3. Further, Supervision Consultant, M/s L.N. Malviya infra projects Pvt. Ltd. vide letter dated 08.04.2024 (Ref.3) has submitted that proposal has been verified at site and found in order. And Supervision Consultant also recommended the proposal for onward submission to Competent Authority for approval. The same has been examined by this office and found in order.

In view of above and based on recommendation of SC, M/s L.N. Malviya infra projects Pvt. Ltd. the subject proposal is submitted for issuance of Provisional NOC by the Competent Authority.

Yours faithfully,

(Sandeep Agrawal)

GM (T) cum Project Director

Encl: Four sets of Proposals

CHECK- LIST

Guidelines for processing the proposal for laying of Utility line in the land along/across National Highways vested with NHAI.

Ministry Circular No-RW/NH 330044/29/2015/S&R® Dated 22/11/2016.

General Information

Sr. No.	Description	Information /Status
1	Name and Address of the Applicant/Agency	<u>Torrent Gas Private Limited</u> 396, Shopping Center 1 st floor, Nr. Aerodrome Circle, Kota, Rajasthan-324005
2	National Highway Number	NH 27
3	State	Rajasthan
4	Location	Raipura Chauraha to Kaithoon Road crossing NH-27
5	Chainage in KM	Crossing @ Ch. 1075.100 km From Ch. 1074.800 km to Ch.1075.100 (LHS) From Ch. 1074.800 km to Ch.1075.100 (RHS)
6	Length in Meters	600 m
7	Width of available ROW in both side	60 m
8	Side of NH (Left & Right side of NH towards increasing chainage/Km direction)	<u>ACROSS:</u> Crossing @ Ch. 1075.100 km (0.060 length) <u>ALONG:</u> 1. LHS From Ch. 1074.800 km to Ch.1075.100 (0.300 km length), 2. RHS From Ch. 1074.800 km to Ch.1075.100 (0.300 km length).
9	Name of Highway Authority of NHAI	The Chief Engineer Ministry of Road Transport & Highways, Regional Office, Ajmer Road, Uma Colony, Shanti Nagar, DCM-Jaipur.
10	Highway Administration address	Project Director NHAI, JAIPUR, <u>Kota</u>


Site Engineer
NHAI, PIU-Kota




Project Director
NHAI, PIU-Kota

Project Director
NHAI, PIU-Kota



Resident Engineer
L.N. Malviya Infra Projects Pvt

Sr. No	Item	Measurement. Observations as per site conditions	MORTH Norms	Whether complying with MORTH Norms
1	Details of already laid utility service if any	No	Enclosed	Complying
2	Whether up gradation of the stretch in near future is proposed or not	No		N/A
3	Laying of the utility service along the National Highways.			
3.1.	Location of proposed utility service along the stretch	Within 2 meters from extreme edge of the ROW	Utility Duct/ beyond the toe line of the embankment and drains, and close to the extreme edge of the RoW.	Complying
3.2	Depth of top of utility service from ground level	Minimum 1.2 m	1.2 meter	complying
3.3	Mechanism for crossing water channel	Beneath the bed of Water Channel	Through utility duct (if provision exists) or beneath the bed of water channel	Complying
3.4	Whether ROW is restricted in this stretch?	NO		N/A

Sr. No	Item	Measurement. Observations as per site conditions	MORTH Norms	Whether complying with MORTH Norms
3.4.1	If yes, whether provision of land acquisition is required to lay utility	N/A		N/A
	(a) If yes, whether undertaking for land acquisition along with relevant L.A. details has been furnished	N/A		N/A
3.4.2	Width of concrete duct if utility services are proposed to be laid in concrete ducts	N/A	Not less than one lane	N/A
4	Laying of utility services across the NH			
4.1	Whether Existing drainage structures is allowed to carry the utility lines.	NO	Not to be allowed	N/A

Site Engineer
NHAI, PIU-Kota

Project Director
NHAI, PIU-Kota



Resident Engineer
N. Malviya Infra Projects Pvt. Ltd.

4.2	Proposed crossing of utility service	@Ch. 1075.100 km Perpendicular to NH	Perpendicular to NH	Complying
4.3	Type of casing pipe/conduit carrying the utility line.	STEEL	Steel, cast iron, or reinforced cement concrete and have adequate strength	Complying
4.4	Whether ends of the casing/conduit pipe are sealed from the outside	SEALED	Sealed	Complying
4.5	Length of casing/conduit pipe crossing NH.	60 meters	Extend from drain to drain in cuts and toe to toe of slope in the fills	Complying
4.6	Depth of top of the casing/conduit pipe.	2.5 M	At least 1.2 m below the top of subgrade	Complying
4.7	Crossing method in case of CC pavement.	HDD Method	Only boring method (HDD)	Complying

Sr. No	Item	Measurement. Observations as per site conditions	MORTH Norms	Whether complying with MORTH Norms
4.8	Horizontal and vertical clearances in case utilities are allowed overhead,	N/A (Underground Only)	In accordance with IRC codes.	N/A
5	Document / Drawings enclosed with the proposal	Yes Enclosed		
5.1	Cross-Section showing the size of trench for open trenching method		Enclosed, if applicable	
	(a) Trench width	600 mm	More than 30 cm and less than 60 Cm wider than the outer diameter of the utility pipe	Complying
	(b) Filling of trench	As per Ministry Guidelines.	As per Ministry guidelines vide letter No. RW/NH-34044/29/2015/S&R (R) dated 22.11.2016	Complying
	(c) location of trench	Within 2 meters	extreme edge	Complying



 Site Engineer Project Director
 NHAI, PIU-Kota NHAI, PIU-Kota


 Resident Engineer
 Malviya Infra Projects Pvt. Ltd.

		from Extreme edge of available ROW space.	of the ROW	
5.2	Cross section showing the size of pit and location of conduit for HDD method	Yes Enclosed	Enclosed, if applicable	Complying
5.3	Strip plan/ Route plan showing utility line, chainage, width of ROW, distance of proposed utility from the edge of ROW, important milestone, intersections, cross drainage works etc.	Yes Enclosed	Enclosed	Complying
5.4	Plan and profile drawing of stretch showing cross section of road at 20m distance along with ROW and proposed utility	Yes Enclosed	Enclosed	Complying
6	Methodology for laying of utility line	Yes Enclosed	Enclosed	Complying
7	Draft License Agreement is as per Ministry guidelines vide letter No. RW/NH-34044/29/2015/S&R (R) dated 22.11.2016 and signed by two witnesses	Yes Enclosed	Enclosed	Complying

Sr. No	Item	Measurement. Observations as per site conditions	MORTH Norms	Whether complying with MORTH Norms
8	License fees in Favor of MoRTH RPAO Jaipur	Will be submitted	As per Ministry vide circular no. RE/NH-33044/29/2015/S& (R) dated 22.11.2016	As per Annexure-A Amount of INR 43,746.16/-
9	Whether Bank Guarantee has been obtained	Will be obtained at the time of permission.	As per Ministry vide circular no. RE/NH-33044/29/2015/S&(R) dated 22.11.2016	As per Annexure-B Amount of INR 66,000/-
	(a) If yes, whether Confirmation of BG has been obtained as per MoRTH/NHAI guidelines			
10	Affidavit / Undertaking from the Applicant for			
10.1	Undertaking for not to damage other existing utility, if damaged	Enclosed	Enclosed	Complying

Site Engineer Project Director
NHAI, PIU-Kota NHAI, PIU-Kota

Resident Engineer
Malviya Infra Projects Pvt. Ltd.


	then to pay the losses to either to MoRTH/NHAI or to the concerned agency.			
10.2	Undertaking for renewal of Bank Guarantees and when asked by NHAI/ MoRTH	Enclosed	Enclosed	Complying
10.3	Undertaking for confirming all standard condition of MoRTH/NHAI guidelines.	Enclosed	Enclosed	Complying
10.4	Undertaking for shifting of utility as and when asked by MoRTH/ NHAI within a month at their own cost.	Enclosed	Enclosed	Complying
10.5	Undertaking for indemnity against all damages and claims.	Enclosed	Enclosed	Complying
10.6	Undertaking for management of traffic movement during laying of utility line without hampering the traffic.	Enclosed	Enclosed	Complying
10.7	Undertaking that If any claim is raised by the Concessionaire/contractor then the same has to be paid by the applicant	Enclosed	Enclosed	Complying

Sr. No	Item	Measurement. Observations as per site conditions	MORTH Norms	Whether complying with MORTH Norms
10.8	Undertaking that the applicant has obtained various safety clearances from the representative authorities such as directorate of Electricity, Chief controller of Explosives, Petroleum and Explosive Safety Organization, Oil Industry Safety Directorate, State/Central Pollution Control Board, and any other statutory clearance s applicable, before applying to Highway Administration	Enclosed	Enclosed	Complying


 Site Engineer
 NHAI, PIU-Kota




 Project Director
 NHAI, PIU-Kota


 Resident Engineer
 J. Mahya Infra Projects Pvt. Ltd.

The Right of the Way (ROW) of the National Highway available is 60 m.

The above particulars along with the drawings and documents have been verified and certified as correct as per prevailing site conditions.



Name, Designation & Signature of the
Authorized representative of Applicant

A handwritten signature in blue ink, consisting of stylized letters, written over a horizontal line.

Name, Designation & Signature of the
Authorized representative of NHAI

Project Director
NHAI, PIU-Kota

A handwritten signature in blue ink, written diagonally across the stamp.
Resident Engineer
L.N. Malviya Infra Projects Pvt. Ltd.

A handwritten signature in blue ink, written horizontally.
Site Engineer
NHAI, PIU-Kota