



सत्यमेव जयते

भारतीय राष्ट्रीय राजमार्ग प्राधिकरण

(सड़क परिवहन और राजमार्ग मंत्रालय, भारत सरकार)

National Highways Authority of India

(Ministry of Road Transport & Highways, Govt. of India)

क्षेत्रीय कार्यालय : एफ-120, जनपथ, श्याम नगर, जयपुर-302019

Regional Office : F-120, Janpath, Shyam Nagar, Jaipur-302019

Tel. (O) / फोन : (ऑ.) 0141-2292056, 2292049

E-mail / ई-मेल : rojaipur@nhai.org Web. / वेब : www.nhai.gov.in



No.: NHAI/18013/1/2021-ROJ/Permission-Gas Pipeline/IGL/164/NH-48, km 349.600 to 363.885/1611 Date: 18.08.2022

INVITATION OF PUBLIC COMMENTS

Sub.: Proposal for grant of NOC for laying 8" NB Carbon Steel Gas Pipeline & 50mm OFC Duct in same trench of M/s. Indraprastha Gas Ltd. (IGL) from Km. 349.600 (Durga Filling station) to 363.885 (near Haryana Hotel) (LHS) and (RHS) from merging point towards Nasirabad to Km. 363.885 (near Haryana Hotel) along the NH-8 (New NH-48) and crossing of NH at 4 locations in the state of Rajasthan - reg.

Ref.: 1. Sr. VC M/s IGL, New Delhi letter no. IGL/PNG/Steel dt. 18.11.2020, dt. 22.07.2021 letter dt. 13.12.2021, and letter dated 11.04.2022 and letter dated 14.06.2022.

2. PD, PIU-Jaipur letter no NHAI/JPR/NOC/OFC/GAS/2022/1040 dt. 22.07.2022.

Sir,

It is to inform all concern that the M/s. IGL, New Delhi vide letter under reference (1) has submitted a proposal for the subjected work and PD, NHAI, PIU, Jaipur has submitted the above proposal vide letter under reference (4) for approval of the Competent Authority, Highway Administration.

2. The proposal is regarding permission for laying of 8" NB Carbon Steel Gas Pipeline & 50mm OFC Duct in same trench of M/s. Indraprastha Gas Ltd. (IGL) from Km. 349.600 (Durga Filling station) to 363.885 (near Haryana Hotel) (LHS) and (RHS) from merging point towards Nasirabad to Km. 363.885 (near Haryana Hotel) along the NH-8 (New NH-48) and crossing of NH at 4 locations in the state of Rajasthan.

3. As per Para-4 of Ministry's Circular No. RW/NH-33044/29/2015S&R(R) dated 22.11.2016, the Highway Administration shall be put out in the public domain for 30 days for seeking claims and objections (on grounds of public inconvenience, safety and general public interest).

4. In view of the above, before approval of the competent authority, the comments/objections of affected public is hereby invited with reference to the Ministry's circular dated 22.11.2016 due to laying of Gas Pipeline along and across on the subjected stretch. The objections/comments may be addressed to the below mentioned address upto 17.09.2022, beyond due date, no comments/objections will be accepted.

The Regional Officer, Regional Office - Jaipur

National Highways Authority of India,

F-120, Janpath, Shyam Nagar, Jaipur (Raj.)-302019,

Tel : 0141-2292049, 2292054 Email : rojaipur@nhai.org

This is issued with the approval of the Regional Officer, NHAI, RO, Jaipur (Rajasthan).

Yours faithfully,

(Manoj Khoda)

Manager (Tech.)

- Copy to: (i) Web Admn., NHAI, HQ, New Delhi - for uploading in NHAI's website [web-admin@nhai.org]
(ii) Director, NIC, New Delhi - for uploading in Ministry's website. [mansoor@nic.in]
(iii) PD, PIU-Jaipur: for information.
(iv) VC Projects, M/s. IGL, New Delhi, Plot No. 4, Community Centre, R K Puram, Sector-9, New Delhi-110022: for information and further necessary action pl.



भारतीय राष्ट्रीय राजमार्ग प्राधिकरण

(सड़क परिवहन और राजमार्ग मंत्रालय, भारत सरकार)

National Highways Authority of India

(Ministry of Road Transport & Highways, Government Of India)

परियोजना कार्यान्वयन इकाई, जयपुर/ Project Implementation Unit, Jaipur

डी-148, आर. एस.ई.बी. सब-स्टेशन के पीछे, वैशाली नगर, जयपुर-302021

D-148, Behind RSEB Sub-Station, Vaishali Nagar, Jaipur-302021

दूरभाष / Phone : 91-141 - 4026465, ई-मेल / E-mail : jai@nhai.org

No. NHAI/JPR/NOC/OFC/GAS/2022/ 1040



①

Date 01.07.2022

Highway Administrator cum Regional Officer

National Highways Authority of India

Regional Office, F-120, Janpath,

Shyam Nagar, Jaipur-302019

Handwritten signature

Handwritten signature



Sub.: **Permission for laying of 8" NB Carbon Steel Gas Pipeline & 50 mm OFC Duct in same trench from NH Ch. Km 349.600 (Durga Filling Station) to NH Ch. Km 363.885 (Near Haryana Hotel) and laying of 8" gas pipeline & 50 mm OFC Duct in same trench (RHS) from merging point toward Nasirabad to NH Ch. Km 363.885 (near Haryana Hotel) along the NH-08 (New NH-48) & crossing of NH at 4 locations in the State of Rajasthan.**

- Ref.: i) Sr. Vice President Projects, INDRAPRASTHA Gas Ltd. New Delhi letter no. IGL/PNG/Steel/ dated 18.11.2020.
ii) This office letter no. 1772 dated 07.12.2020.
iii) Independent Engineer M/s. LEA Associates South Asia Pvt. Ltd. letter no. 2120 dated 10.03.2021.
iv) This office letter no. 2923 dated 25.03.2021.
v) Vice President, INDRAPRASTHA Gas Ltd. New Delhi letter no. IGL/PNG/Steel/2307-2 dated 22.07.2021.
vi) This office letter no. 870 dated 30.07.2021.
vii) Independent Engineer M/s. LEA Associates South Asia Pvt. Ltd. letter no. 2362 dated 23.08.2021.
viii) This office letter no. 1594 dated 28.10.2021.
ix) Independent Engineer M/s. LEA Associates South Asia Pvt. Ltd. letter no. 2492 dated 24.11.2021.
x) This office letter no. 1843 dated 07.12.2021
xi) Vice President, INDRAPRASTHA Gas Ltd. New Delhi letter no. IGL/PNG/Steel/141222 dated 13.12.2021.
xii) This office letter no. 2052 dated 10.01.2022.
xiii) Independent Engineer M/s. LEA Associates South Asia Pvt. Ltd. letter no. 2602 dated 03.02.2022.
xiv) This office letter no. 2330 dated 18.02.2022.
xv) Vice President (Rajasthan), INDRAPRASTHA Gas Ltd. New Delhi letter no. IGL/PNG/Steel/ dated IGL/PNG/STEEL/Jaipur/240322 dated 24.03.2022.
xvi) This office letter no. 126 dated 11.04.2022.
xvii) Canara Bank Email dated 12.04.2022.
xviii) DGM(Projects)-Rajasthan GA, INDRAPRASTHA Gas Ltd. New Delhi letter no. IGL/PNG/STEEL/NHAI JAIPUR/140622 dated 14.06.2022.

Sir,

Reference is invited to Sr. Vice President Projects, INDRAPRASTHA Gas Ltd. New Delhi letter dated 18.11.2020 (**Annex-1**) vide which said proposal has submitted to this office for accord permission for laying of 8" NB Carbon Steel Gas Pipeline & 50 mm OFC Duct in same trench from NH Ch. Km 349.600 (Durga Filling Station) to NH Ch. Km 363.885 (Near Haryana Hotel) and laying of 8" gas pipeline & 50 mm OFC Duct in same trench (RHS) from merging point toward Nasirabad to NH Ch. Km 363.885 (near Haryana Hotel) along the NH-08 (New NH-48) & crossing of NH at 4 locations in the State of Rajasthan.

2. The said proposal has been examined by Independent Engineer of the Project Jaipur-Kishangarh section of NH-8, M/s. LEA Associates South Asia Pvt. Ltd. IE vide their letter dated 03.02.2022 (**Annex-2**) has recommended for laying of 8" NB Carbon Steel Gas Pipeline & 50 mm OFC Duct in same trench from NH

Ch. Km 349.600 (Durga Filling Station) to NH Ch. Km 363.885 (Near Haryana Hotel) and laying of 8" gas pipeline & 50 mm OFC Duct in same trench (RHS) from merging point toward Nasirabad to NH Ch. Km 363.885 (near Haryana Hotel) along the NH-08 (New NH-48) & crossing of NH at 4 locations in the State of Rajasthan.


3. Further, Team Leader vide their letter dated 03.02.2022 has submitted comments as under :-

"This is in reference to your letter dated 10.01.2022 cited above vide which you have forwarded the above proposal and requested us to examine the same as per the Ministry's guidelines and submit our recommendations to your office.

The same proposal was received by us for our recommendations vide your letter dated 07.12.2020. The proposal was examined by us and we submitted our comments along with the comments of Concessionaire vide letter dated 10.03.2021.

The above proposal was received again vide your letter dated 30.07.2021 and was examined by us as per Ministry's guidelines and submitted our comments vide our letter dated 23.08.2021 as under:-

- 1) *The comments submitted by the Concessionaire vide his letter dated 19.12.2020 are valid and agreed by us except that the top of gas pipeline shall be at least 1.2m below the top of subgrade.*
- 2) *The proof of online application has not been enclosed with the proposal.*
- 3) *Strip plan/ Route plan is not showing width of ROW, important mile stone, intersections, cross drainage works etc.*
- 4) *Cross section showing the outer diameter of casing pipe and 50mm diameter cable duct for crossing the National Highway has not been enclosed. License Fee be calculated accordingly by considering the outer diameter of casing pipe.*
- 5) *Area wise DLC rates provided are for the year 2014. The latest DLC rates issued in February 2021 are to be adopted for calculating License Fee.*
- 6) *Applicant should clearly show ROW of land acquired by NHAI for widening of Kishangarh Toll Plaza.*
- 7) *Bituminous pavement, paved area of main carriageway/ Truck lay Bys/ Toll plaza & other structures etc. shall not be excavated during laying of gas pipeline.*
- 8) *Cross section for open trenching has not been enclosed.*
- 9) *Reference of Bank Guarantee @ Rs. 200000.00 per crossing may be provided.*
- 10) *Grant of Authorization to Indraprastha Gas Ltd. for development of City Gas Distribution Network in the Geographical Area of AJMER, PALI and RAJSAMAND Districts has been issued by Petroleum and National Gas Regulatory Board New Delhi vide letter no. PNGRB/CGD/BID/10/2018/GA/10.34/ Schedule - D dated 29.03.2019. Grant of Authorization by PNGRB New Delhi for JAIPUR District has not been enclosed by the applicant which may be provided.*
- 11) *The Chainage of Kishangarh toll plaza is 360+700. The applicant should correct it in the drawing.*

 *The applicant resubmitted the proposal after necessary corrections vide his letter dated 20.09.2021 cited above.*

We examined the proposal and submitted that the applicant has complied with the observations raised vide our letter dated 23.08.2021 cited above except proof of online submission which may be submitted by the applicant to the authority directly. The proposal satisfies the Ministry's guidelines except proof of online submission. The proposal is submitted for consideration for grant of access permission in light of above by the competent authority. In the check list and License Fee calculation, the crossing is at Km. 357+700 but in drawing it is shown at Km. 357+500.

The applicant has submitted the proof of online submission of proposal and corrected the chainage of crossing as km 357+700 in the drawing.

The proposal satisfies the MORT&H guidelines dated 26.06.2020 and is recommended to issue NOC for laying the pipeline.

The checklist, drawings and Certificate are signed and already submitted vide our letter dated 24.11.2021".

4. This office vide letter dated 18.02.2022 has requested to submit license fee and performance Bank Guarantee to this office, in this regard, Vice President (Rajasthan), INDRAPRASTHA Gas Ltd. vide letter dated 24.03.2022 has submitted B.G No. LOBG201012201642 dated 10.03.2022 of IDFC FIRST Bank of Rs. 15,51,150/- valid up to 08.03.2027. Canara Bank, Jaipur has confirmed the same vide their email dated 12.04.2022.

5. DGM(Projects)-Rajasthan GA, INDRAPRASTHA Gas Ltd. New Delhi vide letter dated 14.06.2022 has submitted the undertaking that :-

"In consideration of above referred permission from National Highway Authority of India, I Vikram Jettley (DGM-Projects-Rajasthan GA) on behalf of Indraprastha Gas Limited (IGL) undertakes that PNGRB (Petroleum and Natural Gas Regulatory Board) has granted Authorisation to Indraprastha Gas Limited for development of City Gas Distribution Network in Geographical Area of Ajmer, Pali and Rajsamand Districts in the state of Rajasthan. Copy of Grant of Authorisation is enclosed for reference. Further, IGL also undertakes that IGL has been solely authorised for laying, building and operating or expanding city or local natural gas been solely authorised for laying, building and operating or expanding city or local natural gas distribution network exclusively in Ajmer, Pali & Rajsamand districts in the state of Rajasthan".

5. In view of the above, the said proposal has been examined in this office and seems to be found in order. Duly signed checklist & drawings by undersigned is enclosed with the proposal and recommended to grant permission for laying of 8" NB Carbon Steel Gas Pipeline & 50 mm OFC Duct in same trench from NH Ch. Km 349.600 (Durga Filling Station) to NH Ch. Km 363.885 (Near Haryana Hotel) and laying of 8" gas pipeline & 50 mm OFC Duct in same trench (RHS) from merging point toward Nasirabad to NH Ch. Km 363.885 (near Haryana Hotel) along the NH-08 (New NH-48) & crossing of NH at 4 locations in the State of Rajasthan on Jaipur Kishangarh section of NH-8.

Encl. : As above (2 files).

Yours faithfully,



(Ajay Arya)

Project Director

CHECK-LIST

Guidelines for processing the proposal for laying of utility line in the land across National Highways vested with NHAI/PWD BRO.

Ministry circular No-RW/NH 330044/29/2015/S&R(R) Dated 22/11/2016.

Sr.No.	Item	Information/ Status	Remarks
	General Information		
1	Name and Address of the Applicant / Agency	Indraprastha Gas Ltd. IGL Bhawan, Plot No-4, Community Centre, R.K. Puram, Sector-9, New Delhi-110022	
2	National Highway Number	NH- 08 (New NH-48)	
3	State	Rajasthan	
4	Location	From Durga Filling Station to Near Haryana Hotel & From Merging Point Towards Nasirabad to Near Haryana Hotel	
5	(Chainage in km)	From NH Ch. Km- 349.600 to NH Ch. Km- 363.885 & From Merging Point Towards Nasirabad to NH Ch. Km- 363.885	
6	Length in Meters	15115 Mtrs	
7	Width of available ROW in both side	30 Mtrs/ Variable Each Side	
8	Side of NH (left or right side of NH towards increasing change /KM/ direction)	LHS	
9	Name of Highways Authority of NHAI/PWD/BRO	NHA!	
10	Highway Administration Address	F-120, Janpath, Saket Nagar, Shyam Nagar, Jaipur Rajasthan-302019	



(Amended)

Project Director
NHAI PIU
Jaipur

(Signature)

Vinod Kumar Dhaaka
Vice President
Head - Aimer, Pali, Rajasmand
Indraprastha Gas Limited

(Signature)
Manager (Tech.)
भारतगैस, पकाई, जयपुर
NHAI PIU JAIPUR

4.3	Type of casing pipe/conduit carrying the utility line	Steel as Casing	Steel , cast iron , or RCC and have adequate strength	Complying
4.4	Whether ends of the casing /conduit pipe are sealed from the outside	Sealed	Sealed	Complying
4.5	Length of crossing /conduit pipe crossing NH	60 Mtrs	Extend from drain to drain in cuts and toe to toe of slope in the fills	Complying
4.6	Depth of top of the casing /conduit pipe	3.0 Mtrs	At least 1.2m below the top of subgrade	Complying
4.7	Crossing method in case of CC pavement	HDD	Only boring method (HDD)	Complying
4.8	Horizontal and vertical clearances in case utilities are allowed overhead	N/A	In accordance with IRC codes.	N/A
5	Document/drawing enclosed with the proposal	Yes Enclosed		Complying
5.1	Cross section showing in the site of trench for open trenching method	Yes	Enclosed	Complying
5.	a. Trench width	Yes	More than 30cm and less than 60 cm wider than the outer diameters of the utility pipe	Complying
	b. Filling of trench	Yes	As per Ministry circular No- RW/NH 30044/29/2015/S&R(R) Dated 22/11/2016.	Complying
	c. Location of trench	Yes	Extreme edge of the ROW	Complying
5.2	Cross section showing the size of pit and location of conduit for HDD method	Yes enclosed	Enclosed , if applicable	Complying
5.3	Strip plan / Route plan showing utility line , chainage , width of ROW , distance of proposed utility from the edge of ROW , important mile stone , intersection , cross drainage works etc.	Yes Enclosed	Enclosed	Complying
5.4	Plan and profile drawing of stretch showing cross section of road at 20m distance along with ROW and proposed utility	Yes enclosed	Enclosed	Complying
6	Methodology for laying of utility line	Yes enclosed	Enclosed	Complying

[Signature]

Vinod Kumar Dhaak
Vice President
CA Head- Ajmer, Pali, Rajasmand
Indraprastha Gas Limited



[Signature]
CHANG

Project Director
NHAI, Jaipur

Manager (Tech.)
NHAI BIU JAIPUR

7	Draft license agreement is as per Ministry circular No- RW/NH30044/29/2015/S&R(R) Dated 22/11/2016.and signed by two witness	Yes enclosed	Enclosed	Complying
8	License fee in favor of MORT&H RPAO Jaipur	Shall be furnished as per demand	As per Ministry circular No- RW/NH330044/29/2015/S&R(R) Dated 22/11/2016.	Complying
9	Whether bank guarantee has been obtained	Shall be furnished as per demand	As per Ministry circular No- RW/NH 30044/29/2015/S&R(R) Dated 22/11/2016.	Complying
	a.If yes, whether confirmation of BG has been obtained as per MORT&H / NHAI guidelines	Shall be obtained		
10.1	Undertaking for not to damage other existing utility , if damaged then to pay the losses to either to MORT&H / NHAI to the cornered agency	Enclosed	Enclosed	Complying
10.2	Undertaking for renewal of bank guarantee and when asked by NHAI/MORT&H	Enclosed	Enclosed	Complying
10.3	Undertaking for conforming all standard condition of MORT&H / NHAI guidelines	Enclosed	Enclosed	Complying
10.4	Undertaking for shifting of utility as and when asked by MORT&H /NHAI within a month at their own cost	Enclosed	Enclosed	Complying
10.5	Undertaking for indemnity against all damages and claim	Enclosed	Enclosed	Complying
10.6	Undertaking for management of traffic moment during laying of utility line without hampering the traffic.	Enclosed	Enclosed	Complying
10.7	Undertaking that if any claim is raised by the concessionaire/ contractor than the same has to be paid by the applicant	Enclosed	Enclosed	Complying



Vinod Kumar Dhaaka
Vice President
GA Head- Ajmer, Pali, Rajasmand
Indraprastha Gas Limited



Project Director
NHAI, Pali
Jaipur

Manager (Tech.)
NHAI, Pali
Jaipur


10.8	Undertaking that the applicant has obtained various safety clearances from the representative authorities such as directorate of electricity, chief controller of explosive safety of directorate, state / central pollution control board and any other statutory clearances applicable before applying to Highway Administration	Enclosed	Enclosed	Complying
------	--	----------	----------	-----------

The ROW of the National Highway available at the proposed location from the central line of divided carriage way to ROW extreme edge in rural section is 30.00 m

The above particular along with the drawing and documents has been verified and certified as correct as per prevailing site conditions.



Name designations & Signature of the
Authorized representative of applicant

Vinod Kumar Dhaaka
Vice President
GA Head- Ajmer, Pali, Rajasmand
Indraprastha Gas Limited




AHME


Name designations & Signature of the
concerned field authority of NHA


Project Director
Manager (Tech.)
भारतगैस, पाली, जयपुर
NHA PIU JAIPUR