

## भारतीय राष्ट्रीय राजगार्ग प्राधिकरण (सड़क परिवहन और राजमार्ग मंत्रालय,भारत सरकार))

National Highways Authority of India

(Ministry of Road Transport & Highways, Govt. of India) क्षेत्रीय कार्यालय, ओडिशा /Regional Office, Odisha

301 - ए. तीसरी मंजिल, पाल हाईटस, प्लाद नं जे/7, जयदेव विहार, भुवनेश्वर - 751013. ओड़िशा 301-A, 3rd Floor, Pal Heights, Plot No : J/7, Jayadev Vihar, Bhubaneswar- 751013, Odisha दुरभाग /Ph.: 0674 - 2361470/ 570/670 (का/0),फैक्स /Fax : +91-674-2361770 ई-मेल/e-mail :roodisha@nhai.org, ronhaiodisha@gmail.com, वेबसाइट/Web : www.nhai.gov.in



08.06.2022

NHAI/13011/54/RO/OD/ 1716/2022

То

The Sr. Technical Director, NIC Centre at MoRTH, Transport Bhawan, New Delhi 110001

Sub: Rehabilitation and up gradation to 4- laning of Teleibani- Sambalpur section of NH-53 (Km.493.300 to Km.545.176 to Km.566.000) in the state of Odisha under EPC Mode- Permission for laying of underground 33 KVA XLPE Cable- Reg

Sir,

Please find enclosed herewith a proposal of M/s Reliance Jio Infocomm Ltd. regarding permission for laying of underground 33 KVA XLPE Cable from Reliance MCN (Chainage 566+500) to Ainthapali Square (Chainage 567+500) for a total length of 100 meter (RHS) and crossing at chainage 566+500. The details are as under:

SI No.	Description	Chainage	NH No.	Distance (in Km.)	Location	RHS/LHS
1.	Crossing	Km.566+500		-	Reliance MCN	(•)
2.	Along the road	Km.566+500 to 567+500	53	1.0	From Reliance MCN to Ainthapali Square	RHS

3. Accordingly, as per guldellnes issued by MoRTH vide F. No. RW/NH-33044/29/2015/S&R(R) dt. 22.11.2016, the application along with the recommendations of concerned PD/Consultants are enclosed herewith with request to hoist the same in the Ministry's Website for public comments within 30 days of uploading on the website.

This is issued with the approval of the "Regional Officer, NHAI, Regional Office, Odisha, Bhubaneswa.

Yours faithfully,

Manager (Tech)



# भारतीय राष्ट्रीय राजमार्ग प्राधिकरण (सड़क परिवहन और राजमार्ग मंत्रालय,भारत सरकार)) National Highways Authority of India

(Ministry of Road Transport & Highways, Govt. of India) क्षेत्रीय कार्यालय, ओडिशा /Regional Office, Odisha

301 - ए, तीसरी मंजिल, पाल हाईटस, प्लाट् नं जे/7, जयदेव विहार, भुवनेश्वर - 751013. ओड़िशा 301-A, 3rd Floor, Pal Heights, Plot No : J/7, Jayadev Vihar, Bhubaneswar- 751013, Odisha दुरभाष /Ph.: 0674 - 2361470/ 570/670 (का/O),फैक्स /Fax : +91-674-2361770 ई-मेल/e-mail : roodisha@nhal.org, ronhaiodisha@gmail.com, वेबसाइट/Web : www.nhai.gov.in



NHAI/13011/54/RO/OD/ 1715 /2022

08.06.2022

#### INVITATION OF PUBLIC COMMENTS

Sub: Rehabilitation and up gradation to 4- laning of Teleibani- Sambalpur section of NH-53 (Km.493.300 to Km.545.176 to Km.566.000) in the state of Odisha under EPC Mode- Permission for laying of underground 33 KVA XLPE Cable- Reg

M/s Reliance Jio Infocomm Ltd has submitted a proposal regarding permission for laying of underground 33 KVA XLPE Cable from Reliance MCN (Chainage 566+500) to Ainthapali Square (Chainage 567+500) for a total length of 100 meter (RHS) and crossing at chainage 566+500. The details are as under:

SI No.	Description	Chainage	NH No.	Distance (in Km.)	Location	RHS/LHS
1.	Crossing	Km.566+500		-	Reliance MCN	3.63
2.	Along the road	Km.566+500 ເບ 567+500	53	1.0	From Reliance MCN to Ainthapali Square	RHS

3. As per guidelines issued by MoRTH vide F. No. RW/NH-33044/29/2015/S&R(R) dated 22.11.2016, the Highway Administration will put out the application in the public domain for 30 days for seeking claims and objections (on grounds of public inconvenience, safety and general public interest).

4. In view of the above, the comments of public, if any, on the above mentioned proposal is invited on below mentioned address:

The Regional Officer, National Highways Authority of India, Regional Office, Odisha 301-A, 3rd Floor, Pal Heights, J/7, Jayadev Vihar, Bhubaneswar 751013, Odisha e-mail: <u>roodisha@nhai.org</u>

This is issued with the approval of the "Regional Officer, NHAI, Regional Office, Odisha, Bhubaneswar".

Manager (Tech) National Highways Authority of India, Regional Office, Odisha 301-A, 3rd Floor, Pal Heights, J/7, Jayadev Vihar, Bhubaneswar 751013

## **CHECKLIST**

#### **Relevant Circulars**

1) Ministry Circular No. NH-41 (58)/68 dated 31.01.1969

2) Ministry Circular No. NH-III/P/66/76 dated 18/19.11.19776

3) Ministry Circular No. RW/NH-III/P/66/76 dated 11.5.1982

4) Ministry Circular No. RW/NH-11037/1/86-DOI (ii) dated 28.7.1993

5) Ministry Circular No. RW/NH-11037/1/86/DOI dated 19.1.1995

6) Ministry Circular No. RW/NH-34066/2/95/ S&R dated 25.10.1999

7) Ministry Circular No. RW/NH-34066/7/2003 S&R (B) dated 17.9.2003

Check list for getting approval for laying of Water Supply Pipe Lines on NH land

### <u>NH-53</u>

SI No.	Item	Information / Status	Remarks
1	General information	Laying of underground XLPE Cable	
1.1	Name and Address of the Applicant	Reliance Jio Infocomm Limited., Fortune Tower, 1st Floor, Wing A&B, Chandrrasekharpur, Pin- 751023	
1.2	National Highway Number	NH 53	
1.3	State	Odisha	
1,4	Location	Along Reliance MCN (Ch. 566/500) to Ainthapali (Ch. 567/500) (R.H.S) and across at Ch. 566/500	
1.5	(Chainage in Km)	Along Reliance MCN (Ch. 566/500) to Ainthapali (Ch. 567/500) (R.H.S) and across at Ch. 566/500	
1.6	Length in Meters	Along: 1000 Mtrs Across: 45 Mtrs	

For Reliance Jio Infocomm Ltd. परोयोजना निर्देशक/Project Director भारतीय राष्ट्रीय राजनार्ग प्राधिकरण विभाग Authorised Signatory National Highways Authority of India प.का.ई, सम्बलपुर, उडिशा/PIU, Sambalour, Odisha

1.7	Width of available ROW		
	(a) left side from center line towards increasing chainage /km direction	N/A	
	(b) Right side center from line towards increasing chainage / Km direction	21.5 Mtrs	
1.8	Proposal to lay pipe line	Along & Across laying of XLPE UG Cable	
	(a) left side from center line towards increasing chainage /km direction	N/A	
	(b) Right side from center from line towards increasing chainage / Km direction	21.5 Mtr	
1.9	Proposal to accuire land	N.A	
	(a) Left side from center line		
	(b) Right side from center line		
1.10	Whether proposal is in the same side where land is not to be acquired. If not then where to lay the water pipe line	N.A	
1.11	Details of already laid services, if any, along the proposed route	N.A	
and the local division of the	Number of lanes (2/4/6/8 lane) existing	4	
1.13	Purposed number of lanes (2 lanes with paved shoulders/4/6/8 lanes)	No	
1.14	Service road existing or not	No	
	If yes then which side		
	(a) Left side from center line		
	(b) Right side from center line		
1.15	Proposed Service road	No	
	(a) Left side from center line		
	(b) Right side from center line		
1.16	Whether proposal to lay Water Supply Pipe line is after service road or between the service road and main carriageway	Between the Service Road	
1.17	The permission for laying of Water Supply Pipe line shall be considered for approval / rejection based on the Ministry Circulars as above.		
	(a) Carrying of sewagw/gas pipelines on highway bridges shall not be permitted as Fumes/gases pipes can accelarate the process of corrosion or may cause explosions, thus, being much more injurious than leakage of Water.		

K Mgesha (व विक्रुप्त मिंदेशक/Project Director भारतीय राष्ट्रीय राजमार्ग प्राधिकरण विभाग National Highways Authority of India प.का.ई, सम्बलपुर, उडिशा/PIU, Sambalour, Odisha

	(b) Carrying of pipe lines on bridges shall also be discourged. However, if the water supply authorities seem to have no other viable alternative and approach the highway authority well in time before the design of the bridge is finalized, they may be permitted to carry the pipeline on independent superstructure, support on extended portions of piers and abutments in such a manner that in the final arrangement enough free spade around the superstructure of the bridge remains available for inspection and repairs, etc.	NA	
	(c) Cost of required extension of the substructure as well as that of the supporting superstructure shall be borne by the agency-in-charge of the utilities.		
	(d) Service are not being allowed indiscriminately on the parapet/any part of the bridges, Safety of the bridges has to be kept in view while permitting various services along bridge. Approvals are to be accorded in this regard with the concurrence of the Ministry's Project Chief Engineers only.		
1.18	If crossings of the the road involved If Yes, it shall be either encased in pipes or through structure or conduits specially built for that purpose at the expenses of the agency owning the line.	Crossing of roads to be executed through HDD methodology	
	(a) Existing drainage structures shall not be allowed to carry the lines.	Agreed	
	(b) Is it on a line normal to NH	Yes	
	(C) Crossing shall not be too near the existing structure on the National Highway, the minimum distance being 15 meter. What is the distance from the existing structures.	Agreed	
	(d) The casing pipe (or conduit pipe in the case of electric cable) carrying the utility line shall be of steel, cast iron, or reinforced cement concrete and have adequate strengh and be large enough to permit ready withdrawal of the carrier pipe/cable.	Agreed	
	(e) Ends of the casing/conduit pipe shall be sealed from the outside, so that it does not act as a drainage path.	Agreed	
	(f) The casing/conduit pipe should, as minimum extend from drain to drain in cuts and toe of slope toe of slope in the fills.	Agreed	
	(g) The top of the casing/conduit pipe should be at least 1.2 meter below the surface of the road subject to being at least 0.3 m below the drain inverts.	Agreed	
	(h) Crossing shall be by boring method (HDD) specially where the existing road pavement is of cement concrete or dense bituminous concrete type.	It will be done through HDD methodology	
	(i) The casing/conduit pipe shall be installed with an even bearing throughout its length and in such a manner as to prevent the formation of a waterway along it.	Agreed	

K Macshala 199 4 50r Reliance Jio Infocomm Ltd. परोयोजना निर्मशक/Project Director भारतीय राष्ट्रीय राजमार्ग प्राधिकरण विभाग Authorised Signatory

National Highways Authority of India प.का.ई, सम्बलपुर, उडिशा/PIU, Sambalour, Odisha

Authorised Signatory

2	Document / Drawings enclosed with the proposal	Enclosed
2.1	Cross section showing the size of trench for open trenching method (is it normal size of 1.2m deep x 0.3 m wide)	
	(i) should not be greater than 60 Cm wider than the outer diameter of the pipe	Agreed
	(ii) located as close to the extreme edge of the right-of-way as possible but not less than 15 meter from the centre-lines of the nearest carriageway	Agreed
	(iii) Shall not be permitted to run along the National Highways when the road formation is situated in double cutting. Nor shall these be laid over the existing culverts and bridges	Agreed
	(iv) These should be so laid that their top is at least 0.6 meter below the ground level so as not to obstructure drainage of the road land.	Agreed
2.2	Cross section showing the size of pit and location of cable for HDD method	Enclosed
2.3	Strip plan /route plan showing Water Supply pipeline chainage, width of ROW, distance of proposed, cable from the edge of ROW, important mile stone, intersection, cross drainage works etc.	Enclosed
2.4	Methodology for laying of showing Water Supply pipe line	HDD method
2.4.1	Open trenching method, (May be allowed in utility corridor only where pavement is neither cement concrete nor dense bituminous concrete type. If yes, Methodology of refilling of trench	Refilling of trench should be done as per NHAI instruction
	(a) The trench width should be at least 30 cm, but not more than 60 cm wider than the outer diameter of the pipe.	NA
	(b) For filling of the trench, Bedding shall be to a depth of not less than 30 cm. It shall consist of granular material, free of lumps, clods and cobbles and graded to yield a firm surface without sudden change in the bearing value. Unsuitable soil and rock edged should be excavated and replaced by selected material.	NA
	(c) The backfill shall be completed in two stages (i) side fill to the level of the top of the pipe and (ii) overfill to the bottom of the road crust.	Agreed
	(d) The sidefill shall consist of granular material laid in 15 cm layers each consolidated by mechanical tampering and controlled addition of moisture to 95% of the Proctor's Density. Overfill shall be compacted to the same density as the material that had been removed. Consolidation by saturation or ponding will not be permitted.	Agreed

K. Nagesta ka day For Reliance Jio Inforgmm Ltd. परोयोजना निर्देशक/Project Director भारतीय राष्ट्रीय राजमार्ग प्राधिकरण विभाग Authorised Signatory National Highways Authority of India प.का.ई, सम्बलपुर, उडिशा/PIU, Sambalow, Odisha

	(e) The road crust shall be built to the same strengh as the exsting crust on either side of the trench. Care shall be taken to avoid the formation of a dip at the trench.	Agreed	
	(f) The excavation shall be protected by flagman, sign and barricades, and red lights during night hours.	Agreed	
	(g) If required, a diversion shall be constructed at the expense of agency owning the utility line.	Agreed	
2.4.2	Horizontal Directional Drilling (HDD) Method	HDD method	
2.4.3	Laying Water Supply Pipe Line through CD works and method of laying	NA	
	(a) On approaches, the water mains/cables shall be carried along a line as close to the edge of the right-of way as possible up-to a distance of 30 m from the bridge and subject to all other stipulations contained in this Ministry's guideline issued with letter No. NH-HI/P/66/76 dated 19.11.1976.		
3	Draft license Agreement signed by two witnesses.	Enclosed	
4.0	Performance Bank Guarantee in favour of NHAI has to be ontained @ Rs.50/- per running meter (parallel to NH) and rs.1,00,000/- per crossing of NH, for a period of one year initially (extendable if required till satisfactory completion of work) as a security for ensuring/making good the excavated trench for laying the cables/ducts by proper filling and compaction clearing debris/loose earth produced due to execution of trenching at least 50m away from the edge of the right of way. No payment shall be payable by the NHAI to the licensee for clearing debris/loose carth.	To be submitted as per NHAI guideline	
4.1	Performance BG as per above is to be obtained.	To be confirmed	
4.2	Conformation of BG has been obtained as per NHAI quidelines		
5	Affidavit / Undertaking form the Applicanr for	Undetaking Attached	
	Not to damage to other utility, if damaged then to pay losses either to NHAI or to the concerned agency	Undetaking Attached	
5.2	Renewal of Bank Gurantee	Undetaking Attached	
5.3	Conforming all standard condition of NHAI's guideline	Undetaking Attached	
	Shifting of Water Supply Pipe Line as and when required by NHAI at their own cost.	Undetaking Attached	
5.5	Shifting due to 6 lanning/widening of NH	Undetaking Attached	
5.6	Indemnity against all damages and claims clasuse (xxiv)	Undetaking Attached	
	Traffic movement during laying of Water Supply pipe line to be managed by the applicant	Agreed & Undetaking Attached	
	If any claims is raised by the Concessionaire then the same has to be paid by the applicant	Agreed & Undetaking Attached	

K. Kgest 2. 19 6 For Reliance Jio Infocomm Ltd. परोयोजना मिर्देशक/Project Director भारतीय राष्ट्रीय राजमार्ग प्राधिकरण विभाग Authorised Signatory National Highways Authority of India प.का.ई, सम्बलपुर, उडिशा/PIU, Sambalow, Odisba

5.9	Prior approval of the NHAI shall be obtained before undertaking any work of installation, shifting or repairs, or alteration to the showing Water Supply pipe line located in the National highway right-of-ways.	Agreed & Undetaking Attached
5.10		Agreed & Undetaking Attached
5.11	for any work of improvement or repairs to the road, it will be carried out as desired by the NHAI at the cost of the agency owning the utility line within a reasonable time (not exceeding 60 days) of the intimation given.	Agreed & Undetaking Attached
5.12	Certificate from the applicant in the following format (i) Laying of Water Supply pipe line will not have any deleterious effect on any of the bridge components and roadway safety for traffic. (ii) for 6-lanning "We do undertaking that, I will relocate service road/approach road/utilities at my own cost not withstanding the permission granted within such time as will be stipulated by NHAI" for future six-lanning or any other development"	Certification attached & Agreed
6	Who will sign the agreement on behalf of Water Supply pipe line	State Coordinator, Odisha
	agency. Power of attornwy to sign the agreement is available or not	Available
7	Certificate from the Project Director	NA
7.1	Certificate for conforming of all standard condition issued vide Ministry Circular No. Ministry Circular No.NH-41 (58) 68 dated 31.1.1969, Ministry Circular No. NH-III/P/66/76 dated 18/19.11.1976, Ministry Circular No. RW/NH-III/P/66/76 dated 11.5.1982, Ministry Circular No. RW/NH-11037/1/86-DOI (ii) dated 28.7.1993, Ministry Circular No. RW/NH-11037/1/86/DOI dated 19.1.1995, Ministry Circular No. RW/NH-34066/2/95/ S&R dated 25.10.1999 and Ministry Circular No. RW/NH-34066/7/2003 . S&R (B) dated 17.9.2003	To be submitted
7.2	Certificate from PD in the following format (i) "It is certified that any other location of the Water Supply pipe line would be extremely difficult and unreasonable costly and the installation of Water Supply pipe line within ROW will not adversely affect the design, stability & traffic safety of the highway nor the likely future improvement such as widening of the carriageway, easing of curve etc". (ii) for 6-lanning (a) Where feasibility is available "I do certify that there will be no hindrance to proposed six-laning based on the feasibility report considering proposed structure at the said location". (b) In case feasibility report is not available "I do certify that sufficient ROW is available at site for accommodating proposed six- laning".	To be submitted

K: Mge K & da 3g hf 29 परोयोजमा निर्देशक/Project Director For Reliance Jio Infocomm Ltd. भारतीय राष्ट्रीय राजमार्ग प्राधिकरण विभाग National Highways Authority of India प.का.ई, सम्बलपुर, उडिशा/PIU, Sambalour, Odisha

8	If NH Section proposed to be taken up by NHAI on BOT basis- a clause to be inserted in the agreement. "The permitted Highway on which Licensee has been granted the right to lay cable/duct has also been granted as a right of way to the concessionaire under the concession agreement for up-gradation of [section from Kmto Kmof NH Noon Build. Operate and Transfer Basis] and thereof, the licensee shall honour the same".	To be submitted
9	Who will supervise the work of laying of Water Supply Pipe line	Site Engineer of Reliance Jio Infocomm Ltd
10	Who will ensure that the defects in road portion after laying of Water Supply Pipe line are corrected and if not corrected then what action will be taken.	Jointly by site engineer of Reliance Jio Infocomm Ltd & NHAI
11	Who will pay the claims for damages done / disruption in working of Concessionaire if asked by the Concessionaire	Reliance Jio Infocomm Limited.
12	A certificate from PD that he will enter the proposed permission in the register of records of the permission in the precribed proforma (copy enclosed)	Yes
13	If any previous approval is accorded for laying of underground Water Supply Pipe line then photocopy of register of records of the permission accorded as maintained by PD then copy be enclosed.	No

For Reliance Jio Infoconing Ltd. K. M. gelikla a g/4/22 Authorised Signator, परोयोजना निर्देशक/Project Director Authorised Signator, भारतीय राष्ट्रीय राजमार्ग प्राधिकरण विभाग

National Highways Authority of India प.का.ई, सम्बलपुर, उडिशा/PIU, Sambalour, Odisha