



भारतीय राष्ट्रीय राजमार्ग प्राधिकरण

(सड़क परिवहन एवं राजमार्ग मंत्रालय, भारत सरकार)

क्षेत्रीय कार्यालय - नागपुर : "नारंग टावर", तिसरी मंजिल, उपआयुक्त यातायात पुलिस (नागपुर शहर)
कार्यालय के सामने, पाम् रोड, सिविल लाईन्स नागपुर-440 001 महाराष्ट्र टेलि. 0712-2520091, 2980554
ई-मेल : ronagpur@nhai.org वेबसाइट : www.nhai.gov.in



National Highways Authority of India

(Ministry of Road Transport & Highways, Govt. of India)

Regional Office - Nagpur : "Narang Towers", 3rd Floor, Opp. to Office of Dy. Commissioner of Police Traffic (Nagpur City), Palm Road, Civil Lines, Nagpur- 440 001 Maharashtra. Tel. 0712-2520091, 2980554
e-mail : ronagpur@nhai.org website : www.nhai.gov.in

NHAI/RO/NAG/ UT-270/NH-53/MSEDCL/2023-24/ 2104

Date: 20.11.2023

Invitation of Public Comments

Sub: Submission of proposal for permission of laying of 11KV 95 sqm U/G cable across NH-53 (Nagpur Raipur Road) for various locations points under RDSS AG FS Scheme under Scheme under Bhandara Division of Bhandara Circle -Reg.

Ref.:

1. PD, PIU-1 Nagpur letter no. 2839 dated 09.11.2023
2. EE, O&M Div. MSEDCL, Bhandara letter no. 04551 dated 30.08.2023

It is to inform all concern that M/s MSEDCL. letter under reference (2) has submitted a proposal for the subjected work and PD, PIU-1, Nagpur has recommended the above proposal vide letter under reference (1) for approval of the Competent Authority / Highway Administrator.

2. The alignment proposed by that M/s MSEDCL is across Maharashtra / Chhattisgarh Border to Wainganga Bridge section of NH-53 in the State of Maharashtra is as follows:

- Laying of 11KV electrical u/g from km 475.760 to km 476.800 (LHS) and underground crossing at km 485.870, km 484.160, 482.540, km 480.900, km480.040 & km 479.600 on Maharashtra / Chhattisgarh Border to Wainganga Bridge section of NH-53.

3. As per Para-4 of Ministry's Circular No.RW/NH-33044/29/2015/5&R(R), dated 22.11.2016, the Highway Administration shall be put out in the public domain for 30 days for seeking claims and objections (on grounds of public inconvenience, safety and general public interest).

4. In view of the above, the comments / objections of affected public is hereby invited with reference to the Ministry's circular dated 28.01.2016 due to above transmission line on the subjected stretch. The objections / comments may be addressed to the below mentioned address within 30 days from issuance of public comments, beyond due date, no comments/ objections will be accepted.

The Regional Officer,

Regional Office - Nagpur

National Highways Authority of India,

"Narang Towers", 3rd Floor,

Opp.to Office of Dy. Commissioner of Police Traffic (Nagpur City),

Palm Road, Civil Lines, Nagpur-440 001, Maharashtra

Tel : 0712-2520091 Email : ronagpur@nhai.org

N. N. Nadkarni
20.11.23

(Naresh Y. Wadetwar)
General Manager (Tech.)
NHAI, RO, Nagpur

Copy to: (i) Web Admn., NHAI, HQ, New Delhi - for uploading in NHAI's website

[web-admin@nhai.org]

(ii) Director, NIC, New Delhi

[mansoor@nic.in]

- for uploading in Ministry's website

मुख्यालय : जी-5 एवं 6, सेक्टर-10, द्वारका, नई दिल्ली - 110 075

Head Office : G-5 & 6, Sector-10, Dwarka, New Delhi - 110 075