

# Government of India Ministry of Road Transport & Highways

(Chief Engineer - Regional Office, Bhopal)

2<sup>nd</sup> Floor, Nirman Bhawan, Arera Hills, Bhopal-462011 PH: 0755-2551329, 0755-2571467, Email ID: ro.bpl-morth@gov.in

Date: 0501.2024

#### Invitation of Public Comments

Subject: Proposal for right of way permission for laying and crossing of water pipeline for drinking purpose at NH-346 (Dinara to Padra via Nayagaon chouraha) under Basai-2 multi village rural water supply scheme district-Datiya and Shivpuri in the State of Madhya Pradesh Reg.-

CE(NH), MPPWD, Bhopal vide letter dated 29.12.2023 forwarded therewith a proposal in this office for permission for laying and crossing of water pipeline for drinking purpose at NH-346 (Dinara to Padra via Nayagaon chouraha) under Basai-2 multi village rural water supply scheme district-Datiya and Shivpuri in the State of Madhya Pradesh.

- 2. As per Ministry vide OM No. RW/NH-33044/29/2015/S&R(R) dated 22.11.2016, the Highways Administrator will make available the proposal seeking permission for utility laying for public comments for 30 days on ground of public interest.
- 3. In view of the above the comments of public are invited on captioned proposal and the same should reach to below mentioned address within 30 days beyond which no comments will be considered.

The Highways Administration
O/o RO Highways Administration
Ministry of Road Transport & Highways
IInd Floor, Nirman Bhawan, Bhopal-462011.
Email: ro.bpl-morth@gov.in

4. This issues with the approval of Highways Administration-cum Regional Officer, MoRT&H, Bhopal. (Computer no. – 233318)

Assistant Executive Engineer For RO, MoRT&H, Bhopal

#### Copy to:

- 1. The Senior Technical Director, NIC, Transport Bhawan, New Delhi-110001 for uploading on Ministry's Website.
- 2. The CE (NH), MPPWD, Bhopal-for information.
- 3. The EE(NH), MPPWD Division Gwalior-for information and requested to furnish the recommendation in view of Ministry's circular No. RW/NH-33044/29/2015/S&R (R) dated 22.11.2016 along with verified fees viz. license fee etc. as per circular and their detailed calculations
- 4. The GM, MP Jal Nigam Maryaditr PIU, Shivpuri for information with requested to submit the proposal in view of Ministry's circular no. RW/NH-33044/29/2015/S&R (R)

dated 22.11.2016 and submit the license fee through online portal NTRP and BG for restoration charges along with detailed calculation of license fee, restoration charges etc. Receipt of online licences fee deposition should to be submitted to this office through CE (NH), MPPWD, Bhopal. BG should be in favour of MPPWD (as per prevailing procedure in MPPWD) and to be submitted to EE(NH), MPPWD Division Gwalior.

कार्यालय मुख्य अभियंता,

OFFICE OF THE CHIEF ENGINEER राष्ट्रीय राजमार्ग परिक्षेत्र, लोक निर्माण विभाग

NATIONAL HIGHWAY ZONE M. P. PUBLIC WORK DEPARTMENT

"निर्माण भवन" प्लाट नं. 27—28 अरेरा हिल्स, भोपाल म.प्र.

NIRMAN BHAWAN 2nd FLOOR, BHOPAL M.P.

11028

Email: cepwdnhzonempbhopal@gmail.com,
Memo no. N.H/R/ Basai-2/Water Supply Scheme/2023/

Phone/ Fax -0755 -2551570 Bhopal, Date: 344,22023

To,

The Chief Engineer-Regional officer Ministry of Road Transport & Highway Nirman Bhawan, Bhopal

Sub:-Proposal for Right of Way regarding Permission for laying and grossing of water pipe line for Drinking purpose at NH-346 (Dinara to Padra via Nayagaon Chouraha) under Basai-2 Multi village Rural Water Supply Scheme district

Ref: EE, PWD, NH Division Gwalior memo no. 2922/Tech/RaRa/ 2023 Dated 18.12.2023.

Please refer to the memo cited under reference vide which EE, PWD, NH Division Gwalior vide their memo dated 18.12.2023 has submitted the Proposal for Right of Way regarding Permission for laying and crossing of water pipe line for Drinking purpose at NH-346 (Dinara to Padra via Nayagaon Chouraha) under Basai-2 Multi village Rural Water Supply Scheme district Datiya & Shivpuri alongwith necessary license fees of Rs. 4,17,346/- & lease rent of Rs. 70,92,500/- for obtaing necessary approval & sanction.

In view of above, you are requested to accord the necessary permission of aforesaid work.

Encl: As above

Approved by Chief Engineer (NHs)

Datiya & Shivpuri.

SUPERENTENDING ENGINEER
OFFICE OF THE CHIEF ENGINEER

NATIONAL HIGHWAY ZONE M.P.P.W.D BHOPAL

Endt. No. N.H/R/ Basai-2/Water Supply Scheme/2023

Bhopal, Date

/12/2023

Copy is forwarded to,

The Franctice Engineer, NH PWD Division Gwalier for it

1. The Executive Engineer, NH PWD Division Gwalior for information.

2. The General Manager, MP Jal Nigam Maryadit PIU, Shivpuri for information.

SUPERENTENDING ENGINEER OFFICE OF THE CHIEF ENGINEER NATIONAL HIGHWAY ZONE M.P.P.W.D BHOPAL



कार्यालय कार्यपालन यंत्री,

लोक निर्माण विभाग, राष्ट्रीय राजमार्ग, संभाग ग्वालियर (म.प्र.) Email: ecpwdnhgwl a gmail.com @ 0751-2495526,2452446



2922 क्रमांक प्रति.

/ तक. / रा.रा. / 2023

ग्वालियर दिनांक :- 18/12/2023

मख्य अभियंता लोक निर्माण विभाग रा०रा० परिक्षेत्र भोपाल निर्माण भवन भोपाल।

बसई-2 समह जल प्रदाय योजना अन्तर्गत लोक निर्माण विभाग राष्ट्रीय

राजमार्ग के किनारे पाइप लाइन बिछाने एवं क्रॉसिंग करने हेतु अनुमति

करने के संबंध में।

1-महाप्रबंधक मु०प्र० जल निगम मर्यादित शिवपुरी का पत्र क्र० 1765/तक०/म०प्र०

ज0नि0मर्या0परि0क्रि / शिवप्री / 2023 दिनांक 19.06.2023

2-महाप्रबंधक म0प्र0 जल निगम मर्यादित ग्वालियर का पत्र क्र0 3699/तक0/म0प्र0

ज0नि0मर्या0परि0क्रि / ग्वालियर / 2023 दिनांक 05.12.2023

उपरोक्त विषयन्तर्गत लेख है, कि संदर्भित पत्र क्र0 1 द्वारा बताई गई लायसेंस फीस एवं बैंक गारन्टी को आपके द्वारा जमा की गई है जिसका विस्तृत प्रपोजल तैयार कर संदर्भित पत्र क्रमांक 2 के तहत प्रस्तुत किया गया है। जिसकी लायसेंस फीस रू. 4,17,346 /- एवं लीज रेट रू 70,500 /- इस कार्यालय को जमा किये गये हैं।

अतः निवेदन है, कि म0प्र0 जल निगम मर्यादित परियोजना इकाई शिवप्री का प्रपोजल

अनमति हेत आपकी ओर तैयार कर सादर प्रस्तृत है।

सहपत्र:- फाइल- 02 प्रति में।

रा.रा. संभाग ग्वालियर

/ तक. / रा.रा. / 2023

ग्वालियर दिनांक :-

प्रतिलिपि :-- महाप्रबधंक म0 प्र0 जल निगम मर्यादित परियोजना ग्वालियर के संदर्भित पत्र सरल क्र0 2 के

संबंध में सूचनार्थ प्रस्तृत।

(आई.एस.जादौन) कार्यपालन यंत्री लोक निर्माण विभाग रा रा. संभाग ग्वालियर

#### Checklist

Guidelines for Project Directors for processing the proposal for laying Water Pipe line in the land across/across NH/ SH/ MDR vested.

- 1. Relevant Circular 1 Ministry Circular No. NH-41, (58)/68 Dated 31-01-1969
- 2. Ministry Circular No. HN-III/p/66/76 Dated 18/19-11-1976
- 3. Ministry Circular No. PW/ NJ-111/p/66/76 Dated 01-05-1982
- 4. Ministry Circular No. RW/ NH-11037/1/86- DO (ii) Dated 28-07-1993
- 5. Ministry Circular No. RW/ NH-11067/1/86- DOI Dated 19-01-1995
- 6. Ministry Circular No. RW/ NH/34066/2/95/S&S Dated 25-10-1999
- 7. Ministry Circular No. RW/ NH/34066/7/2003/S&R Dated 17-09-2003

#### CHECKLIST FOR GETTING APPROVAL FOR LAYING OF WATER PIPELINE ON SH LAND

Sr. No.	Item	Information/ Status	Remarks
1	General information	Permission for Laying of Water Pipeline for Drinking purpose at BASAI-2 Multi Village Rural Water Supply Scheme	
1.1	Name and address of the applicant	MP Jal Nigam Maryadit Gwalior	
12	NH/SH/MDR Number	PWD-NH-346	
1.3	State	M.P	
1.4	Location	Dinara-Pichore Road	
1.5	Chainage in Km	0.00 to 50+110	
1.6	Length in Meters	50110	
1.7	Width of Available Row	3-5 MTR	
	A. Left side from Center line (towards increasing chainage/Km direction)	6-9 MTR	
U PRO	B. Right side from center line (towards increasing chainage/km direction)	6-9 MTR	

Sub Engines

S.D.O. PWD NH Sub Dn Gwalior PWD NH Div Gwalior

,	A. Left side from Center line (towards increasing chainage/Km direction)	10.8 MTI	
	B. Right side from center line (towards increasing chainage/km direction)	10. 8 MTI	R
1.9	Proposal to acquire land	3690	0
	A. Left side of the Center line	3690	0
	B. Right side of the center line	NA	
1.1	Whether proposal is in the same side where land is not to be acquired, if not then where to lay the water pipeline		
1.11	Details of already laid services, if any along the proposal route	FARM L	AND
1.12	Number of lanes existing	1 Lan	e
1.13	Proposed number of lanes (2 lane with paved shoulders of 4 or 6/8 lane)	INTERMEDIA	ATE LANE
1.14	Service road (existing or not) Y/N, if yes then which side	NA	
1.15	Proposed service road		
	A. Left side from Center line (width)	NA	
_	B. Right side from center line (width)	NA	
1.16	Whether proposal to lay sewer/water pipeline is beyond the service road of between the service road and main carriage way	NA	
1.17	The permission for laying of sewer/water pipeline shall be considered for approval/ rejection based on Ministry Circular mentioned as above.		
	A. Carrying of sewage/gas pipeline on highway/bridges shall not be permitted as fumes/gases/ pipe can accelerate the process of corrosion or may cause explosions, thus being much more injurious that leakage of gas	NA	

Sub Enginee:
PWD MH Sub Director

S.D.O.
PWD NH Sub Dn
Gwalior



	B. Carrying of gas pipeline on bridges shall also be		
	discouranged, however if the gas authorities seem		
	to have no otherviable alternative seem to have no		
	other viable alternative and approach the highway		
	authority well in time before the design of the bridge	100	
	I finalized the may be permitted to carry the pipeline		
	in independent superstructure supported on	NA	
	extended proportions of the final piers and		
	abutment in such a manner tha in the final		
	arrangement enough free spade around the super		
	structure of the bridge remains available for		
	C. Cost of required extension of the sub		
	structureCost of required extension of the		
	substructure	NA	
	as well as that the supporting		
	superstructure shall be borne by the agency		
0	in charge of utilities.		
	D. Services are not being allowed		
	indiscriminately on the parapet. Any part of		
	the bridge. Safety of the bridges has to be		
	kept in view while permitting a various	NA	
	services along bridge approvals are to be	NO.	
	accorded in this regard with the		
	Concurrence of the Ministry's project Chief		
	Engineers only.		
	Is crossing of the road involved, if yes, it		
	shall be either encased in pipelines or		
1.18	throught structure or conduit specially	YES	
1.10	built for the purpose at the expenses the agency		
0	owing the line		
	A. Existing drainage structure shall not be	NA	
	allowed to carry the lines.		
	B. Is it on a line normal to NH		
	C. Crossing shall be too near the existing		
	structure on the National highway. The	NA	
ECT	minimum distance being 15m. what is the	NA	
8	distance from the existing structure.		
13	Samuel Comment		

Sub Engine Company All Sub Director Gwalior

S.D.O.
PWD NH Sub Dn
Gwalior

	D. The casing pipe (or conduit in case of	, .	
	electric cable) carrying the utility line shall be of steel cost iron or reinforced.	NA	
	E.Cement Concrete and have adequate strength and be large enough to permit ready with drawl of the carrier pipe/cable.	NA	
	F. The casing/conduit pipe shall be sealed from drain to in cuts and loe of slope on the fills	NA	
	G.The top of the casing/conduit pipe should be at least 1.2m below the drain invert	NA	
0	H.Crossing shall be by boring method (HDD) specially where the existing road pavement is of cement concrete or dense bituminous concrete type.	NA	
	I. The casing/conduit pipe shall be installed with an even bearing throughout its length and in such a manner as to prevent the formation of a waterway along it.	NA	
1.18.1	If crossing on the road involved, total no. of crossing	8	
1.18.2	Location of Crossing	AVAILABLE	
1 8.3	Total crossing charges @ Rs. 1.00 Lakhs per crossing	ОК	
1.18.4	Deposit detail's of crossing charges:		
	i) Demand Draft no. & Date:		
	ii) Issuing Bank:		
	ii) Valid up to:		
2	Document/Drawing enclosed with the proposal		
21	for open trenching method if is normal size  of 12 deep x 03m	AVAILABLE	

Sub Engineer PWD NW Sub Dn Gwalior

S.D.O.
PWD NH Sub Dn
Gwalior

1	i) Should not be greater than 60cm wider than the outer diameter of the pipe.	YES
	II) Located as close to the extreme edge of	
	the right of way as possible but less than 15cm from the centre lines of the nearest	YES
	national highway when the road formation  IS Situated in double cutting nor shall these	YES
	iv) These should be so laid that there top is a least 0.6m below the ground level so as not to obstruct drainage of the road land.	
2.2	Cross section showing, of the location of cable size pit and for HDD method	AS per Given drawing
33	chainage, width of Row, distance of proposed cable frotr the edge of ROW important mile stone,	Enclosed
2.4	Methodology for laying of sewer/ water pipeline	AVAILABLE
2.4.1	Open trench method (may be allowed in the utility) methodology of refilling of trench	AVAILABLE
	A. The Trench width should be at least 30cm but no more than 60cm wider than the outer diameter of the pipe	YES
0	B. For filling of the trench, Bidding shall be to a depth of not less than 30cm. it shall consist of granular material Free of lurmps clods and cobles and graded to yield a firm surface without sudden change in the bearing value. Unsuitable soil and rock edges should be excavated and replaced by selected material.	YES
	C. The backfills that be completed in two stages	YES
	(i) Side fill to the level the top of the pipe	YES
	(ii) Over fill to the bottom of the road crust	YES

Sub/Enginect PWD NH Sub Dir Gwalior

S.D.O.

PWD NH Sub Dn

Gwalior

PWD NH Div Gwalior

	D. The side fill shall consist of granular material laid in 15m layers each consolidated by mechanical tempering and Controlled additional of moisture of 90, of the proctor's density over fill shal be Compacted to the same density as the material that has been removed.  Consolidation by saturation or pending will not be permitted.	YES	
	E. The road crust shall be built to the same strength as the existing crust on either side of the trench, corc shall be taken to avoid the formation of dip at the trench	YES	
0	F. The Excavation shall be protected by flagman signs and barricades and red light during the night hours.	YES	
	G. if required, a diversion shall be constructed at the expenses of the agency owning utility	YES	
2.4.2	Horizontal Direction drilling (HDD) Method	APPLICABLE	
2.4.3	aying of Sewer/water supply pipe line through CD work and method laying	YES	
0	A. On approaches the water mains/cables Shall be carried along a line as close to the edge of the right of way as possible up to a distance of 30cm from the bridge and subject to all other stipulation		
3	Draft license agreement signed by two witnesses.	Enclosed	
4	Performance bank guarantee NHAI in favor of has to be obtained @ Rs. 100/- per running meter (parallel to road) for period of one year initially (extendable if required till satisfactory completion of work) as a security tor ensuring/making.		



Sub Engineer PWD NY Sub D. Gwalior

S.D.O.
PWD NH Sub Dn
Gwalior

	Good the excavated trench for laying the cables/ducts by proper filling and compaction, clearing debris/loose earth produced due to executing of trenching at least 30 m away from the centre line of the road or edge of the right of way, no required till satisfactory completion of work) as a security for ensuring/making.	
	Good the excavated trench for laying the cables/ducts by proper filling and compaction, clearing debris/loose earth produced due to executing of trenching at least 30 m away from the centre line of the road or edge of the right of way, no payment shall be payable by the MPRDC to thel icenses for clearing debris/loose earth.	
<u></u>	Performance BG as per above it to be obtained	PBG Already submitted and Encolsed
4.2	Confirmation of BG has been obtained:	YES
5	Affidavit/undertaking from the applicant for	YES
5.1	Not to damage to other utility, if damaged than to pay the losses either to NH-PWD or to the concerned agency.	YES
5.2	Renewal of bank guarantee	YES
5.3	Confirming all standard condition of NHAI guidelines.	YES
5.4	Shifting to sewer/water pipeline as and when required by MPRDC at their own cost.	YES
5.5	Shifting due to widening of Road.	YES
5.6	Indemnity against all damages DN claims	YES
5.7	Traffic movement during laying of Sewer/water pipeline to be managed by the applicant	YES
5.818	It any claim if raised by the concessionaire  If any) then the same has to be paid by the applicant	YES

Sub Engineer
PWD NW Sub Dia
Gwalior

S.D.O. PWD NH Sub Dn Gwalior

	Prior approval of the MPRDC shall be			
1	obtained before undertaking any work of			
5.9	Installation, shifting or repairs of alteration	YES		
	to the showing water pipeline located in			
	right of ways.			
	EXpenditure if any incurred by MPRDC for			
	repairing any damage cause to the road by			
5.10	the laying maintenance or shifting ol the	YES		
	Water pipe line will be borne by the agency			
	Owning the line.			
	future to mayo the utility line for any work			
	future to move the utility line for any work			
5.11	of improvement or repairs of the road. It will be	YES		
	carried out as desired by the MPRDC			
	or the cost of the agency owning the utility line			
	Certificate from the applicant in the			
_12	following format.	YES		
	(i) Laying on sewer/water pipeline will not have any	N-L		
	deleterious effects any of bridge components, and	YES		
	roadway safety for traffic.			
	(ii) For future widening/development work:"we do			
	under taken that will relocate service road approach	YES		
	under taken that will relocate service road approach			
	Permission Granted within such time as well as			
	stipulated by NH-PWD"			
	50.ps			
	Who will sign the agreement on behalf or water	G.M. MP Jal Nigam		
್	pipeline agency	Gwalior		
7	Certificate from the Divisional Manager.			



Sub Enginer PWD MH Sub Din Gwalior

S.D.O. PWD NH Sub Dn Gwalior

.1	issued, vide Ministry circular no NH-41/(58)/68 dated 31-01-1969, ministry circular no. RHIII/P/66/76, dated 18-09-1976, ministry circular no. RW/NH/III/P/66/76 dated	
	Ministry Circular no.  RW/NH/31066/2/05/S&R, dated 25-10 1999 and Ministry circular No. RW/NH- 34066/7/2003S&R (B) dated 17-09-20033	
7.2	following format, (i) it is certified that any other location of the sewer/water pipeline would be extremely difficult and unreasonable costly and the ROW will not	
	(ii) For 2/4/6 lining	INTERMEDIATE LANE
	a) where there is feasibility available "I do Certify that there will be no hindrance to proposed two/four/six lining based on the Teasibility report considering proposed structure at the side location"	
	b) in case feasibility report is not available I do certify that sufficient ROW is available at site for accommodating proposed two/four/six lining	
-8	basis up by a clause is to be inserted in the agreement " the permitted highway on which licenses has been granted the right to lay water pipeline cable/duct	
9	Who will supervise the work of laying of water pipeline	
10	Who will ensure, that the defect in road portion after laying of sewer/water pipeline are corrected and if not corrected than what action will be taken?	G.M. MP Jal Nigam

Sub Engineer PWD NH Sub D., Gwalior

S.D.O. PWD NH Sub Dn Gwalior

11	Who will pay the claims for damage done/disruption in working of concessionaire, if asked by the concessionaire?		
12	A certificate from DM/EE, NH-PWD that he will enter the proposed permission in the register record of the permission in the prescribed Performa (copy enclosed)		
13	If any previous approval is accorded for laying of underground water pipeline then photocopy of register of records of permission accorded as maintained by DM/EE,NH-PWD, then copy enclosed.		

Sub Engineer PWD NH Sub Dn Gwalior S.D.O.
PWD NH Sub Dn
Gwalior

E.E. PWD NH Div Gwalior

#### CERTIFICATE

This is to certify that,

The proposal for laying water pipeline at Basai-2-MVRWSS Distt.

Datia & Shivpuri

on Dinara-Pichore-Chanderi Road (NH-PWD-346) main road in State PsU Society for drinking water purposes has submitted by MP Jal Nigam Gwalior. The Water pipeline is proposed to lay below 1 mtr

from top of the road. MP jal Nigam Gwalior has submitted an under taking to reconstruct the

Manager NH-PWD Gwalior Divisional Manager NH-PWD Gwalior

SQC Basai 2 MVS
MSV International Inc.

eral mager Lal Nigam

(मप्रशासन का उपकम)

पता मकान न A/6 शुभम विहार कॉलोनी छत्तरी रोड खिरनी नाका वार्ट न 38 पिन न 473551 रिज कार्यालय डी विग द्वितीय तल, विन्ध्यावल भवन गोपाली -mail-mpjalnigamshiv@gmail.com

website-www.mpjalnigam.co.in CIN-U41000MP2012SG028798

क्रमांक २०९ ८/ तक /म.प्र.ज नि मर्या / परि कि ई / शिवपुरी / 2023

दिनाक 05/10/2023

Kalpataru power Transmission Ltd., Mumbai & JMC Projects (India) Ltd., Gujarat - (JV) 71, Kalpataru Synergy, Opp. Grand Hyatt Hotel, Vakola, Santacruz (East), Mumbai – 400055

विषय:-बसई-2 समूह जल प्रदाय योजनांतर्गत लोक निर्माण विभाग राष्ट्रीय राजमार्ग के किनारे पाईप लाईन बिछाने एवं कासिंग करने हेतु अनुमति प्रदान करने के संबंध में।

संदर्भ:-1.अनुबंध क्रमांक 29/2022-23 दिनांक 26.08.2022

2.कार्यपालन यंत्री लोक निर्माण विभाग राष्ट्रीय राजमार्ग संभाग ग्वालियर का पत्र क्रमांक 2357 / तक / रा.

रा. / 2023 ग्वालियर दिनांक 27.09.2023

3.कार्यपालन यंत्री लोक निर्माण विभाग राष्ट्रीय राजमार्ग संभाग ग्वालियर का पत्र क्रमांक 2400 / तक / रा. रा. / 2023 ग्वालियर दिनांक 05.10.2023

उपरोक्त विषयांतर्गत लेख है कि संदर्भित पत्र (02,03) के माध्यम से कार्यपालन यंत्री लोक निर्माण विभाग राष्ट्रीय राजमार्ग संभाग ग्वालियर द्वारा अवगत कराया गया है कि बसई-2 समूह जल प्रदाय योजनांतर्गत लोक निर्माण विभाग राष्ट्रीय राजमार्ग के किनारे पाईन लाईन बिछाने एवं कासिंग की अनुमति हेतु कार्य का विस्तृत प्रपोजल तैयार कर लोक निर्माण विभाग राष्ट्रीय राजमार्ग में जमा नहीं किया गया है जिस कारण अनुमित की अग्रिम कार्यवाही की जाना संभव नहीं है।

अतः आपको निर्देशित किया जाता है कि उपरोक्त जानकारी तैयार कर इस कार्यालय में अविलम्ब प्रस्तुत करें। साथ ही अवगत हो कि कार्यपालन यंत्री लोक निर्माण विभाग रा.रा. संभाग ग्वालियर द्वारा सूचित किया गया है कि आपके द्वारा बिना अनुमति के दिनारा-पिछोर-नयागांव एन.एच.-346 पर मार्ग के शोल्डर को काटकर पाईप लाईन बिछाई गई है जो कि शासन के नियमों के विरूद्ध है। अतः उक्त संबंध में अपना उचित स्पष्टीकरण प्रस्तुत करें अन्यथा आपके विरूद्ध अनुबंध शर्तों के नियमानुसार कार्यवाही की जावेगी।

संलग्नः-उपरोक्तानुसार।

म.प्र.जल निगम मर्यादित परि. क्रि. ई. शिवपुरी (म.प्र.)

प्रक्रमांक 3094 तक. /म.प्र.ज.नि.मर्या. /परि.कि.ई /शिवपुरी / 2023 प्रतिलिपि:-

डिप्टी टीम लीडर MSV की ओर सूचनार्थ प्रेषित।

दिनांक 05/10/2023

म.प्र.जल निगम मर्यादित परि. क्रि. ई. शिवपुरी (म.प्र.)

KALPATARU PROJECTS INTERNATIONAL LTD MBMR BASAI 2 MVS DATE 6 10 2023

460

PC - 3



# कार्यालय कार्यपालन यंत्री,

# लोक निर्माण विभाग, राष्ट्रीय राजमार्ग, संभाग ग्वालियर (म.प्र.)

Email: eepwdnhgwl@gmail.com \$0751-2495526,2452446

क्रमाक प्रति

,9400 /तक./रारा/2023

ग्वालियर दिनांक . 05/10/2003

भहापवधक

म0प्र0 जल निगम मर्यादित परिठक्रिठई० शिवप्री (म०प्र०)।

विषय:-

बसई 2 समूह जल प्रदाय योजना अन्तर्गत लोक निर्माण विमाग राष्ट्रीय

राजमार्ग के किनारे पाइप लाइन विछाने एवं क्रॉसिंग करने हेतु अनुमति प्रदाय

करने के संबंध में।

सन्दर्ग:-

1-कार्यालयीन पत्र क्र0989/तक0/रा0रा0/2023 ग्वालियर,दिनांक13.04.2023

2 आपका पत्र क्र0 1765/तक0/म०प्र0 ज0नि०मर्या०परि०क्रि/शिवपुरी/2023

दिनांक 19.06.2023

3 कार्यालयीन पत्र क्र02357 / तक0 / रा0रा0 / 2023 ग्वालियर, दिनांक 27.09.2023

उपरोक्त विषय में लेख है, कि विषयान्तर्गत कार्य हेतु विस्तृत प्रपोजल तैयार कर प्रस्तुत करने हेतु संदर्भित पत्र द्वारा लेख किया गया था। आपके द्वारा प्रपोजल तैयार कर प्रस्तुत न किये जाने के कारण प्रकरण क्षेत्रीय अधिकारी सडक परिवहन एवं राजमार्ग मंत्रालय भोपाल को नहीं भेजा जा सका है। आज दिनांक 05.10.2023 को कलेक्टर महोदय शिवुपरी द्वारा आपके विभाग से प्रस्ताव तैयार कर प्रस्तुत करने हेत् आवश्यक अनुमति प्रदाय कराये जाने हेतु निर्देशित किया गया है।

अतः आपको पुनः लेख कियाँ जाता है, कि राष्ट्रीय राजमार्ग-346 दिनारा-पिछोर-नयागाव मार्ग तक नल जल प्रदाय योजना का मय अक्श के प्रस्ताव तैयार कर शीघ्र प्रस्तुत करने का कष्ट करें ताकि प्रस्ताव क्षेत्रीय अधिकारी सडक परिवहन एवं राजमार्ग मंत्रालय भोपाल की ओर् आवश्यक अनुमति हेतु प्रेषित किया जा सके।

सहपत्र:- निरंक।

(आई.एस.जादीन) कार्यपालन यंत्री लोक निर्माण विभाग रा.रा. संभाग ग्वालियर

पु०क्रमांक प्रतिलिपि :- /तक. / रा.स. / 2023

ग्वालियर दिनांक

1. कलेक्टर जिला शिवपुरी की ओर सूचनार्थ प्रस्तुत।

2. अनुविभागीय अधिकारी लोक निर्माण विभाग राष्ट्रीय राजमार्ग उपसंभाग ग्वालियर की और सूचनार्थ।

- 400 (आई.एस.जादौन) कार्यपालन यंत्री लोक निर्माण विभाग रा.रा. संभाग ग्वालियर

# कार्यालय कार्यपालन यंत्री,

लोक निर्माण विभाग राष्ट्रीय राजमार्ग, संभाग ग्वालियर (मप्र) 💥

Lmnd crpwdoligwlagmail.com \$0751 2195526,2452446

201 11 7073

गालियर विसाध 🤰 🗗 🦪 🖓 🗸 ह

चार्यकार चार्यकार विस्तास मर्यादित चरित्रकित्रकृति शिवप्री (मतप्रत)।

विषय बसई 2 समूह जल प्रदाय योजना अन्तर्गत लोक निर्माण विभाग राष्ट्रीय राजमार्ग के किनारे पाइप लाइन बिछाने एवं क्रॉसिंग करने हेतु अनुमति प्रदाय करने के संबंध में।

सन्दर्भ । कार्यालयीन पत्र क्र0989/तक0/रा0रा0/2023 ग्वालियर,दिनाक 13.04.2023 2-आपका पत्र क्र0 1765/तक0/म0प्र0 ज0नि0मर्या0परि०क्रि/शिवपुरी/2023 दिनाक 19.06.2023

लपरोक्त विषयन्तर्गत लेख हैं, कि संदर्भित पत्र क्र0 1 द्वारा बताई गई लायसंस कीस एवं वैक रन्ती को आपके द्वारा संदर्भित पत्र क्र0 2 द्वारा जमा की गई है किये जाने वाले कार्य का विस्तृत प्रणेजल तैयार कर आज दिनाक तक प्रस्तुत नहीं किया गया जिससे अनुमित की कार्यबाही नहीं की जा अधीर अधीर कर आज दिनाक तक प्रस्तुत नहीं किया गया जिससे अनुमित की कार्यबाही नहीं की जा अधीर अधीर सम्बंधित ठेकेदार द्वारा दिभाग से बिना अनुमित के दिनारा—पिछोर—नयागाँव एन एच 346 पर मार्ग के शोरूडर को काटकर पाइप लाइन बिछाई जा रही है। जिससे शासन की सम्पित को छिति महामाई जान के साथ साथ मार्ग के शोरूडरों को कार्ट जाने से कोई अप्रिय घटना भी घटित हो सकती है।

अत आपको लेख किया जाता है, कि मार्ग पर बिना पूर्व अनुमित से किये जा रहे कार्य को कोट बन्द करा कर टेकेंद्रार के विरूद्ध आवश्यक कार्यवाही करना सुनिश्चित करें, तथा शासन की सम्पति की गई छति की भरपाई सम्बंधित एजेन्सी से कर विभाग को सूचित करें। अन्यथा की स्थिति में आपके

हरा जमा की गई वैक गारन्टी को राजसात् कर बांछित कार्यवाही की जावेगी। सहपत्र निरंक।

> (आई.एस.जादौन) कार्यपालन यंत्री लोक निर्माण विभाग रा.रा. संभाग ग्वालियर

/ तक / रा.रा. / 2023

ग्वालियर दिनांक :-

कलंक्टर जिला शिवपुरी की ओर सूचनार्थ प्रस्तुत।

2 अनुविभागीय अधिकारी (राजस्व) अनुगाग पिछोर जिला शिवपुरी की और सूचनाथी प्रमत्त।

अनुविसामीय अधिकारी लोक निर्माण विभाग राष्ट्रीय राजमार्ग उपसंभाग ग्वालियर की ओर अनुवार्थ।

4 धाना प्रमारी भाना पिछोर जिला शिवपुरी की और दिनांक 27.09.2023 को उपयत्री थी के एल जरमा लोक निर्माण विभाग शं०२० उपसंभाग ग्वालियर द्वारा दिये गये आवेदन के सदर्भ में सुचनार्थ प्रस्तुत।

(आई एस.जादौन) कार्यपालन यंत्री लोक निर्माण विमाग

प्राच्या सामा

NH-POD

(म प्रशासन का उपक्रम)

पता भकान न A/6 शुभम विहार कॉलोनी छरारी रोड खिरनी नाका वार्ड न 38 पिन न 473551 रिज कार्यालय डी विग, द्वितीय तल, विच्यांचल भवन भोपाली:-mail-mpjalnigamshiv@gmail.com

website-www.mpjalnigam.co.in CIN-U41000MP2012SG028798

क्रमांक 2569/तक /म.प्र.ज.नि.मर्या /परि कि.ई /शिवपुरी /2023

दिनांक 18/08/2023

कार्यपालन यंत्री लोक निर्माण विभाग, राष्ट्रीय राजमार्ग संभाग ग्वालियर मुप्र

स्मरण पत्र

विषय- बसई-2 समूह जल प्रदाय योजना अंतर्गत लोक निर्माण विभाग राष्ट्रीय राजमार्ग के किनारे पाईप लाईन बिछाने एवं कॉसिंग करने हेतु अनुमति प्रदान करने के संबंध मे।

संदर्भ:- 1.अनुबंध कमांक 29/2022-23 दिनांक 26.08.2022

- 2.आपका पत्र क्मांक 989 / तक. / रा.स. / 2023 ग्वालियर, दिनांक 13.04.2023
- 3. M/s KPTL का पत्र के. KPIL/WI/MBMR/163 dated 08.06.2023
- 4. M/s KPTL का पत्र के. KPIL/WI/MBMR/174 dated 15.06.2023
- 5. इस कार्यालय का पत्र कमांक 1765 / तक. / म.प्र.ज.नि.मर्या. / परि.कि.ई / शिवपुरी / 2023 दिनांक 19 / 06 / 2023
- 6. इस कार्यालय का पत्र कमांक 1949/तक./म.प्र.ज.नि.मर्या./परि.कि.ई/शिवपुरी/2023 दिनांक 03/07/2023
- 7. इस कार्यालय का पत्र कमांक 2175/तक./म.प्र.ज.नि.मर्या./परि.कि.ई/शिवपुरी/2023 दिनांक 19/07/2023
- इस कार्यालय का पत्र क्रमांक 2280 / तक. / म.प्र.ज.नि.मर्या. / परि.कि.ई / शिवपुरी / 2023 दिनांक 26 / 07 / 2023

उपरोक्त विषयांतर्गत लेख है कि संदर्भित पत्र कमांक (2) के माध्यम से आपके द्वारा दिनारा-पिछौर-चंदेरी मार्ग में पाईप लाईन बिछाने की अनुमति हेतु लाइसेंस फीस/लीज रेट रू. 417346.00 Through Online by NTRP एवं रू. 7092500 की सुरक्षा राशि एफ.डी.आर./बी.जी. के रूप में जमा कराने हेतु लेख किया गया था।

आपके द्वारा चाही गई लाइसेंस फीस/लीज रेंट Through Online by NTRP जमा करा दी गयी थी एवं सुरक्षा र शि एफ.डी.आर./बी.जी. कार्यपालन यंत्री लोक निर्माण विभाग राष्ट्रीय राजमार्ग संभाग ग्वालियर म.प्र. के नाम से बनवाकर इस कार्यालय द्वारा संदर्भित पत्र कमांक (5) के माध्यम से जमा करा दी गई थी।

अतः आपसे अनुरोध है कि लोक निर्माण विभाग राष्ट्रीय राजमार्ग के किनारे पाईप लाईन बिछाने एवं

कॉसिंग की अनुमति शीघ्र जारी करने का कष्ट करें।

महाप्रचियक म.प्र.जल निगम मर्यादित परि. क्रि. ई. शिवपुरी (म.प्र.)

पृ.क्रमांक<sup>2</sup> रितकः / म.प्र.ज.नि.मर्याः / परि.कि.ई / शिवपुरी / 2023 प्रतिलिपि :-

दिनांक 18/08/2023

- डिप्टी टीम लीडर MSV शिवपुरी की ओर सूचनार्थ प्रेषित।
- 2. M/s KPTL शिवपुरी की ओर सूचनार्थ प्रेषित।

MALPATARU PROJECTS INTERNATIONAL LTD.

MBMR BASAI 2 MVS

INWARD No. 236

DATE. 23. 8 2023

महाप्रसम्बर्गः म.प्र.जल निगम मर्यादित परि. क्रि. ई. शिवपुरी (म.प्र.)

378

PC - 3

(म.प्र.शासन का उपकम)

MH-PWP

पता:-मकान नं.A/6 शुमन विहार कॉलोनी छतंरी रोड खिरनी नाका वार्ड नं. 38 पिन नं. 473551 रिज कार्यालय डी विग, द्वितीय तल, विन्ध्यांचल भवन भोपालE-mail- mpjalnigamshiv@gmail.com

website-www.mpjalnigam.co.in CIN-U41000MP2012SG028798

क्रमांक 2280/ तक. / म.प्र.ज.नि.मर्या. / परि.कि.ई / शिवपरी / 2023

दिनांक 26/07/2023

प्रति.

कार्यपालन यंत्री लोक निर्माण विभाग, राष्ट्रीय राजमार्ग संभाग ग्वालियर म.प्र.

रमरण पत्र

विषय- बसई-2 समूह जल प्रदाय योजना अंतर्गत लोक निर्माण विभाग राष्ट्रीय राजमार्ग के किनारे पाईप लाईन बिछाने एवं कॉसिंग करने हेतु अनुमति प्रदान करने के संबंध मे।

संदर्भ:- 1.अनुबंध कमांक 29/2022-23 दिनांक 26.08.2022

2.आपका पत्र कमांक 989 / तक. / रा.रा. / 2023 ग्वालियर, दिनांक 13.04.2023

- 3. M/s KPTL का पत्र कं. KPIL/WI/MBMR/163 dated 08.06.2023
- 4. M/s KPTL का पत्र के. KPIL/WI/MBMR/174 dated 15.06.2023
- 5. इस कार्यालय का पत्र क्रमांक 1765/तक./म.प्र.ज.नि.मर्या./परि.कि.ई/शिवपुरी/2023 दिनांक 19/06/2023
- इस कार्यालय का पत्र कमांक 1949 / तक. / म.प्र.ज.नि.मर्या. / परि.कि.ई / शिवपुरी / 2023 दिनांक 03/07/2023
- इस कार्यालय का पत्र क्रमांक 2175 / तक. / म.प्र.ज.नि.मर्या. / परि.कि.ई / शिवपुरी / 2023 दिनांक 19/07/2023

उपरोक्त विषयांतर्गत लेख है कि संदर्भित पत्र कमांक (2) के माध्यम से आपके द्वारा दिनारा-पिछीर-चंदेरी मार्ग में पाईप लाईन बिछाने की अनुमति हेतु लाइसेंस फीस/लीज रेट रू. 417346.00 Through Online by NTRP एवं रू. 7092500 की सुरक्षा राशि एफ डी आर /बी.जी. के रूप में जमा कराने हेतू लेख किया गया था।

आपके द्वारा चाही गई लाइसेंस फीस / लीज रेट Through Online by NTRP जमा करा दी गयी थी एवं सुरक्षा राशि एफ.डी.आर. / बी.जी. कार्यपालन यंत्री लोक निर्माण विभाग राष्ट्रीय राजमार्ग संभाग ग्वालियर म.प्र. के नाम से बनवाकर इस कार्यालय द्वारा संदर्भित पत्र कमांक (5) के माध्यम से जमा करा दी गई थी।

अतः आपसे अनुरोध है कि लोक निर्माण विभाग राष्ट्रीय राजमार्ग के किनारे पाईप लाईन बिछाने एवं

कॉसिंग की अनुमति शीघ्र जारी करने का कष्ट करें।

म.प्र.जैल निगम मर्यादित परि. क्रि. ई. शिवपुरी (म.प्र.)

पृक्रमांक 228 /तक. / म.प्र.ज.नि.मर्या. / परि.कि.ई / शिवपुरी / 2023 प्रतिलिपि :-

दिनांक 26/07/2023

PC - 3

डिप्टी टीम लीडर MSV शिवपुरी की ओर सूचनार्थ प्रेषित।

349

2. M/s KPTL शिवपुरी की ओर सूचनार्थ प्रेषित।

MARY PROJECTS INTERNATIONAL ST MBMR BASAI 2 MVS

म.प्र.जल निगम मर्यादित परि. क्रि. ई. शिवपुरी (म.प्र.)

(म.प्र.शासनं का उपकम)

NH- PODD

पता:--मकान नं.A/6 शुभम विहार कॉलोनी छतरी रोड़ खिरनी नाका वार्ड नं. 38 पिन नं. 473551 रिज कार्यालय डी विग, द्वितीय तल, विन्ध्यांचल भवन भोपालE-mail-mpjalnigamshiv@gmail.com website-www.mpjalnigam.co.in CIN-U41000MP20125G028798

क्रमांक 217-5 तक. /म.प्र.ज.नि.मर्या. /परि.कि.ई/शिवपुरी/2023

दिनांक 19 /07/2023

प्रति,

कार्यपालन यंत्री लोक निर्माण विभाग, राष्ट्रीय राजमार्ग संभाग ग्वालियर म प्र

रमरण पत्र

विषय- बसई-2 समूह जल प्रदाय योजना अंतर्गत लोक निर्माण विभाग राष्ट्रीय राजमार्ग के किनारे पाईप लाईन बिछाने एवं कॉसिंग करने हेतु अनुमति प्रदान करने के संबंध मे।

संदर्भ- 1.अनुबंध क्मांक 29/2022-23 दिनांक 26.08.2022

- 2.आपका पत्र कमांक 989 / तक. / रा.रा. / 2023 ग्वालियर, दिनांक 13.04.2023
- 3. M/s KPTL का पत्र कं. KPIL/WI/MBMR/163 dated 08.06.2023
- 4. M/s KPTL का पत्र कं. KPIL/WI/MBMR/174 dated 15.06.2023
- इस कार्यालय का पत्र क्रमांक 1765 / तक. / म.प्र.ज.नि.मर्या. / परि.क्रि.ई / शिवपुरी / 2023 दिनांक 19/06/2023
- इस कार्यालय का पत्र क्रमांक 1949 / तक. / म.प्र.ज.नि.मर्या. / परि.कि.ई / शिवपुरी / 2023 दिनांक 03/07/2023

उपरोक्त विषयांतर्गत लेख है कि संदर्भित पत्र कमांक (2) के माध्यम से आपके द्वारा दिनारा-पिछौर-चंदेरी मार्ग में पाईप लाईन बिछाने की अनुमित हेतु लाइसेंस फीस/लीज रेट रू. 417346.00 Through Online by NTRP एवं रू. 7092500 की सुरक्षा राशि एफ.डी.आर. /बी.जी. के रूप में जमा कराने हेतु लेख किया गया था। आपके द्वारा चाही गई लाइसेंस फीस / लीज रेट Through Online by NTRP जमा करा दी गयी थी एवं सुरक्षा राशि एफ.डी.आर. / बी.जी. कार्यपालन यंत्री लोक निर्माण विभाग राष्ट्रीय राजमार्ग संभाग ग्वालियर म.प्र. के नाम से बनवाकर इस कार्यालय द्वारा संदर्भित पत्र कमांक (5) के माध्यम से जमा करा दी गई थी। अतः आपसे अनुरोध है कि लोक निर्माण विभाग राष्ट्रीय राजमार्ग के किनारे पाईप लाईन बिछाने एवं

**जॉसिंग** की अनुमति शीघ्र जारी करने का कष्ट करें।

परि. क्रि. ई. शिवपुरी (म.प्र.)

प्रतिलिपि :-

पृ.क्रमांक 217 तक. /म.प्र.ज.नि.मर्या. /परि.कि.ई /शिवपुरी / 2023

दिनांक 19/07/2023

- 1. डिप्टी टीम लीडर MSV शिवपुरी की ओर सूचनार्थ प्रेषित।
- 2. M/s KPTL शिवपुरी की ओर सूचनार्थ प्रेषित।

NALIFATARU PROJECTS INTERNATIONAL MBMR EASALE MVS

DATE 19 /7/2013

परि. क्रि. ई. शिवपुरी (म.प्र.)

(म.प्र.शासन का उपक्म)

MM. DWD

पता - मकान न A/6 शुभभ विहार कॉलोनी छतरी रोड खिरनी नाका वार्ड न 38 पिन न 473551 रजि कार्यालय डी विंग, द्वितीय तल, विन्ध्याचल भवन भोपाला:-mail-mpjalnigamshiv/u,gmail.com

website-www.mpjalnigam.co.in CIN-U41000MP2012SG028798

क्रमांक 1949/तक /म.प्र.ज.नि.मर्या /परि.कि.ई/शिवपुरी/2023

दिनांक 2 /07/2023

कार्यपालन यंत्री लोक निर्माण विभाग, राष्ट्रीय राजमार्ग संभाग ग्वालियर म.प्र.

स्मरण पत्र

विषय- बसई-2 समूह जल प्रदाय योजना अंतर्गत लोक निर्माण विभाग राष्ट्रीय राजमार्ग के किनारे पाईप लाईन बिछाने एवं कॉसिंग करने हेतु अनुमित प्रदान करने के संबंध मे।

संदर्भ:- 1.अनुबंध कमांक 29/2022-23 दिनांक 26.08.2022

2.आपका पत्र कमांक 989 / तक. / रा.रा. / 2023 ग्वालियर, दिनांक 13.04.2023

3. M/s KPTL का पत्र क. KPIL/WI/MBMR/163 dated 08.06.2023

4. M/s KPTL का पत्र क. KPIL/WI/MBMR/174 dated 15.06.2023

5. इस कार्यालय का पत्र कमांक 1765 / तक. / म.प्र.ज.नि.मर्या. / परि.कि.ई / शिवपुरी / 2023 दिनांक 19/06/2023

उपरोक्त विषयांतर्गत लेख है कि संदर्भित पत्र क्रमांक (2) के माध्यम से आपके द्वारा दिनारा-पिछौर-चंदेरी मार्ग में पाईप लाईन बिछाने की अनुमित हेतु लाइसेंस फीस/लीज रेट रू. 417346.00 Through Online by NTRP एवं रू. 7092500 की सुरक्षा राशि एफ.डी.आर. /बी.जी. के रूप में जमा कराने हेतु लेख किया गया था।

आपके द्वारा चाही गई लाइसेंस फीस / लीज रेट Through Online by NTRP जमा करा दी गयी थी एवं सुरक्षा राशि एफ.डी.आर. / बी.जी. कार्यपालन यंत्री लोक निर्माण विभाग राष्ट्रीय राजमार्ग संभाग ग्वालियर म.प्र. के नाम से बनवाकर इस कार्यालय द्वारा संदर्भित पत्र कमांक (5) के माध्यम से जमा करा दी गई थी।

अतः आपसे अनुरोध है कि लोक निर्माण विभाग राष्ट्रीय राजमार्ग के किनारे पाईप लाईन बिछाने एवं

कॉसिंग की अनुमति शीघ्र जारी करने का कष्ट करें।

म.प्र.जल निगम मर्यादित परि. क्रि. ई. शिवपुरी (म.प्र.)

पु.क्रमांक प्रतिलिपि :-

/तक. / म.प्र.ज.नि.मर्या. / परि.कि.ई / शिवपुरी / 2023

दिनांक 03/67/2023

डिप्टी टीम लीडर MSV शिवपुरी की ओर सूचनार्थ प्रेषित।

2. M/s KPTI. शिवपुरी की ओर सूचनार्थ प्रेषित।

KALPATARU PROJECTS INTERNATIONAL LID MBMR BASAL2 MVS

INWARD No.... [72

म.प्र.जल निगम मर्यादित परि. क्रि. ई. शिवपुरी (म.प्र.)

(म.प्र.शासन का उपक्म)

MH-PWP

पता:-मकान नं.A/6 शुभम विहार कॉलोनी छतरी रोड खिरनी नाका वार्ड नं. 38 पिन नं. 473551 रजि कार्यालय डी विग, द्वितीय तल, विन्ध्यांचल भवन भोपालE-mail- mpjalnigamshiv@gmail.com

website-www.mpjalnigam.co.in CIN-U41000MP2012SG028798

क्रमांक 765/तक. /म.प्र.ज.नि.मर्या. /परि.कि.ई /शिवपुरी /2023

दिनांक / 9/06 / 2023

प्रति.

कार्यपालन यंत्री लोक निर्माण विभाग, राष्ट्रीय राजमार्ग संभाग ग्वालियर मप्र

विषय- बसई-2 समूह जल प्रदाय योजना अंतर्गत लोक निर्माण विभाग राष्ट्रीय राजमार्ग के किनारे पाईप लाईन बिछाने एवं कॉसिंग करने हेतु अनुमति प्रदान करने के संबंध मे।

संदर्भ:- 1.अनुबंध कमांक 29/2022-23 दिनांक 26.08.2022

2.आपका पत्र क्रमांक 989 / तक. / रा.रा. / 2023 ग्वालियर, दिनांक 13.04.2023

- 3. M/s KPTL का पत्र कं. KPIL/WI/MBMR/163 dated 08.06.2023
- 4. M/s KPTL का पत्र कं. KPIL/WI/MBMR/174 dated 15.06.2023

उपरोक्त विषयांतर्गत लेख है कि संदर्भित पत्र कमांक (2) के माध्यम से आपके द्वारा दिनारा-पिछौर-चंदेरी मार्ग में पाईप लाईन बिछाने की अनुमित हेतु लाइसेंस फीस/लीज रेंट रू. 417346.00 Through Online by NTRP एवं रू. 7092500 की सुरक्षा राशि एफ.डी.आर. / बी.जी. के रूप में जमा कराने हेतु लेख किया गया था।

आपके द्वारा चाही गई लाइसेंस फीस / लीज रेट Through Online by NTRP जमा करा दी गयी है एवं सुरक्षा राशि एफ.डी.आर / बी.जी. कार्यपालन येत्री लोक निर्माण विभाग राष्ट्रीय राजमार्ग संभाग ग्वालियर म.प्र. के नाम से बनवाकर इस कार्यालय द्वारा जमा की जी रही है।

अतः उपरोक्तानुसार चाही गई जानकारी पत्र के साथ संलग्न कर आपकी ओर आवश्यक कार्यवाही हेतु प्रेषित है। कृपया अनुमति शीघ्र जारी करने का कष्ट करें।

BG No.	Date of Issue	Date of Expiry	Amount (INR)
1158IBG136411	01.06.2023	20.05.2024	7092500.00

Transaction number	Challan no	Reference ID	Pay to	Amount
1506230021350	20394515062300021362	729125318	BHARATKOSH(PAYU)	4,17,357.8

संलग्न:- 1. ओरिजनल बी.जी.।

2. लाइसेंस फीस/लीज रेंट चालान प्रति।

OF THE STATE OF TH

पु.क्रमांक 1766/तक. / म.प्र.ज.नि.मर्या. / परि.कि.ई / शिवपुरी / 2023 प्रतिलिपि :-

डिप्टी टीम लीडर MSV शिवपुरी की ओर सूचनार्थ प्रेषित।


2. M/s KPTL शिवपुरी की ओर सचनार्थ प्रेषित।


KALFATARU PROJECTS INTERNATIONAL LTD. MBMR BASALZ MVS INWARD No.... 157

म.प्र.जैल निगम मर्यादित परि. क्रि. ई. शिवपुरी (म.प्र.) दिनांक | 4/06/2023

म.प्र.जल निगम मर्यादित परि. क्रि. ई. शिवपुरी (म.प्र.)

PC-3







Ref.No: CCSCAHD/KPTL/1158IBG136407

Date: 01-06-2023

TO,

THE EXECUTIVE ENGINEER,
M.P. PUBLIC WORKS DEPARTMENT(PWD)
SHIVPURI, MADHYA PRADESH- 473551

Dear Sir/Madam,

Sub: Issuance of Bank Guarantee No. 1158IBG136407 for Rs.4,22,14,230/- (Rupees Four Crore Twenty-Two Lakhs Fourteen Thousand Two Hundred Thirty Only) issued in your favor on behalf of KALPATARU POWER TRANSMISSION LIMITED.

We are enclosing herewith an original bank guarantee bond bearing number 1158IBG136407 for Rs.4,22,14,230/- (Rupees Four Crore Twenty-Two Lakhs Fourteen Thousand Two Hundred Thirty Only) in your favour on behalf of the aforementioned applicant. Please acknowledge the same.

You are advised, in your own interest, to verify the genuineness of the enclosed bank guarantee by contacting us for the said purpose.

We have sent SFMS Confirmation of BG issuance to your bank at IFSC UTIB0000776.

VIJAY RAJPAL
ASST MANAGER
(TRADE FINANCE)
PF NO.: 18276
(Signature of Authorised Signatory)





# Government of Gujarat Certificate of Stamp Duty

Certificate No.

IN-GJ63945747040323V

Certificate Issued Date

16-May-2023 12:35 PM

Account Reference

IMPACC (FI)/ gjelimp10/ AHMEDABAD1/ GJ-AH

Unique Doc. Reference

SUBIN-GJGJELIMP1054196911277908V

Purchased by

KALPATARU POWER TRANSMISSION LIMITED

Description of Document

Article 32 Letter of Guarantee

Description

BANK GUARANTEE

Consideration Price (Rs.)

(Zero)

First Party

THE FEDERAL BANK LTD

Second Party

KALPATARU POWER TRANSMISSION LIMITED

Stamp Duty Paid By

KALPATARU POWER TRANSMISSION LIMITED

Stamp Duty Amount(Rs.)

300

(Three Hundred only)







0037224011

Statutory Alert

The authenticity of this Stamp certificate should be varified at "www.shcilestamp.com" or using e-Stamp Mobile App of Stock Holding. Any discrepancy in the details on this Certificate and as available on the website / Mobile App renders it invalid.

<sup>2.</sup> The onus of checking the legitimacy is on the users of the certificate.

Income of any discrepancy please inform the Competent Authority

BG. No. 1158/BG136407 Issue Date: 01.06.2023 Expiry Date: 20.05.2024

Claim Date: 20.05.2025. Amount: Rs.4,22,14,230/-

TO,
THE EXECUTIVE ENGINEER,
M.P. PUBLIC WORKS DEPARTMENT(PWD)
SHIVPURI, MADHYA PRADESH- 473551

In consideration of agreement for laying water supply pipelines along and across PMGSY roads pertaining to basai-2 MVS lump sum contract for engineering, procurement, construction, testing, commissioning, trial run and operation and maintenance of various components of Basai-2 Mvs District Datia & Shivpuri in single package on turn key job basis including trail run and operation and maintenance of the entire water supply scheme for 10 years of MPJNM, between Executive Engineer, M.P. Public Works Department (Pwd), Shivpuri, Madhya Pradesh (hereinafter called principal) and KALPATARU POWER TRANSMISSION LIMITED having its office at 6th floor, Kalpataru Synergy, Opp. Grand Hyatt, Santacruz (East), Mumbai – 400 055 (hereinafter called the "contractor") (hereinafter called contractor), we, The Federal Bank Limited, having its registered office at Federal Towers, Bank Junction Aluva, Kerala - 683101 and one of the branches at G2&G3, Ground Floor, Eventi, Sardar Patel Nagar, Off C G Road, Ahmedabd – 380 009 (here-in-after referred to as the "bank") hereby undertake to pay the principal an amount not exceeding Rs.4,22,14,230/- (Rupees Four Crore Twenty-Two Lakhs Fourteen Thousand Two Hundred Thirty Only) against any loss or damage caused to or suffered or would be suffered by the principal, by reasons of any breach of the terms or condition contained in the said agreement.

- 1. We, The Federal Bank Limited, do hereby undertake to pay the amount due and payable under this guarantee without any demur, merely on a written demand from the principal stating that amount claimed is on account default of making good and executed trench for laying of underground pipe of proper filling and compaction, as to restore the land in the same condition as it was before digging the trench, debris/loose earth produced due to execution of trenching. However, our liability under this guarantee shall be restricted to Rs.4,22,14,230/- (Rupees Four Crore Twenty-Two Lakhs Fourteen Thousand Two Hundred Thirty Only). We undertake to pay the principal any money so demanded under this guarantee not withstanding any dispute or dispute raised by the contractor(s) in any suit or proceeding pending before any court or tribunal relating there our liability under this present being absolute and unequivocal. The payment so made by us under this guarantee shall be a valid discharge of our liability for payment there under and the contractor(s) shall have no claim against us for making such payments.
- 2. We, The Federal Bank Limited, further agree the gaurantee herein contained shall remain in full force and effect during the period would be taken for the performance of said agreement and that it shall be continued to be enforceable till all the dues of the principal or by virtue of the said agreement have been fully paid and its claim satisfied or discharged or till the principal, certify that the terms and conditions of the said agreement have been fully and properly carried out by

Page 1 of 2

VIJAY RAJPAL ASST. MANAGER (TRADE FINANCE) PF NO.: 18276 CCSC C

1158IBG136407

For THE FEDERAL BANK LTD.

CCSC Ahmedabad Anil Kumas Jain

S R No.: 4134

NH-PWD

कार्यालय कार्यपालन यंत्री,

लोक निर्माण विभाग, राष्ट्रीय राजमार्ग, संभाग ग्वालियर (म.प्र.)

क्रमांक <u>989</u> /तक/रा.रा./2023

ग्वालियर, दिनांक 13/04/2023

महाप्रबंधक म0प्र0 जल निगम मर्यादित परि.क्रि.ई.शिवपुरी (म0प्र0)।

विषयः वसई-2 समूह जल प्रदाय योजना अंतर्गत लोक निर्माण विभाग राष्ट्रीय राजमार्ग के किनारे पाईप लाइन बिछाने एवं क्रांसिंग करने हेतु अनुमित प्रदान करने के संबंध में।

सन्दर्भ:- आपका पत्र क्रमांक 897 / तक0 / म.प्र.ज.नि.मर्या. / परि.क्रि.ई. / शिवपुरी / 2023 दिनांक 31.03.2023 ।

संदर्भित पत्र के तारतम्य में लेख है, कि आपके द्वारा दिनारा-पिछोर-चन्देरी मार्ग. में पाइप लाइन बिछाने की अनुमित चाही है। एम.ओ.आर.टी. एंण्ड एच. के पत्र क्रमांक आर.डब्लू / एन.एच. / 33044/29/2015 /S&R® dated 22.11.2016 की कंडिका 5.1 के अनुसार रा.रा. की भूमि का उपयोग करने हेतु लाइसेंस फीस / लीज रेन्ट तथा कंडिका 6 के अनुसार निर्धारित दर से परफारमेंन्स बैक गारन्टी अग्रिम जमा करने का कष्ट करें।

क्रमाक	विवरण	राशि
1.	लाइसेंस फीस/लीज रेंट (उक्त कि.मी. हेतु) 5 वर्षों के लिए (Through On&Line By NTRP)	4.17,346/-
2.	परफारमेंन्स बैंक गारटी (In favour of Executive Engineer, PWD N.H. Division- Gwalior	70,92,500/'-

(आई.एस.जादौन)
कार्यपालन यंत्री
लो०नि०वि० राष्ट्रीय राजमार
संमाग—ग्वालियर

the said contractor and accordingly discharges this guarantee or till 20.05.2024 whichever is earlier, unless a demand or claim under this guarantee is received by the bank in writing on or before 20.05.2025 we shall be discharged from our liabilities under this guarantee thereafter.

- 3. The guarantee will not be discharged due to the change in the constitution of the bank or of the
- 4. We, the federal bank limited, lastly undertake not to revoke this guarantee during its currency except with the previous consent of the principal in writing.
- This bank guarantee is valid untill 20.05.2024.

#### Notwithstanding anything contained hereinabove:

- 1. Our liability under this Guarantee is restricted to total RS.4,22,14,230/- (Rupees Four Crore Twenty-Two Lakhs Fourteen 2Thousand Two Hundred Thirty Only).
- 1. It shall remain in force until 20.05.2024.
- 2. We are liable to pay the guaranteed amount or any part thereof under this Bank Guarantee only and only if you serve upon us a written claim or demand on or before 20.05.2025, if no written claim or demand is received by us within the aforesaid period then all your rights under this Bank guarantee shall stand extinguished and we shall be discharged of all liabilities under this Bank Guarantee thereafter.

Address for service of Claim/Demand Federal Bank, Trade Finance Division, Federal Operations & Services Ltd (FedServ) Carnival Info Park, Phase-1, Ground Floor, Kochi, Kerala-682042.

In witness whereof the Bank, through its authorized Officer, has set its hand and stamp on this 01st of June 2023 at Ahmedabad.

For, The Federal Bank Limited

luthorized Signatory ASST. MANAGER (TRADE FINANCE) PF NO .: 18276

For, The Federal Bank Limited

FOR THE FEDE

Authorized Signatory Signatory CCSC Ahmedabso

Anil Kumar Jain S. R No.: 4134

Page 2 of 2

1158IBG136407

Calculation for licence fee and performance bank gayrantee for crossing & laying Di pipe along the road at NH:346 (Dinare to Pedra Vie Neyagaon chaureha) u village scheme Dist. Datiyo & Shiypuri

	1		Licence Fees							7.			
5:N	Pipe of		Name of Location		Distance from NH3	45 01 010	PIP		Longth In	n Width in	Utilitied N		Utilized NH lend A
A	8		Frome	10	canter lin	ib (min	) Diami		M	-W	land Arap. (sgm)	Prevailing Circle Rate of land in Rs./sgm	X Rravelling circle rate of land per us
1	DI	3	0		1	+	+	+	-				area
7	-	Water Pipeline	Dinara In	Dinara.	7	6	H	+	1	1	K		
3	DI	Water Pipeline	Dinara	Dinera		400	NA	+	200	0.8	160	150.8000	M= KzL
4	DI:	Water Pipeline	Dinara .	Debre Dinare	7	400	NA	1	550 .	- 0.8	440	150.8000	24128
- 2	DI .	. Water Pipelina	Debre Dinara	. Dabra Dinara In	1	400	NA	1	200	0.8	160	\$8,0000	
5	DI	Water Pipeline	Damron Kalan	Damron Kalan	1 3	400	HA	1	550	0.8	440	\$8,0000	14080
6	01:	Water Pipeline	Demron Kalan	Demron Kalan		400	.NA		700	. 0.8	560	A STATE OF THE PARTY OF THE PAR	38720
7	DI	Water Pipsline	Kuchlon		5	400	. NA	1	150	0,8	120	47.3600	26521.6
8	DI	Water Pipeline	Chittipur	Kuchlon	5	.400	. NA		200	0.8		47.3600	5683.2
9	DI	Water Pipaline	Himmatour	Chittipur	5	450	NA.	1	1400 -	0.85	160	88,6400	14182,4
10	DI	Water Pipeline	Chaupatya	Himmatpur	. 5	600	. NA		100	1	1190	88:5500	105386.4
11	01	Water Pipeline		Devgarh	7	.500	NA		500	1	100	67.7600	6776
2	Di	Water-Pipeline	-Nand -	Nand	3	700	NA ·		1000	1	\$00	42.9600	21480
3	DI	Water Pipeline	Samne	Chawni	. 5	700	NA		900	1.1	1100	55/2000	60720
4	DI	Water Pipeline	Bachron	Bachron Chauraha		700	NA	17.5		1.1	990-	68,9600	68270.4
5	DI		Bachron Chauraha	Pichhora Power house		750	200	-	200	1.1	220	264.5500	58205.2
1	DI	Water Pipeline	Gajaura	Gajaura village area	. 5		NA	100	Charles Har	1.15	3657	252,0000	921564
,	1	Water Pipeline	Neys Gany	Naya Chauraha	13	750	NA	. 7	00	1.15	805	229.2800	184570.4
+	01	Water Pipeline	Naya Cheuraha	Neys Chaurahe		800	NA .	42	200	1.2	5040	125,9200	
+	DI	Water Pipeline ·	Naya Chauraha	Podera village	5	800	NA:	-40	00	1.2	480	125.9200	634636.8
	Crossing	Water Pipeline	. Damron Kelen	Damron Kalan	12	800	, NA	13	130	1.2	1596	125.9200	60441.6
1	Crossing	Water Pipeline	Damron Kalen		NA	400	600	3	0	0.6	18	47,3600	200968.32
19	gnissor	Woter Pipeline	Chittipur.	Damron Kalan	· NA	100	300	30	0	0.3 .	9	47,3500	852.48
10	rossing .	Water Pipeline	Himmatpur	Chittipur	. NA	-350	550	30		.55.	16.5	THE PERSON NAMED IN	426.24
C	rossing	Water Pipeline	Bachron chauraha	Himmatpur	NA .	100	300	30	, ,	.3	9	88.5600	1461.24
c	rossing	Weter Pipeline		Bachron chauraha	NA :	700	900	30				67.7600	609.84
C	rossing	Wâter Pipeline	Geleure	Gajaura	. NA	350 :	550	30	113		27	264.5600	7143,12
		1 Total I	Galaura	Gajaura	NA:	150	350	30		1	6.5	229.2800	3783.12
			111111		or entering the first			30	- 0.	35 1	0.5	229.2800.	2407.44
		The second second	7	4 14			100				CARL STATE OF THE	otal Amount	2529368
Icer	ice fees pr	yable by GM PIU S	hlypuri Mpinisa ni	er pipeline) (for public 044/29/2015/5&R/dat				-	rice	nco Féas (F	is/Month)=2	29368/(10*42)	21078
-	- 4-		letter no RW/NH:33	er pipeline) (for public 1044/29/2015/5&R/dat	utility 33%) o	Industri	al utilitie	1851	per poin	t No.15 of	MORYU-	/\$=21078*12*5	1264684
10 10			In Wo	rds. Four Lac	80 22-11-201	6 l.e. Rs.	1264584	33%	6)		monin go	ioelino vide	Ashare
			State of Sta	rds- Four Lac seventeen	thousand th	ree hund	red & for	rtvs	sly only		*		417346

6/29/2015/SBR/dated 22.11.2016 by amount of performance gaurantee to be submitted 1. Total No. of Route in meter x Rs.100/meter (for loss than 300mm die width) i.e. 0x100 2. Total No. of Route in meter x Rs. 250/meter (for > 300mm dis/width but <= 1000mm) i.e. 4550x250 9. Total No. of Route in meter x Rt. 500/meter (for>1000mm) i.e. 11910x500 1197500

Grand Total = In words. Seventy lac ninety two thousand five hundred only

Note:- We require permission to lay underground water pipeline for above mentioned chainages only rest of pipe line will be laid boyond your Road ROW.

PWD NH Sub Dri

Deputy Team Leader SQC Basal -2 Shivpuri MSV International inc

PWD NH Sub Dn

General Manager M.P. Jal Nigam PIU Shivpuri

5955000

7092500

		CROSSING	DETAILS			
			Dia of p	ipe (in mm)		
ir.no	Nearby Location	Chainage (Mtr)	Casing	Carrier		Remarks
1	Near Dinara	1500	700	500		
	Damron Kalan	7000	600	400		
	Damron Kalan	9820	300	100		
	Chittipur	12880	550	350		
	Himmatpur	19290	300 900 550	100		
6	Bachron chauraha	36400		700		
7	Gajaura	43620		350		
8	Gajaura	44660	350	150		
		ALONG THE BOAD				
8688		ALONG THE ROAD				
SI. No.	Nearby Location	Nearby location	Chainage From	Chainage To	length MTR	Pipe Duct Distence from Road center
				200	750	7
1	Dinara Jn	Dinara	0	200	750	7
2	Dinara	Dinara	400	950	1800	7
4	Dinara	Dabra Dinara	1350	1550	1250	7
5	Dabra Dinara	Dabra Dinara Jn	1950	2500	550	7
	Damron Kalan	Damron Kalan	5900	6600	1890	8
	7 Damron Kalan	Damron Kalan	7300	7450	1850	5
	B Kuchlon	Kuchlon	11200	11400	1300	5
	9 Chittipur	Chittipur	12100	13500	1700	5
	0 Himmatpur	Himmatpur	15700	15800	3500	5
	1 Chaupatya	Devgarh	20500	21000	4000	7
	2 Nand	Nand	28700	29700	1000	5
	3 Bamna	Chawni	32200	33100	5000	5
	4 Bachron	Bachron Chauraha	36200	36400	2500	5
7	5 Bachron Chauraha	Pichhore Power house	36400	39580	3180	1.40
				44180	700	General Man
	6 Gajaura	Gajaura village area	43480			
	7 Naya Ganv	Naya Chauraha	44180	48380	4200	8
1	8 Naya Chauraha	Naya Chauraha	48380	48780	400	3 .
1	Naya Chauraha	Padara village	48780	50110	1330 C	1 0 11 11 11 11 11 11

SQC Basal 2 kivs

(म.प्र.शासन का उपकम)

पता:--मकान नं.A/6 शुमम विहार कॉलोनी छतरी रोड़ खिरनी नाका वार्ड नं. 38 पिन नं. 473551 रिज कार्यालय डी विग, द्वितीय तल, विन्ध्यांचल भवन भोपालE-mail- mpjalnigamshiv@gmail.com website-www.mpjalnigam.co.in CIN-U41000MP2012SG028798

क्रमांक 894/तक, /म.प्र.ज.नि.मर्या. /परि.कि.ई /शिवपुरी /2023

दिनांक 3 1/03 / 2023

प्रति.

कार्यपालन यंत्री लोक निर्माण विभाग, राष्ट्रीय राजमार्ग संभाग ग्वालियर (म.प्र.)

जल जीवन मिशन स्मरण पत्र

विषय-बसई-2 समूह जल प्रदाय योजना अंतर्गत लोक निर्माण विभाग, राष्ट्रीय राजमार्ग के किनारे पाईप लाईन बिछाने एवं कांसिंग करने हेतु अनुमति प्रदान करने के संबंध में।

संदर्भ:-1.अनुबंध कमांक 29 / (2022-23) दिनांक 26.08.2022

2.आपका पत्र कमांक 716/तक/रा.रा./2023 दिनांक 09/03/2023

3. इस कार्यालय का पत्र कं. 693 दिनॉक 15.03.2023

उपरोक्त विषयांतर्गत लेख है कि संदर्भित पत्र कमांक (2) के माध्यम से आपके द्वारा बसईश्रामीण समूह जल प्रदाय योजना अंतर्गत दिनारा- पिछोर -चन्देरी राष्ट्रीय राजमार्ग 346 में पाईप लाईन डालने हेतू जानकारी उपलब्ध कराने हेतू लेख किया गया है।

अतः उपरोक्त चाही गई जानकारी पत्र के साथ संलग्न कर आपकी ओर आवश्यक कार्यवाही हेत् प्रेषित है।

संलग्न:-प्रपत्र

म.प्र.जल निगम मर्यादित परि. क्रि. ई. शिवपुरी (म.प्र.)

/तक. / म.प्र.ज.नि.मर्या. / परि.कि.ई / शिवपुरी / 2023 प्रतिलिपि:-

दिनांक 3) /03/2023

1.टीम लीडर, एस.क्यू.सी, एम.एस.व्ही शिवपुरी की ओर सूचनार्थ प्रेषित। 2. M/s Kalpataru शिवपुरी की ओर सूचनार्थ प्रेषित।

> म.प्र.जल निगम मर्यादित परि. क्रि. ई. शिवपुरी (म.प्र.)

NH-POD

(म.प्र.शासन का उपकम)

पता:-मकान नं.A/6 शुभम विहार कॉलोनी छतरी रोड़ खिरनी नाका वार्ड नं. 38 पिन नं. 473551 रिज कार्यालय डी विग, द्वितीय तल, विन्ध्यांचल भवन भोपालE-mail-mpjalnigamshiv@gmail.com

website-www.mpjalnigam.co.in CIN-U41000MP2012SG028798

क्रमांक 693/तक./म.प्र.ज.नि.मर्या./परि.कि.ई/शिवपुरी/2023

दिनांक \$ 7 03 / 2023

कार्यपालन यंत्री

कार्यपालन यंत्री लोक निर्माण विभाग, राष्ट्रीय राजमार्ग संभाग ग्वालियर (म.प्र.)

जल जीवन मिशन

विषय—बसई—2 समूह जल प्रदाय योजना अंतर्गत लोक निर्माण विभाग, राष्ट्रीय राजमार्ग के किनारे पाईप लाईन बिछाने एवं कांसिंग करने हेतु अनुमित प्रदान करने के संबंध में।

संदर्भ:-1.अनुबंध क्रमांक 29 / (2022-23) दिनांक 26.08.2022

2.आपका पत्र कमांक 716/तक/रा.रा./2023 दिनांक 09/03/2023

उपरोक्त विषयांतर्गत लेख है कि संदर्भित पत्र कमांक (2) के माध्यम से आपके द्वारा बसई-ग्रामीण समूह जल प्रदाय योजना अंतर्गत दिनारा-पिछोर -चन्देरी राष्ट्रीय राजमार्ग 346 में पाईप लाईन डालने हेतु जानकारी उपलब्ध कराने हेतु लेख किया गया है।

अतः उपरोक्त चाही गई जानकारी पत्र के साथ संलग्न कर आपकी ओर आवश्यक कार्यवाही हेतु

संलग्न:-प्रपत्र

भ महाप्रबंधक म.प्र.जल निगम मर्यादित परि. क्रि. ई. शिवपुरी (म.प्र.)

पृ.क्रमांक 694/तक. /म.प्र.ज.नि.मर्या. /परि.कि.ई /शिवपुरी / 2023

दिनांक 157 03 / 2023

1.टीम लीडर, एस.क्यू.सी, एम.एस.व्ही शिवपुरी की ओर सूचनार्थ प्रेषित। 2. M/s Kalpataru शिवपुरी की ओर सूचनार्थ प्रेषित।

KALPATARU POWER TRANSMISSION LTD MBMR BASAI 2 MVS

INWARD NO: 66

DATE : (5/3/13

महाप्रकार म.प्र.जल निगम मर्यादित परि. क्रि. ई. शिवपुरी (म.प्र.)

# Office of the General Manager Madhya Pradesh Jal Nigam Maryadit

Project Implementation Unit Shivpuri

House No.A/6 Shubham Vihar Colony Chhatri road, Khimi Naka Ward No. 38, Pin No. 473551 Shivpuri (M.P.) CIN-U41000MP2012SGCOo28798 E-mail-mpjalnigamshiv@gmail.com

No. 120 / MPJNM/PIU/SHVI/2023

Shivpuri, Dated 12 /01/2023

To.

**Executive Engineer** National Highway Division-PWD Gwalior (M.P)

Sub:-Regarding submission of details for NH-346 crossing and along the road laying permission for Basai - 2 Multi village water supply scheme Shivpuri & Datia.

Ref:- . 1. Agreement no. 29/2022-23 dated 26.08.2022

With reference to the above subject, the work of execution of Basai - 2 Multi village rural water supply scheme for suppling potable drinking water to 231 villages of Shivpuri & Datia district is being executed by MP Jal Nigam PIU Shivpuri. For successful execution of the scheme necessary NH-346 crossing and along the road laying permissions are required. It is requested to grant the permission for the above at earliest.

Encl:-As above.

General Manager M.P Jal Nigam Maryadit PIU Shivpuri


Encl. No 121 /MPJNM/PIU/SHVI/2023 Copy to: -


Shivpuri, Dated 12 / 01 /2023

M/s KPTL - JMC - (JV) Mumbai for information and necessary action.

KALPATARU POWER TRANSMISSION LTD MBMR BASAI 2 MVS INWARD NO:....3.1. DATE: 12 11 1202 &

M.P Jal Nigam Maryadit PIU Shivpuri






	LHS		PLAN		LHS	N S	
			MPJNM Water Pipe I	line			
Chausaija			12-=NY -			7	Masuda Village (JN)
Village (JN) CH 10.000				NH PWD-346			CH 16.445
		Chittipur (12.880)					
Orga	arel		DINARA PICHORE -CHANDERI RO	AD LAYING PLAN			
Sub E	Iginee' H Sub D. PM	S.D.O.  /D NH Sub Dn  Gwalior	E.E.				
G	valior	Gwalia Dn	PWD NH DIV	CLIENT:-	Madhya Pradesh Jal Niga		
		Owallor	E.E. PWD NH Div Gwalior	PROJECT:-		t, Construction, Testing, on mance of Various Compon Operation & Maintenance	Commissioning, Trial Run ents of Basai 2 Multi- e of the Entire Water









Masuda Village (JN) CH 16.445

Mesuda Village (JN) CH 16.445


Masuda Village (JN) CH 23.900

Masuda Village (JN) CH 23.900

Masuda Village (JN) CH 23.900

Sub Engineer PWD NH Sub D. Gyplior

S.D.O.
PWD NH Sub Dn
Gwalior



CLIENT:-	Madhya Pradesh Jal Nigam Mariyadit Gwalior
CONTRACTOR:-	Kalpataru Projects International Ltd.
	Engineering, Procurement, Construction, Testing, Commissioning, Trial Run and Operation & Maintenance of Various Components of Basai 2 Multi-Village Scheme, Run and Operation & Maintenance of the Entire Water Supply Scheme for 10 Years



Team Leader
SQC Basai 2 MVS





	PLAN	N A B E
LHS		LHS S
	MPJNM Water Pipe Line	
	10-cole.	
	NH PWD-346	~ ~ a

#### DINARA PICHORE -CHANDERI ROAD LAYING PLAN

Sub Engineer PWD NH Sub Dri Gwalior S<del>.D.O.</del>
PWD NH Sub Dn
Gwalior

E.E.

PWD NH Div

Gwalior

	Madhya Pradesh Jal Nigam Mariyadit Gwalior
CONTRACTOR:-	Kalpataru Projects International Ltd.
PROJECT:-	Engineering, Procurement, Construction, Testing, Commissioning, Trial Run and Operation & Maintenance of Various Components of Basai 2 Multi-Village Scheme,Run and Operation & Maintenance of the Entire Water Supply Scheme for 10 Years




Team Leader SQC Basal 2 MVS





	PLAN	N E
LHS		LHS S
	MPJNM Water Pipe Line	
	10-0 MM	
e &	SAMTE N	Nand V


#### DINARA PICHORE -CHANDERI ROAD LAYING PLAN



S.D.O.


PWD NH Sub Dn

Gwalior



CLIENT:-	Madhya Pradesh Jal Nigam Mariyadit Gwalior	
CONTRACTOR:-	Kalpataru Projects International Ltd.	
	Engineering, Procurement, Construction, Testing, Commissioning, Trial Run and Operation & Maintenance of Various Components of Basai 2 Multi-Village Scheme, Run and Operation & Maintenance of the Entire Water Supply Scheme for 10 Years	











PLAN LHS LHS MPJNM Water Pipe Line 100 N. NH PWD-346 CH 36.850 CH 35.600 Road Crossing Bachron Chauraha (36.400) S.D.O. PWD NH Sub Dn Gwalior E.E. PWD NH Div Gwalior **DINARA PICHORE -CHANDERI ROAD LAYING PLAN** 

CLIENT:-	Madhya Pradesh Jal Nigam Mariyadit Gwalior
CONTRACTOR:-	Kalpataru Projects International Ltd.
PROJECT:-	Engineering, Procurement, Construction, Testing, Commissioning, Trial Run and Operation & Maintenance of Various Components of Basai 2
	Multi-Village Scheme, Run and Operation & Maintenance of the Entire Water Supply Scheme for 10 Years










PLAN LHS LHS **MPJNM Water Pipe Line** 10.0M Gajora Bachron Village NH PWD-346 Choraha CH 44.900 CH 36.850 Pichore City Area Gajaura (44.600) Road Crossing Gajaura (43.620) Road Crossing PWD NH Sub Dn Gwalior PWD NH DIV DINARA PICHORE -CHANDERI ROAD LAYING PLAN

CLIENT:- Madhya Pradesh Jal Nigam Mariyadit Gwalior
CONTRACT Kalpataru Projects International Ltd.

PROJECT: Engineering, Procurement, Construction, Testing, Commissioning, Trial
Run and Operation & Maintenance of Various Components of Basai 2
Multi-Village Scheme,Run and Operation & Maintenance of the Entire
Water Supply Scheme for 10 Years



Team Leader SQC Basal 2 MVS





		PLAN	N W DE
	LHS		LHS S
		MPJNM Water Pipe Line	
		120nt-	
Gajor Village H 44.900		7 Mr NH PWD	0-346 Na Cho

#### DINARA PICHORE -CHANDERI ROAD LAYING PLAN

Sub Engineer PWD NH/Sub Dr. Gwalior

S.D.O.
PWD NH Sub Dn
Gwalior




CLIENT:-	Madhya Pradesh Jal Nigam Mariyadit Gwalior	
CONTRACTOR:-	Kalpataru Projects International Ltd.	
	Engineering, Procurement, Construction, Testing, Commissioning, Trial Run and Operation & Maintenance of Various Components of Basai 2 Multi-Village Scheme,Run and Operation & Maintenance of the Entire Water Supply Scheme for 10 Years	



Team Leader Soc Basal 2 MVS








for CH -

- 1) CH-00 to CH-200
- 2) CH-400 to CH-450
- 3) CH-1350 to CH-1550
- 1) CH- 1950 to CH- 2500
- 5) CH- 5900 to CH-6600
- () CH- 11200 to CH-11400
- 7) CH- 7300 to CH- 7450

Deputy Team Leader SQC Basai -2 Shivpuri MSV International inc

General Manager M.P. Jal Nigam PIU Shivpuri






For CH-8) CH-12100 to CH- 13500

> Deputy Team Leader SQC Basai -2 Shivpuri MSV International inc








9) CH-15700 to CH-15800 10) CH-20500 to CH-21000

> Deputy Team Leader SQC Basai -2 Shivpuri MSV International inc

General Manager M.P. Jal Nigam PIU Shivpuri






for CH-

- 11) CH-28700 to CH-29700
- 12) CH-32200 to CH-33100
- 13) CH-36200 to CH-36400

Deputy Team Leader
SQC Ease! -2 Shivpuri
MSV International Inc

eneral Manager M.P. Jal Nigam PIU Shivpuri






For CH14) UN-36400 to CH-29580
15) CH-43480 to CH-44180

Deputy Team Leader SQC Basal -2 Shivpuri MSV International inc General Manage M.P. Jal Nigam PIU Shivpuri





150) CH-44180 to CH-48380


16) CH- 48380 to CH-48780

164) CH-48780 to CH-50110

Deputy Team Leader SQC Basai -2 Shivpuri MSV International inc

General Manager M.P. Jal Nigam PIU Shivpuri















# TIPICAL DRAWING OF PIPELINE ALONG ROAD



## TIPICAL DRAWING OF PIPELINE ALONG ROAD



### CONSTRUCTION METHODOLOGY FOR PIPE LAYING ALONG THE SH 03

### Methodology for excavation, Lowering, Laying of pipes:

- The pipe line alignment is cleared of all bushes, shrubs, roots, grass, weeds and if required trees, coming in the alignment of pipe line in the trench width portion.
- After the work site is cleared of above, pipe line alignment with required trench width is marked on the ground with apex points, ourves etc shown on the drawing where the work is to be started.
- Working survey of the pipe line alignment is carried out before start of the excavation work the gradient and alignment os such that the minimum horizontal and vertical bends is required.
- All excavation is carried out by mechanical equipment/ machinery, the work involved and the time schedule permit
- All buried pipeline is minimum 1 meter- 0.2 meter below ground level to maintain proper cover and gradient the trench 5 width is constant throughout the trench depth & provided with a clearance of about 0.30 meter on wither side of the
- After satisfactory completion of the trench bottom, the level shall be checked to get the required minimum cover over the pipe. If required, further dressing of the trench shall be done manually to get the desired cover over the pipe.
- Care shall be taken during the final dressing of the trench bottom so that the required depth and gradient as mentioned in approved L.S drawings are not exceeding. Wherever rook/ hard soil is encountered, addition depth of 300mm shall be considered for bedding with granular soil as per the tender drawing,
- 8 Each pipe is thoroughly checked for any damages before laying.
- Before laying the pipe in trench or above the ground, Excavation, Bedding, Saddles/ Concrete pedestals, for laying and jointing should be completed as pre-approved L-section.
- The pipe is to be laid and joined by the overlapping joint which is provided for fluid thickness for the intended services
- 11 Pipe embeded back filling is stone-free excavated material placed.
- 12 After Back filling completed then conduct the hydro test of DI pipe line each interval of 1.5Km.

Deputy Team Leader SQC Basai -2 Shivpuri

MSV International Inc



M.P. Jal Nigam PIU Shivpuri



# CONSTRUCTION METHODOLOGY FOR PIPE LAYING ALONG THE SH 03 CROSSING

METHODOLODY FOR LAYING OF PIPELINE BY TRENCHLESS TECHNIQUE AT SH CROSSING (PULLING METHOD)

- 1 The pipe crossing done by the HDD (horizontal direction drilling methods), dia of 60mm to up to 500mm.
- 2 Working area is selected according to the flow of water. It is placed at source side.
- 3 Working area is barricade for safety measures.

17

- Then pushing pit size 3.0mx3.0m prepared according to the depth was excavated by the machinery in thr pressence of representatives from department/client etc.
- At first the pilot hole is drilled from the entry point to the exit point following a previously designed profile and alignment.
- The drilling tools and rig equipment selected for each job is largely determined based on the results of the Geotechnical investigation and the size of the crossing (length and diameter).
- 7 During the pilot hole drilling, a directional guidance systemn is used to navigate the pilot hole along its pre-designed profile.
- 8 The entry angle of the drill string is typically 8 degrees to 16 degrees.
- 9 Once the hole has been completed, the bore hole must be enlarged to a suitable diameter for the product pipe line.
- This is accomplished in the second stage of the Horizontal Direction Drilling Process by 'prereaming' the horizontal boring to successively larger diameter.
- Generally the reamer is attached to the drill string on the opposite end of the bore hole from the drill and pulled back into the pilot hole.
- 12 Water is pumping into the directionally drilled bore hole to maintain the integrity of the hole and to flush out cuttings.

Onces the directionally drilled hole is enlarged, the conduit can be pulled through it. The pipe line is prefabricated at the pulling head and swivel.

13 end of the bore opposite the drioll rig. A reamer is attached to the drill string and then connected to the product by a

This is for your information only and might be changed as per the site condition,

Deputy Team Leader SQC Basal -2 Shivpuri MSV International Inc General Manage M.P. Jal Nigam PlU Shivpuri



# CONSTRUCTION METHODOLOGY FOR PIPE LAYING ALONG THE SH 03. CROSSING

METHODOLODY FOR LAYING OF PIPELINE BY TRENCHLESS TECHNIQUE AT SH CROSSING (PUSHING METHOD)

- 1 Working area is selected according to the flow of water. It is placed at source side.
- 2 First a trial pit was excavated manually to find whether any existing utilities like OFC, any pipeline etc is available at the working area.
- 3 Working area is barriaded for safety measures.
- Then pushing pit size 4.0x4.0m prepared according to the depth was excavated by the machinery in pressence of representatives from the department/client etc.
- Then casing pipe was placed in the pushing pit and is aligned and sloped accorsing to the drawing and satisfaction of an Engineer.
- 6 Then worker will enter to the casing pipe and excavated inside the soil by using any electrical breaker.
- 7 All safety material like air compressor and return air exhaust fans placed at the working area.
- 8 Inside breaking soil removed to outside through trolley.
- The casing MS pipe dia of 400mm to 1800, used. The diameter of the excavation is 3 cm more than the outer diameter of the casing pipe. Length of the excavation is kept 0.5m
- The casing pipe pushed inside the hole by means of power pack hydraulic jack. After pushing pipe, again 0.5m of the length is excavated.
- 11 This process continues till the casing pipe bored throughout the working area.
- 12 After laying of casing pipe, carrier DI pipe is laid.

This is for your information only and might be changed as per the site condition

General Manager M.P. Jal Nigam PIU Shivpuri

Deputy Team Leader SQC Basai -2 Shivpuri MSV International Inc





मध्य प्रदेश MADHYA PRADESH

BD 525334

#### **UNDERTAKING**

 Undertaking (1): hereby undertakes to will seal the both ends of casing pipe, so that it does not act as drainage pipe.

Undertaking (2): hereby undertakes to pay security deposit, as intimated by the project Director in the form of Bank guarantee before execution of the work and renew the same whenever it is required by NHAI.


Undertaking (3): hereby undertakes that during the execution of work, we will be abiding Ministry Guidelines dated 22.11.2016 and shall ensure that there is no traffic disruption during the execution of work. We shall be responsible in case of any damages due to leakage of pipeline, if any.

Undertaking (4): hereby undertakes that if National Highway Authority
considers it necessary in future to remove the cable pipeline for any work
or repair of the road or removal of structure, it will be carried out as
desired by the National Highway authority at the cost of within reasonable
time that is not exceeding 60 days of the information given as per the
instruction of the government of India. Ministry of Surface Transport.

Undertaking (5): hereby undertakes to relocate service Road/Approach!
 Road/Utilities at its own cost notwithstanding the permission granted within such time as will be stipulated by NHAI for further six lining or any other development.

Undertaking (6): is hereby undertakes that during execution of work, if any
accident or mishap occurred due to the fault of, in such case shall be liable

2n. W. ord Aom mulke to



SOZIII BE KOCAICO E E PWD. Jourday

THE WHAT A. STONE OR OF THE MOTAL N. MID-ध्नेवासी. हे दिलाक .... 6 [12] 20 2 कोइस्यान शिसपुरी बर ्वने शपश में जिनको मैं स्वय जानता हूँ या जिनको श्री

DDES TRAIN ..... ने पहिचाना है जिनके सबध में शपथकर्ता ने इसे खुन समझकर एनीम्बर कर अपने हस्ताक्षर ! अगुळ चिन्ह किया है। जिसे नोटेरियल rary investment

Agrillars unarass

TO BE ATTESTED

प्रिकारिक हो नोटरी एहबोकेट 6/12/2023 शिवपुरी (अ.प्र.) मो 9752553302

deligners the bey for an editio visibilities you might be unit of the level

Road-Allitide objective cost in contract the permission provided

to pay compensation to the concerned, and during executing of the work the damage caused to the road if any, will be repaired by.....

- Undertaking (7): is hereby undertakes that Shoulders will not be damaged as well and in case of non-availability of space, only trenchless technology shall be used.
- (8) hereby undertakes to pay all the claims raised by the NHAI or its concessionaire and will indemnity the Authority against all claims/damages.
- Undertaking (9): hereby undertakes that we will obtain Prior approval of the NHAI before undertaking any work, installation, shifting or repairs, or alteration to the showing underground cable pipeline Located in national highway right-of-way.
- Undertaking (10): hereby undertakes that we will bear the expenditure, if any, incurred by NHAI for repairing any damage caused to the national highways by the Laying, maintenance or shifting of the cable pipeline.
- Undertaking (11): hereby undertakes that that laying of underground pipeline will not have any deleterious effects on any of the bridge components and roadway safety for traffic.
- Undertaking (12): hereby undertakes that in view of six lining or any other development, the extension of the casing pipe will be executed to end of the ROW either side from the center Line of NH at the cost of.
- Undertaking (13): undertakes for obtaining the various safety clearances before start of work from the representative authorities such as directorate of Electricity, any other statutory clearances applicable, and shall be submitted to Highway Administration.
- Undertaking (14): undertakes that the text of license deed is as per verbatim of format issued by MORTH vide circular no. RW/NH/33044/2912015/SETR dated 22.11.2016.


71

मोहनदील शमा 6) 121/2023 नोटरी एडवोकेट शिवपुरी (म.प्र.) मो 9752553302

N SILE



### Registration and Stamp Department Madhya Pradesh



#### Certificate of Stamp Duty

E-Stamp Details

E-Stamp Code Total E-Stamp Amount

Govt. Stamp Duty (Rs.) Janpad Duty (Rs.)

Exempted Amount(Rs.)

E-Stamp Type Issue Date & Time Service Provider or Issuer Details SP/SRO/DRO/HO Details

Deed Type Deed Instrument

Purpose

ganization Name Address

Number of Persons

Organization Name

Address

Number of Persons

01011406122023001202

500

500

Municipality Duty (Rs.) 0

Upkar Amount (Rs.)

NON-JUDICIAL

06/12/2023 11:24:40 कृष्णकांत शिवहरे/SP013944504201900022

प्रगति बाजार हलवाई खाना शिवपुरी म.प्र. SHIVPURI SHIVPURI

Deed Details

Agreement or Memorandum of an agreement If not otherwise provided for- Five hundred rupees.

AGREEMENT

First Party Details

Mr. INDRA SINGH JADON - EE PWD (NH) GWALIOR

GWALIOR GWALIOR Madhya Pradesh INDIA

Second Party Details

Mr. ANANT SHARMADGM, MP JAL NIGAM MARYADIT SHIVPURI

SHIVPURI SHIVPURI Madhya Pradesh INDIA

AGREEMENT

s gurde villa EE PWD Jeans

मे दिलाक: 6 2 202 के स्थान शिवपूरी बर

के किनको में स्वय जानता हूँ या जिनको श्री

..... ने पहिचाना है जिनके सब्ध में शपथकर्ता ने इसे सून समझकर कर अपने हस्ताक्षर ! अगुष्ठ चिन्ह किया है। जिसे जोटेरियल

गानगर कमारह. पर पजीकत किया दे

commercial arranged

KITCHETT DIRECT

TO BE ATTESTED

हिनलाल शमा

नोटरी एडवोकेट शिवपुरी (म.प.)

11 97525533n7

Digitally signed by KRISHNA

Date: 2023.12.06 11:24:42

KANT SHIVHARÉ

9 1 of 1

01011406122023001202

E – Stamp Code: 01011406122023001202 Enclosure to Ministry of Road Transport & Highways letter No. 33044/29/2015 S&R(R) dated 22.11.2016.

# AGREEMENT REGARDING GRANTING OF RIGHT OF WAY PERMISSIONS

### FOR LAYING UTILITY SERVICES ON NATIONAL HIGHWAYS

Agreement to lay Telecom cable / OFC cable/electrical cable/pipe line ducts etc. from to Km of land.

This Agreement made this	day of	(month	<u>o</u> f
(year)between	acting in his executive	capacity through	
(hereinafter referred to a	s the "Authority" wh	nich expression sh	nall unless
excluded by or repugnant t	to the context, include	his successors in	office and
assigns) on the one part, and	d M/s	a company	registered
under the Companies Act, 1	.956 and having its Reg	gistered Office at (h	nereinafter
called the "Licensee") which	h expression shall unle	ess excluded by rep	ougnant to
the context, include his succ	cessors/administrator a	assignees	
on the second part.			
Whereas the Authority i			ment and
maintenance of ands in Km.			
Whereas the Licensee prop	The second secon		
cable/ pipe line/ducts etc. re	eferred to as utility ser	vices in subsequen	t paras.
Whenes the Herman has a	unlied to the Authority	. for normical on to	lav veiliev
Whereas the Licensee has a			
services from Km t			dnu
from km to km And whereas the Authority			vay loavo
on the NH ROW as per term			vay leave
on the NH NOW as per term	is and conditions herei	marter mentioned.	
Now this agreement witnes	seth that in considerat	ion of the condition	ns
hereinafter contained and c			
performed, the Authority he			
utility services as per the ap			
following conditions, namel	· · · · · · · · · · · · · · · · · · ·		37
terre and terre			

1. ROW permissions are only enabling in nature. The purpose of extending the way leave facility on the National Highway ROW is not for enhancing the scope





of activity of a utility service provider, either by content or by intent. Further. enforceability of the permission so granted shall be restricted only to the extent of provisions/scope of activities defined in the license agreement & for the purpose for which it is granted.

- 2. No Licensee shall claim exclusive right on the ROW and any subsequent user will be permitted to use the ROW, either above or below, or by the side of the utilities laid by the first user, subject to technical requirements being fulfilled. Decision of the Authority in relation to fulfilment of technical requirements shall be final and binding on all concerned parties. In case any disruption/damage is caused to any existing user by the subsequent user, the Authority shall not be held accountable or liable in any manner.
- 3. The Licensee shall be responsible for undertaking all activities including, but not limited to site identification, survey, design, engineering, arranging finance. project management, obtaining regulatory approvals & necessary clearances, supply of equipment, material, construction, erection, testing and commissioning. maintenance and operation and all other activities essential or required for efficient functioning of their own utility/ industrial infrastructure facilities.
- 4. The Licensee shall pay license fees @ Rs ....... /sq m/month to the Authority. The License fee shall become payable from the date of handing over of ROW land to the Licensee, for laying of utilities/cables/conduits/pipelines for infrastructure/ service provider. As regards Tariff and Terms and conditions for providing common utility ducts along National Highways, there shall be a separate agreement regime.
- 5. Fee shall have to be paid in advance for the period for which permission is granted for entering into a license agreement. In case of renewal, rate prevailing at the time of renewal shall be charged. Delay in deposition of fee shall attract interest @ 15% per annum compounded annually.
- 6. Present policy of the MORT&H is to provide a 2.00 m wide utility corridor on either side of the extreme edge of ROW. In cases where utility ducts with sufficient space are already available along NH, the utility services shall be laid in such ducts subject to technical requirements being fulfilled.
- 7. The utility services shall be laid at the edge of the ROW. In case of restricted width of ROW, which may be adequate only to accommodate the carriageway, central verge, shoulders, slopes of embankment, drains, other road side





furniture etc.; the utility services shall be laid beyond the toe line of the embankments and clear of the drain.

- 8. The Licensee shall make his own arrangement for crossing of cross drainage structure, rivers, etc. below the bed. In case, this is not feasible, the utility services may be carried outside the railings/parapets and the bridge superstructure. The fixing and supporting arrangement with all details shall be required to be approved in advance from the concerned Highway Administration. Additional cost on account of fixing and supporting arrangement as assessed by the Authority shall be payable by the Licensee,
- 9. In exceptional cases, where ROW is restricted the utility services can be allowed beneath the carriageway of service road, if available, subject to the condition that the utility services be laid in concrete ducts, which will be designed to carry traffic on top. The width of the duct shall not be less than one lane. In such cases, it also needs to ensure that maintenance of the utility services shall not interfere with the safe and smooth flow of traffic. The cost of operation and maintenance will have to be borne by the Licensee,
- 10. It is to be ensured that at no time there is interference with the drainage of the road land and maintenance of the National Highways. Towards this, the top of the utility services shall be at least 0.6 meter below the ground level. However, any structure above ground shall be aesthetically provided for landscaped with required safety measures as directed by the concerned Authority.
- 11. The utility services shall be permitted to cross the National Highway either through structure or conduits specially built for that purpose. The casing/conduit pipe should, as minimum, extend from drain to drain in cuts and toe of slope to toe of slope in the fills and shall be designed in accordance with the provision of IRC and executed following the Specifications of the Ministry.
- 12. Existing drainage structures shall not be allowed to carry the lines across.
- 13. The top of the casing/conduit pipe containing the utility services to cross the road shall be at least 1.2m below the top of the sub grade or the existing ground level -whichever is lower, subject to being at lease 0.3m below the drain inverts. A typical sketch showing the clearances is given in Attachment-1.





- 14. The utility services shall cross the National Highway preferable on a line normal to it or as nearly so as practicable.
- 15. The casing/conduit pipe for crossing the road may be installed under the road embankment either by boring or digging a trench. Installation by boring method shall be preferred.
- 16. In case of trenching, the sides of the trench should be done as nearly vertical as possible. The trench width should be at least 30 cm. but not more than 60 cm wider than the outer diameter of the pipe. Filling of the trench shall conform to the specifications contained here-in-below or as supplied by the Highway Authority.
- a. Bedding shall be to a depth not less than 30 cm. It shall consist of granular material, free of lumps, clods and cobbles, and graded to yield a firm surface without sudden change in the bearing value. Unsuitable soil and rock edges should be excavated and replaced by selected material.
- b. The backfill shall be completed in two stages (i) Side-fill to the level of the top of the pipe (ii) Overfill to the bottom of the road crust.
- c. The side fill shall consist of granular material laid in 15 cm. Layers each consolidated by mechanical tamping and controlled addition of moisture to 95% of the Proctor's Density. Overfill shall be compacted to the same density as the material that had been removed. Consolidation by saturation or ponding will not be permitted.
- d. The road crust shall be built to the same strength as the existing crust on either side of the trench or to thickness and specifications stipulated by the Highway Authority.
- 17. The Licensee shall ensure making good the excavated trench for laying utility services by proper filling and compaction, so as to restore the land in to the same condition as it was before digging the trench, clearing debris/loose earth produced due to execution of trenching at least 50m away from the edge of the right of way;
- 18. All required restoration work subsequent to laying of the cable shall be required to be undertaken by the Licensee at its cost either by itself or through





its authorized representative in consultation with the Authority as per predetermined time schedule and quality standards.

19. Prior to commencement of any work on the ground, a performance Bank Guarantee @ Rs. per route meter / Rs per sq m with a validity of one year initially (extendable if required till satisfactory completion of work) shall have to be furnished by the Licensee to the Authority/its designated agency as a security against improper restoration of ground in terms of filling/unsatisfactory damages caused to other underground installations/utility services & interference, interruption, disruption or failure caused thereof to any services etc. In case of the Licensee failing to discharge the obligation of making good of the excavated trench/other restoration work, the Authority shall have a right to make good the damages caused by excavation, at the cost of the Licensee and recover the amount by forfeiture of the Bank Guarantee.

20. In case, the Performance Bank Guarantee is invoked as mentioned above, the Licensee shall be required to replenish and reinstate the required Performance Bank Guarantee within one month of such invoking. In case the work contemplated herein is not completed to the satisfaction of the Authority, which has granted the permission, within a period of 11 months from the date of issue of the Bank Guarantee, the Licensee shall either furnish a fresh guarantee or extend the guarantee for a further period of one year. Notwithstanding this, the Licensee shall be liable to pay full compensation to the aggrieved Authority/ its designated agency for any damage sustained by them by reason of the exercise of the ROW facility:

21. The Licensee shall shift the utility services within 90 days (or as specified by the respective Authority) from the date of issue of the notice by the concerned Authority to shift/relocate the utility services, in case it is so required for the purpose of improvement/widening of the road/route/highway or construction of flyover/bridge and restore the road/land to its original condition at his own cost and risk.

22. The Licensee shall be responsible to ascertain from the respective agency in co- ordination with Authority, regarding the location of other utilities /underground installations/ facilities etc. The Licensee shall ensure the safety and security of already existing underground installations/utilities/facilities before etc. commencement of the excavation/using the existing cable ducts. The Licensee shall procure insurance from a reputed insurance company



against damages to already existing underground installations/utilities/facilities etc.

23. The Licensee shall be solely responsible/ liable for full compensation/indemnification of concerned agency/aggrieved Authority for any direct, indirect or consequential damage caused to them/claims or replacements sought for, at the cost and risk of the Licensee. The concerned agency in co- ordination with Authority shall also have a right make good such damages/ recover the claims by forfeiture of Bank Guarantee.

24. If the Licensee fails to comply with any condition to the satisfaction of the Authority, the same shall be executed by the Authority at the cost and risk of the Licensee.

25. Grant of License is subject to the Licensee satisfying (a) minimum disruption of traffic and (b) no damage to the highways. As far as possible, the Licensee should avoid cutting of the road for crossing highway, and other roads and try to carry out the work by trenchless technology. In case any damage is caused to the road pavement in this process, the Licensee will be required to restore the road to the original condition at its cost. If due to unavoidable reasons the road needs to be cut for crossing or laying utility services, the Licensee has to execute the restoration work in a time bound manner at its cost either by itself or through its authorized representative in consultation with the Authority as per predetermined time schedule and quality standards. In case of the Licensee failing to discharge the obligation of making good of the excavated trench/other restoration work, the Authority shall have a right to make good the damages caused by excavation, at the cost of the Licensee and recover the amount by forfeiture of the Bank Guarantee.

26. The Licensee shall inform/give a notice to the concerned agency designated by the Authority at least 15 day in advance with route details prior to digging trenches,

for fresh or maintenance/repair works. A separate performance Bank Guarantee for maintenance/repair works shall have to be furnished by the Licensee.

27. Each day, the extent of digging the trenches should be strictly regulated so that utility services is laid and trenches filled up before the close of the work





that day. Filling should be completed to the satisfaction of the concerned agency designated by the Authority.

- 28. The licensee shall indemnify the concern agency in co-ordination with Authority, against all damages and claims, if any due to the digging of trenches for laying cables/ducts.
- 29. The permission for laying utility services is granted maximum for 5 years at a time, which can thereafter be considered for renewal. On payment of additional fee at the time of renewal, the permission shall automatically be renewed, unless defaults exist. In case of renewal, rate prevailing at the time of renewal shall be charged. Delay in deposition of fee shall attract interest @ 15% per annum compounded annually.
- 30. The permission shall be valid only for the period it is issued and fee deposited. However, the Authority also has a right to terminate the permission or to extend the period of Agreement.
- 31. That the Licensee shall not undertake any work of shifting, repairs or alterations to

the utility services without prior written permission of the concerned agency in co-

ordination with the Authority.

- 32. The permission granted shall not in any way be deemed to convey to the Licensee any ownership right or any interest in route/road/highway land /property, other than what is herein expressly granted. No use of NH RoW will be permitted for any purpose other than that specified in the Agreement.
- 33. During the subsistence of this Agreement, the utility services located in highway land / property shall be deemed to have been constructed and continued only by the consent and permission of the Authority so that the right of the Licensee to the use thereof shall not become absolute and indefeasible by lapse of time.
- 34. The Licensee shall bear the Stamp Duty charged on this Agreement.



Teral Nigam

- 35. Three copies of 'as laid drawings of utilities (hard and soft copies) with geotagged photographs and geo-tagged video recordings of laying of cables in the trench (with respect to the NH) and after complete restoration shall be submitted to the Authority for verification and record within a month of completion of works.
- 36. The Licensee shall allow free access to the Site at all times to the authorised representatives of Authority to inspect the Project Facilities and to investigate any matter within their Authority, and upon reasonable notice, shall provide reasonable assistance necessary to carry out their respective dutics and functions.
- 37. The utility services shall not be made operational by the Licensee unless a completion certificate to the effect that the utility services has been laid in accordance with the approved specifications and drawings and the trenches have been filled up to the satisfaction of the concerned agency in coordination with the Authority has been obtained. Notwithstanding anything contained herein, this Agreement may be cancelled at any time by Authority for breach of any condition of the same and the Licensee shall neither be entitled to any compensation for any loss caused to it by such cancellation not shall it be absolved from any liability already incurred.
- 38. The Licensee shall ensure adherence to relevant Indian standards and follow best industry practices, methods and standards for the purpose of ensuring the safe, efficient and economic design, construction, commissioning, operation, repair and maintenance of any part of the utility lines/industrial infrastructure facilities and which practices, methods and standards shall be adjusted as necessary, to take account of:
- a. operation, repair and maintenance guidelines given by the manufacturers.
- b. the requirements of Law.
- c. the physical conditions at the Site, and d. The safety of operating personnel and human beings.
- 39. The Licensee shall have to provide safety measures like barricading, danger lighting and other necessary caution boards while executing the work.



40. While laying utility services, at least one lane of road shall be kept open to traffic at all times. In case of single lane roads, a diversion shall be constructed. If any traffic diversion works are found necessary during the working period such diversion shall be provided at the cost of Licensee

41. After the termination/expiry of the agreement, the Licensee shall remove the utility services within 90 days and the site shall be brought back to the original condition failing which the Licensee will lose the right to remove the utility services. However before taking up the work of removal of utility services the Licensee shall furnish a Bank Guarantee to the Authority for a period of one year for an amount assessed by the Authority as a security for making good the excavated trench by proper filling and compaction, clearing debris, loose earth produced due to excavation of trenching at least 50m away from the edge of the ROW.

42. Any disputes in interpretation of the terms and conditions of this Agreement or their implementation shall be referred to the redress mechanism prevailing in the Ministry and the decision of the redress mechanism shall be final and binding on all.

43. For PPP Projects, in case of any financial loss incurred by the respective project concessionaires due to such laying/shifting of utility services by the Licensee, compensation for the same shall be required to be borne by the Licensee in mutual agreement with the respective project concessionaires, MORT&H/ NHAI implementing authorities for the project shall not be liable to the concessionaire in any way in this regard.

This agreement has been made in duplicate, each on a Stamp Paper. Each party to this Agreement has retained one stamped copy each.

IN WITNESS WHEREOF THE PARTIES HERETO HAVE CAUSED THIS AGREEMENT TO BE EXECUTED THROUGH THEIR RESPECTIVE AUTHORISED REPRESENTATIVES THE DAY AND THE YEAR FIRST ABOVE WRITTEN.

SIGNED SEALED AND DELIVERED FOR AND ON BEHALF OF AUTHORITY.

BY SHRI. Indra Singh Jadon – Executive Engineer (PWD/NH), Gwalior, MP.



P. Jal Nigari

1.

