



भारतीय राष्ट्रीय राजमार्ग प्राधिकरण
(सड़क परिवहन एवं राजमार्ग मंत्रालय, भारत सरकार)
National Highways Authority of India
(Ministry of Road Transport and Highway, Govt. of India)



परियोजना कार्यान्वयन इकाई-छपरा
Project Implementation Unit-Chhapra

मकान-श्रीमति गायत्री देवी, ए1, प्रभुनाथ नगर, पोस्ट-तारी, थाना-मुफसिल, जिला-सारण (छपरा), बिहार, पिन-841301
H/o- Smt. Gayatri Devi, A1, Prabhunath Nagar, PO-Tari, PS-Mufsil, District-Saran (Chhapra), Bihar, Pin - 841301

Ph: 06152-248058/ 248052, Email: hajipur@nhai.org, nhaichhapra@gmail.com
Ref: NHAI/PIU-Chhapra/NH-722/Permission/2025/1459
संदर्भ: भारास्रा/पकाई-छपरा/एनएच-722 / अनुमति / 2025 /

Date: 23.10.2025
दिनांक: 23.10.2025

Invitation of Public Comments
सार्वजनिक टिप्पणियों का आमंत्रण

Sub: Row permission for 0.45 km laying optical fiber Cable by HDD method in District-Chhapra near Kriti Electrical Moti chauk ch. (50+000) to near S.S. Washing center Gopinathpur ch. (51+090) near Aditya furniture Jalalpur Dayali ch. (55+000) to near Anandilal sweets Pokharaira ch. (56+900) on NH-722- reg.

विषय: छपरा (सारण) जिला में राष्ट्रीय राजमार्ग संख्या 722 पर क्षैतिज दिशात्मक ड्रिलिंग तरीके से 0.45 कि.मी. चैनैज (50.000) कृति इलेक्ट्रिकल मोती चौक के पास से ए.एस. वॉशिंग सेंटर गोपीनाथपुर के पास चैनैज (51.090) आदित्य फर्नीचर के पास जलालपुर दयाली के पास चैनैज (55.000) से आनंदीलाल स्वीट्स पोखरैरा के पास चैनैज (56.900) ऑप्टिकल फाइबर केबल बिछाने के लिए आरओडब्ल्यू अनुमति के संबंध में।

1. The Senior Manager, M/s Bharti Airtel Ltd, Patna has submitted the aforesaid proposal seeking permission for 0.45 km laying optical fiber Cable by HDD method in District-Chhapra near Kriti Electrical Moti chauk ch. (50+000) to near S.S. Washing center Gopinathpur ch. (51+090) near Aditya furniture Jalalpur Dayali ch. (55+000) to near Anandilal sweets Pokharaira ch. (56+900) on NH-722.
1. वरिष्ठ प्रबंधक, मेसर्स भारती एयरटेल लिमिटेड, पटना ने छपरा (सारण) जिला में राष्ट्रीय राजमार्ग संख्या 722 पर क्षैतिज दिशात्मक ड्रिलिंग तरीके से 0.45 कि.मी. चैनैज (50.000) कृति इलेक्ट्रिकल मोती चौक के पास से ए.एस. वॉशिंग सेंटर गोपीनाथपुर के पास चैनैज (51.090) आदित्य फर्नीचर के पास जलालपुर दयाली के पास चैनैज (55.000) से आनंदीलाल स्वीट्स पोखरैरा के पास चैनैज (56.900) ऑप्टिकल फाइबर केबल बिछाने के लिए आरओडब्ल्यू अनुमति मांगते हुए, उपरोक्त प्रस्ताव प्रस्तुत किया है।
2. As per the guidelines issued by the Ministry vide OM. No.RW/NH-33044/29/2015/S&R(R) dated 22.11.2016, the application shall be put out in the public domain for 30 days for seeking claims and objections (on grounds of public inconvenience, safety and general public interest).
2. सड़क परिवहन और राजमार्ग मंत्रालय द्वारा जारी दिशा-निर्देश ओ.एम. सं. आर.डब्ल्यू/एन.एच.-33044/29/2015/एस.एंड.आर. (आर) दिनांक 22.11.2016 के अनुसार दावे एवं आपत्तियां प्राप्त करने के लिए आवेदन को 30 दिनों के लिए सार्वजनिक डोमेन में रखा जाएगा (सार्वजनिक असुविधा, सुरक्षा एवं सामान्य सार्वजनिक हित के आधार पर)।
3. In view of the above, comments of the public on the above application are invited to the below mentioned address, which should reach within 30 days by this office from the date of publication beyond which no comments shall be entertained.
3. वर्णित दिशा-निर्देश को ध्यान में रखते हुए, उपरोक्त प्रस्ताव पर जनता की टिप्पणियां निम्न पते पर आमंत्रित की जाती है। टिप्पणियां 30 दिनों के अन्दर दिए गए पते पर पहुँच जानी चाहिए, जिसके बाद कोई टिप्पणी स्वीकार नहीं की जाएगी।

Project Director, National Highways Authority of India, Project Implementation unit-Chhapra, H/o-Smt. Gayatri Devi, Plot No.A1, Parbhunath Nagar, P.O-Tari, P.S-Muffasil, District-Saran 841301, Email:nhaichhapra@gmail.com

परियोजना निदेशक, भारतीय राष्ट्रीय राजमार्ग प्राधिकरण, परियोजना कार्यान्वयन इकाई, छपरा, श्रीमती गायत्री देवी का मकान, प्लॉट संख्या ए1, प्रभुनाथनगर, पी.ओ.-टौंडी, पी.एस.-मुफसिल, जिला-सारण-841301
ईमेल: nhaichhapra@gmail.com

Encl: As above.
संलग्न: उपरोक्तानुसार।

Raju Kumar
(Raju Kumar)

(राजू कुमार)
Project Director,
PIU-Chhapra
परियोजना निदेशक,
पकाई-छपरा।

Copy to:

- Web Admin, NHAI, HQ - with a request for uploading on the NHAI website.
- The Senior Technical Director, NIC, Transport Bhawan, New Delhi - 110001 - with a request for uploading on the Ministry website.

प्रतिलिपि

- (i) वेब एडमिन, एनएचआई, मुख्यालय नई दिल्ली से प्रस्ताव एनएचआई की वेबसाइट पर अपलोड करने का अनुरोध किया जाता है।
- (ii) वरिष्ठ तकनीकी निदेशक, एनआईसी, परिवहन भवन, नई दिल्ली-110001 से प्रस्ताव मंत्रालय की वेबसाइट पर अपलोड करने का अनुरोध किया जाता है।

CHECK LIST

Guidelines for processing the proposal for laying of utility line in the land along national highways authority of india vested with NHAI/PWD/BRO

General information –

1	Name and address of the applicant/agency	Regd office: Bharti Crescent, 1 Nelson Mandela road Vasant kunj phase new Delhi- 110070 India Tel: + 91 11 4666 6100, Fex : +91 11 4166 6137 Email : corporate secretarial & bharti.in Corporate identity number : U64200DL2009PLC325406
2	National highway no	NH-722
3	State	BIHAR
4	Location	1.near Kriti Electrical Moti chauk Ch(50+000) to near S.S washing center Gopinathpur Ch(51+090) on NH-722 2. Near Aditya furniture jalalpur dayali Ch(55+000) to near Anandilal sweets pokharaira Ch(56+900) on NH-722
6	LENGHT IN MTRS.	TOTAL LENGHT – 2990 M
7	Width of available ROW in both side	LEFT SIDE-22.5M RIGHT SIDE-22.5M
8	Side of NHAI(left or right side of NHAI towards increasing change /KM direction)	(LEFT SIDE ON NH-722) RIGHT SIDE ON NH-722
9	Name of highway authority of NHAI/PWD/BRO	NHAI-PIU-Chapra (Bihar)
10	Highway administration address	BIHAR

S.NO	Item	Measurement. Observations as per site conditions	MORTH Norms
1	Details of already laid utility service, if any		NA


Bharti Airtel limited
[Signature]
Authorised Signatory

2	Laying of the utility service along the national highways		
3	Location of proposed utility service along the stretch	Close to the Extreme edge of the ROW	Utility duct/beyond the toe line of the embankment and drains, and close to the extreme edge of the row.
3.1	Depth of top of utility service from ground level	1.65 MTR	0.6 meter
3.2	Width of concrete duct, if utility services are proposed to be laid in concrete ducts	N/A	Not less than one lane
4	Laying of utility services across the NH		
4.1	Whether existing drainage structures is allowed to carry the utilities	N/A	Not to be allowed
4.2	Proposed crossing of utility service	YES	YES
4.3	Type of casing pipe/conduit carrying the utility line.	N/A	Steel, cast iron, or reinforced cement concrete and have adequate strength
4.4	Whether ends of the casing/conduit pipe are sealed from the outside	YES	Sealed
4.5	Length of casing/conduit pipe crossing NH	AS per Drawing enclosed	Extend from drain to drain in cuts and toe to toe of slope in the fills
4.6	Depth of top of the casing/conduit pipe.	1.65 MTR	At least 1.2 m below the top of sub grade
4.7	Crossing methods in case of cc pavement	Enclosed	Enclosed
5	Documental/drawings enclosed with the proposal	YES	
	(a) Filling of trench	AS per guidelines	As per ministry guidelines vide letter No RW/NH-34044/29/2015/S&R (R) date 22.11.2016
	(b) Location of trench	Extreme edge of the ROW	Extreme edge of the ROW
5.2	Cross section showing the size of pit and location of conduit for HDD method	Drawing Enclosed	Enclosed if applicable
5.3	Strep plan/Route plan showing utility line, chainage, width of ROW, distance of proposed utility from the edge of ROW, important mile stone, intersections, cross drainage words etc.	Enclosed	Enclosed
6	Methodology for laying of utility line	Enclosed	Enclosed if applicable

Bharti Airtel Limited

 Authorised Signatory

7	Draft licence agreement is as per ministry guidelines vide letter No. RW/NH-34044/29/2015/S&R (R) dated 22.11.2016 and signed by two witnesses	Enclosed	Enclosed
8	License fess in favour of MORTRPAO BIHAR	AS per rule	As per ministry vide circular letter No. RW/NHAI-34044/29/2015/S&R (R) dated 22.11.2016
9	Whether bank guarantee has been obtained	AS per rule	As per ministry vide circular letter No. RW/NH-34044/29/2015/S&R (R) dated 22.11.2016
	(a) If Yes whether conformation of bank guarantee has been obtained		
10	Affidavite /undertaking from the applicant for	Enclosed	Enclosed
10.1	Undertaking for not to damage other existing utility , if damaged then to pay the losses to either to pay the losses to either to MORTH/NHAI or the concerned agency.	Enclosed	Enclosed
10.2	undertaking for renewal of bank guarantee and when asked by NHAI/MORTH	Enclosed	Enclosed
10.3	Undertaking for conforming all standard condition of MORTH/NHAI guidelines	Enclosed	Enclosed
10.4	Undertaking for shifting of utility as and when asked by MORTH/NHAI Within a month at their own cost.	Enclosed	Enclosed
10.5	Undertaking for indemnity against all damages and claims.	Enclosed	Enclosed
10.6	Undertaking for management of traffic movement during laying of utility line without hampering the traffic.	Enclosed	Enclosed
10.7	Undertaking that if any claim is raised by the Concessionaire /contractor then the same has to be paid by the applicant	Enclosed	Enclosed

Bharti Airtel Limited

 Authorised Signatory

10.8	undertaking that the applicant has obtained various safety clearance from the representative authorities such as directorate of electricity chief controller of explosives	Enclosed	Enclosed
11	Who will sign the agreement on behalf of applicant agency	Gaurav Prashar 9831049979	CDH
12	The power of Attorney is in favour of authorized signatory?	Yes	Yes
13	Who will supervise the work of laying of OFC	Amar Kumar Verma 8210307529	
14	Who will insure that the defect in road portion after laying of OFC are corrected and if not corrected than what action will be taken	Amar Kumar Verma 8210307529	
15	Who will pay the claim for damage done/disruption in working of concessionaire of ask by concessionaire	Bharti Airtel Limited	Bharti Airtel Limited

The Right of the way (ROW) of the national highway available at the proposed location from the centreline of divided carriageway is (.....)meters (from centre of ROW to edge of ROW towards proposed utility)

The above particulars along with the drawing and documents have been verified and certified as correct as per prevailing site conditions

Name Designation and signature

Bharti Airtel Limited
Amar Prashar
Authorized Signatory

Signature of concerned field authority of

NHAI/PWD/BRO

The authorized representative of applicant}