

भारतीय राष्ट्रीय राजमार्ग प्राधिकरण

(सड़क परिवहन और राजमार्ग मंत्रालय,भारत सरकार))

National Highways Authority of India

(Ministry of Road Transport & Highways, Govt of India) क्षेत्रीय कार्यालय, ओड़िशा / Regional Office, Odisha

301 - ए, तीसरी मंजिल, पाल हाईटस, प्लाट् नं जे/7, जयदेव विहार, भुवनेश्वर - 751013, ओड़िशा 301-A, 3rd Floor, Pal Heights, Plot No : J/7, Jayadev Vihar, Bhubaneswar- 751013, Odisha

दुरभाष /Ph.: 0674 - 2361470/ 570/670 (का/O) ई-मेल/e-mail : roodisha@nhai.org, ronhaiodisha@gmail.com, वेबसाइट/Web : www.nhai.gov.in



NHAI/13011/54/RO/OD/ 3 J 03 /2023

13.12.2023

To

The Sr. Technical Director, NIC Centre at MoRTH, Transport Bhawan, New Delhi 110001

Sub:

Permission for laying of 273 mm OD X 6.4 mm WT CS Natural Gas Pipeline along with 40 MM OFC duct along NH - 53 from Chainage 0.000 to Km.21.693 Km. (From Chandikhole to Kusunpur) and across at chainage 0.767 Km (Near Sunguda Village) and at chainage 15.400 (near Nalipur village) on NH-53- Reg

Ref:

PD, PIU- Chandikhole letter No. 1295 dated 30.11.2023

Sir,

Please find enclosed herewith a proposal of M/s Bharat Petroleum Corporation Ltd for laying of 273 mm OD X 6.4 mm WT CS Natural Gas Pipeline along with 40 MM OFC duct along NH - 53 from Chainage 0.000 to Km.21.693 Km. (From Chandikhole to Kusunpur) and across at chainage 0.767 Km (Near Sunguda Village) and at chainage 15.400 (near Nalipur village) on NH-53. The details are as under:

SI No.	Description	Chainage	LHS/RHS	Remark
1.	Laying of 273 mm OD X 6.4 mm WT CS Natural Gas Pipeline along with 40 MM OFC duct along NH-53	Km.0+000 to Km.21+693	LHS	From Chandikhol to Kusunpur
2.	Crossing-1	Km.0+767	NA	Near Sunguda Village
3.	Crossing-2	Km.15+400	NA	Near Nalipur Village

Accordingly, as per guidelines issued by MoRT&H vide F. No. RW/NH-33044/29/2015/S&R(R) dt. 22.11.2016, the application along with the recommendations of concerned PD/Consultants are enclosed herewith with request to hoist the same in the Ministry's Website for public comments within 30 days of uploading on the website.

This is issued with the approval of Regional Officer, Odisha.

Yours faithfully,

(Sunil Kumar) General Manager (Tech)



राष्ट्रीय राजमार्ग प्राधिकरण

(सड़क परिवहन और राजमार्ग मंत्रालय,भारत सरकार))

National Highways Authority of India

(Ministry of Road Transport & Highways, Govt of India) क्षेत्रीय कार्यालय, ओड़िशा / Regional Office, Odisha

301 - ए, तीसरी मंजिल, पाल हाईटस, प्लाट् नं जे/7, जयदेव विहार, भुवनेश्वर - 751013. ओड़िशा 301-A, 3rd Floor, Pal Heights, Plot No : J/7, Jayadev Vihar, Bhubaneswar- 751013, Odisha दुरभाष /Ph.: 0674 - 2361470/ 570/670 (का/O) ई-मेल/e-mail : roodisha@nhai.org, ronhaiodisha@gmail.com, वेबसाइट/Web : www.nhai.gov.in



NHAI/13011/54/RO/OD/ 3 102/2023

13.12.2023

INVITATION OF PUBLIC COMMENTS

Sub: Permission for laying of 273 mm OD X 6.4 mm WT CS Natural Gas Pipeline along with 40 MM OFC duct along NH - 53 from Chainage 0.000 to Km.21.693 Km. (From Chandikhole to Kusunpur) and across at chainage 0.767 Km (Near Sunguda Village) and at chainage 15.400 (near Nalipur village) on NH-53- Reg

M/s Bharat Petroleum Corporation Ltd has submitted a proposal for laying of 273 mm OD X 6.4 mm WT CS Natural Gas Pipeline along with 40 MM OFC duct along NH - 53 from Chainage 0.000 to Km.21.693 Km. (From Chandikhole to Kusunpur) and across at chainage 0.767 Km (Near Sunguda Village) and at chainage 15.400 (near Nalipur village) on NH-53. The details are as under:

SI No.	Description	Chainage	LHS/RHS	Remark
1.	Laying of 273 mm OD X 6.4 mm WT CS Natural Gas Pipeline along with 40 MM OFC duct along NH-53	Km.0+000 to Km.21+693	LHS	From Chandikhol to Kusunpur
2.	Crossing-1	Km.0+767	NA	Near Sunguda Village
3.	Crossing-2	Km.15+400	NA	Near Nalipur Village

- As per quidelines issued by MoRT&H vide F. No. RW/NH-33044/29/2015/S&R(R) dated 22.11.2016, the Highway Administration will put out the application in the public domain for 30 days for seeking claims and objections on grounds of public inconvenience, safety and general public interest.
- 3. In view of the above, the comments of public, if any, on the above mentioned proposal are invited on below mentioned address:

The Regional Officer, National Highways Authority of India, Regional Office, Odisha 301-A, 3rd Floor, Pal Heights, J/7, Jayadev Vihar, Bhubaneswar 751013, Odisha e-mail: roodisha@nhai.org

This is issued with the approval of Regional Officer, Odisha.

(Sunil Kumar) General Manager (Tech) National Highways Authority of India, Regional Office, Odisha 301-A, 3rd Floor, Pal Heights, J/7, Jayadev Vihar, Bhubaneswar 751013

CHECK - LIST

Sr. No.	Item	Information /Status	Remarks
1	General Information	Laying of Natural Gas Pipeline along NH-53 chainage 0.000 Km to 21.693 Km (From Chandikhol to Kusunpur) and across at chainage 0.767 Km (Near Sunguda Village) & at chainage 15.400 Km (Near Nalipur Village).	
1.1	Name and Address of the Applicant / Agency	Bharat Petroleum Corporation Limited 1st Floor, BSNL Exchange, Jajpur Road, Jajpur - 755019	
1.2	National Highway Number	NH-53	
1.3	State	Odisha	
1.4	Location	From Chandikhol to Kusunpur Village	
1.5	(Chainage in km)	Along @ From 0.000 Km to 21.693 Km Across @ 0.767 Km & 15.400 Km	
1.6	Length in Meters	Along:- 21693 mtr. Across: - 184 mtr.(2 Location)	
	Width of available ROW	As per drawing	
1.7	(a) Left side from center line towards increasing chainage /km direction	As per drawing	
	(b) Right side from center line towards increasing chainage / km direction	As per drawing	
1.8	Proposal to lay underground Gas Pipeline/Electrical Cable.	Laying of Natural Gas Pipeline along NH-53 chainage 0.000 Km to 21.693 Km (From Chandikhol to Kusunpur) and across at chainage 0.767 Km (Near Sunguda Village) & at chainage 15.400 Km (Near Nalipur Village).	
	(a) Left side from center line towards increasing chainage / Km direction	Within RoW	
- 1	(b) Right side from center line towards increasing chainage / Km direction		
1.9	Proposal to acquire Land (a) Left side from center line (b) Right side from center line	Not Applicable	
- 4	Whether proposal is in the same side where land is not to be acquired		
	If not then where to lay the cable	Within RoW	
111 1	Details of already laid services, if any, along the proposed route		
1.12	Number of lanes (2/4/6/8 lanes) existing	Lane	
1 1 3 1	Proposed Number of lanes (2 lane with paved shoulders / 4 /6/8 lanes)	8 Lane	
1.14	Service Road existing or not If yes then which side	No	
	(a) Left side from center line		
-	(b) Right side from center line		
1.15	Proposed Service Road (a) Left side from center line (b) Right side from center line	NO	
1.16	Whether proposal to lay Gas Pipeline is after the service road and main carriageway	Not Applicable	
1.17	The permission for laying of Gas pipeline shall be considered for approval/ rejection based on the Ministry Circulars mentioned as above	approvai	R
1.18	Whether carrying of sewage/gas pipeline has been Proposed on the parapet / part of the bridges. If yes, then mention the methodology proposed for the Same.	No	

Resident Engineer
WSV with DNC (Association) of s

An

Territory Manager (GAS) Jajpur, Odisha---

PROJECT DIRECTOR,

	Terror to the second	
1.19	If crossing of the road involved, If yes it shall either encased in pipes or through structure or conduits specially built for that purpose at the expenses of the agency owning the line	Noted
	(a) Whether existing drainage strucutures are allowed to carry sewage/gas pipeline	Noted
	(b) Is it on a line normal to NH	Yes
	(c) What is the distance of crossing the sewage / gas pipeline from the existing structures? Crossings shall not be too near the existing structures on the National Highway, the minimum distance being 15 meter.	Not Applicable
	(d) The casing pipe (or conduit pipe in the case of electric cable) carrying the utility line shall be of steel, cast iron, or reinforced cement concrete and have adequate strenght and be large enough to permit ready withdeawal of the carrier pipe/cable. Mention type of casing.	Casing pipe is steel.
	(e) Ends of the casing/conduit pipe shall be sealed from the outside, so that it does not act as a drainage path.	Yes
	(f) The casing/conduit pipe should, as minimum extend from drain to cuts and toe of slope in the fills.	Yes
	(g) The top of the casing/conduit pipe should be at least 1.2 meter below the surface of the road subject to being at least 0.3 below the drain inverts. Mention the proposed details.	Yes
	(h) Mention the methodology proposed for crossing of road for the proposed Sewage/gas pipe line, Crossing shall be by broing method [Trenchless Technology] specially, where the existing road pavement is of cement concrete or dense bituminous concrete type.	Cased Crossing
	(i) The casing/conduit pipe shall be installed with an even bearing throughout its length and in such a manner as to prevent the formation of a waterway along it.	Yes
2	Document / Drawings enclosed with the proposal	Yes
2.1	Cross section showing the size of trench for open trenching method (Is it normal size of 1.2 meter deep X 0.550 meter wide) (i) Should not be less than 60 cm wider than the outer diameter of the pipe (ii) Located as close to the extreme edge of the right-of-way as possible but not less than 4 meter from the centrelines of the nearest carriageway (iii) Shall not be permitted to run along the National Highways when the road formation is situated in double cutting. Nor Shall these be laid over the existing culverts and bridges (iv) These should be so laid that their top is at least 0.6 meter below the ground level so as not to obstruct drainage of the road land.	Enclosed
2.2	Cross section showing the size of pit and location of cable for Case crossing/HDD method	Yes
2.3	Strip plan / Route plan showing Gas pipeline, Chainage, Width of RoW, distance of proposed Pipeline from the edge of RoW, Important mile stone, intersections, cross drainage works etc.	Enclosed
2.4	Methodology for laying of showing Gas pipeline.	Enclosed

PROJECT DIRECTOR,

NATIONAL HIGHWAYS AUTHORITY OF INDIA

NATIONAL HIGHWAYS AUTHORITY OF INDIA

PIU-CHANDIKHOLE

NISV with DNC (Association)

MSV with DNC (Associate.)



2.4.1	Open trenching method. (May be allowed in utility corridor only where pavement is neither cement concrete nor dense bituminous concrete type.) If yes, what is the Methodology of refining trench. (a) The trench width should be at least 30 cm, but not	Yes	
	more than 60 cm wider than the outer diameter of the pipe.	Yes	
	(b) For filling of the trench, Bedding shall be to a depth of not less than 30 cm. It shall consist of granular material, free of lumps, clods and cobbles and graded to yield a firm surface without sudden change in the bearing value. Unsuitable soil and rock edged should be / excavated and replaced by selected material.	Yes	
	(c) The backfill shall be completed in two stages (i) side -fill to the level of the top of the pipe and (ii) overfill to the bottom of the road crust.	The state of the s	
	(d) The side-fill shall consist of granular material laid in 15 cm layers each consolidated by mechanical tampering and controlled addition of moisture to 95% of the Proctor's Density. Overfill shall be compacted to the same density as the material that had been removed. Consolidation by saturation or pending will not be Permitted.		
	(e) The road crust shall be built to the same strength as the existing crust on either side of the trench. Care shall be taken to avoid the formation of a dip at the trench.	Yes	
	(f) The excavation shall be protected by flagman, signs and barricades, and red lights during night hours.	Yes	
	(g) If required, a diversion shall be constructed at the expense of agency owning the utility line.	Yes	
2.4.2	Method of laying Gas Pipeline	Open trenching/HDD method for along the road and Cased Crossing method for Crossing.	
2.4.3	Methodology for Laying of Gas pipeline through CD works and method of laying. In cases where the carrying of Gas pipeline on the bridge becomes inescapable.	Not Applicable	
3	Draft License Agreement signed by two witnesses	Yes	
4	Performance Bank Guarantee in favour of NHAI has to be obtained as per MoRTH guidelines for a period of one year initially (extendable if required till satisfactory completion of work) as a security for ensuring/making good the excavated trench for laying the Gas pipe line/ducts by proper filling and compaction, clearing debris/loose earth produced due to execution of trenching at least 50 m away from the edge of the right of way. No payment shall be payable by the NH to the licensee for clearing debris/loose earth. Performance BG as per above is to be obtained.	Yes; As per new guidelines of MoRTH circular dt.22.11.2016.	
4.1	Confirmation of BG has been obtained or not as per NHAI gudelines.	To be confirm	
5	Affidavit / Undertaking from the Applicant for the following is to be furnised	Yes	
5.1	Not to Damage to other utility, if damaged then to pay the losses either to NH or to the concerned agency.	Yes	
5.2	For Renewal of Bank Guarantee	Yes	

PROJECT DIRECTOR,
NATIONAL HIGHWAYS AUTHORITY OF INDIA
PIU-CHANDIKHOLE
Resident Engines, of 5
NSV with DNC (Association)

M K JADHAW
Territory Manager (GAS) Jajpur, Odisha-4

	For Confirming all standard condition of Ministry	
5.3	Circulars and NH guideline	Enclosed
5.4	For Shifting of Gas pipeline as and when required by NHAI at their own cost.	Enclosed
5.5	For Shifting Gas pipeline due to 4/6 lanning / widening of NH	Enclosed
5.6	For Indemnity against all damages and claims clause (xxiv)	Enclosed
5.7	For traffic movement during laying of Gas pipeline to be managed by the Applicant.	Enclosed
5.8	If any claim is raised by the Concessionaire then the same has to be paid by the applicant.	Enclosed
5.9	Prior approval of the NH shall be obtained before undertaking any work of installation, shifting or repairs, or alterations to the Gas pipe line/any other utility located in the National highway right-of-ways.	Enclosed
5.10	Expenditure, if any, incurred by NH for repairing any damage caused to the National Highway by the laying, maintenance or shifting of the Gas pipe line will be borne by the applicant agency owning the line.	Enclosed
5.11	If the NH considers it necessary in future to move the utility line for any work of improvement or repairs to the road, it will be carried out as desired by the NH at the cost of the agency owning the utility line within a reasonable time (not exceeding 60 days) of the intimation given.	Noted
5.12	Certificate from the applicant in the following format (i) Laying of Gas pipeline will not have any deletrious effects on any of the bridge components and Roadway safty for traffic (ii) "We do undertake that I will relocate service road / approach road / utilities at my own cost notwithstanding the permission granted withing such time as will be stipulated by NH" for future 4/6 lanning or any other development.	Yes; Enclosed
6	Who will sign the agreement on behalf of Gas pipeline agency	M. K. Jadhaw
6.1	Power of Attorney to sign the agreement is available	Yes
7	The Project Director/Excutive Engineers, will submit the following Certificates	
7.1	Certificate for proposal for confirming of all standard condition issued vide Ministry of Road Transport and Highway Circular NoNH-III/P/66/76 dated 18/19.11.1976, RW/NH-III/P/66/76 dated 11.5.1982, (ii) RW/NH-11037/1/86/DOI dated 28.7.1993. (iii) RW/NH-11037/1/86/DOI dated 19.1.1995 (iv) RW/NH-34066/2/95/ S&R dated 25.10.1999 and (v) RW/NH-34066/7/2003 S&R (B) dated 17.9.2003	
7.2	Certificate from XEN/PD in the following format (i) "it is certified that any other location of the Gas pipeline would be extremely difficult and unreasonable costly and the installation of Gas pipe line within RoW will not adversely affect the design, stability & traffic safety of the highway nor the likely future improvement such as widening of the carriageway, easing of curve etc".	

Resident Engine of 5
NISV with DNC (Association)

M-K JADHAW Territory Manager (GAS) Jajpur, Odisha-4

PROJECT DIRECTOR, "MATIONAL HIGHWAYS AUTHORITY OF INDIA PIU-CHANDIKHOLE

		1	
	 (ii) for 6- lanning (a) Where feasibility is available "I do certify that there will be no hindrance to proposed six laning based on the feasibility report considering proposed structures at the said location". (b) In case feasibility report is not available "I do certify that sufficient RoW is available at site for accommodating proposed six laning". 		
8	If NH section proposed to be taken up by NHAI on BOT basis - a clause is to be inserted in the Agreement. "The permitted highway on which licensee has been granted the right of lay Gas pipeline/cable/duct has also been granted as a right of way to the concessionaire under the concession agreement for up gradation of Section of NH on Build, Operate and Transfer Basis and therefore, the licensee shall honor the same."	Yes	
9	Who will supervise the work of laying of Gas pipeline (a) On behalf of the Applicant	Bharat Petroleum Corporation Limited	
	(b) On behalf of NH Division	Person deputed by PD	
10	Who will ensure that the defects in road portion after laying of water / Gas supply pipeline are corrected and if not corrected then what action will be taken.		
	(a) On behalf of the Applicant	Bharat Petroleum Corporation Limited	
	(b) On behalf of NH Division	Person deputed by PD	
11	Who will pay the claims for damages done /disruption in working of concessionaire if asked by the concessionaire		
	On behalf of the Applicant	Bharat Petroleum Corporation Limited	
12	A certificate from Project Director/Executive Engineer that he will enter the proposed permission in the register of records of the permissions in the prescribed Performa (Copy enclosed).	Not Applicable	
13	If any previous approval is accorded for laying of underground water / Petroleum / Gas supply pipeline then Photocopy of register of records of permissions accorded as maintained by Project Director/Executive Engineer then copy be enclosed.	Not Applicable	

Bharat Petroleum Corporation Limited

Resident Engine.

M. K. Jadhaw Territory Manager (GAS), Jajpur

M K JADHAW Territory Manager (GAS) Jajpur, Odisha-4

PROJECT DIRECTOR,
MATIONAL HIGHWAYS AUTHORITY OF INDIA
PIU-CHANDIKHOLE