



सत्यमेव जयते

भारतीय राष्ट्रीय राजमार्ग प्राधिकरण

(सड़क परिवहन और राजमार्ग मंत्रालय, भारत सरकार)

National Highways Authority of India

(Ministry of Road Transport & Highways, Govt. of India)

क्षेत्रीय कार्यालय : एफ-120, जनपथ, श्याम नगर, जयपुर-302019

Regional Office : F-120, Janpath, Shyam Nagar, Jaipur-302019

Tel. (O) / फोन : (ऑ.) 0141-2292056, 2292049

E-mail / ई-मेल : rojaipur@nhai.org Web. / वेब : www.nhai.gov.in



No.: NHAI/18013/1/2021-ROJ/Permission-Gas Pipeline/Torrent/137/NH-27, km 1134.66 to 1135.33/219 Date: 20.04.2022

INVITATION OF PUBLIC COMMENTS

Sub.: Proposal for grant of permission for laying 6" Dia Steel Gas Pipeline along/across NH-27 (Kota-Baran-Shivpuri) at Km. 1134.660 to 1135.330 (LHS) and crossing at Km. 1134.660 to develop City Gas Distribution Network in Kota City and its surrounding areas en-route NH under Kota-Baran GA in the State of Rajasthan by M/s. Torrent Gas Pvt. Ltd. - reg.

Ref.: 1. Asst. General Manager TORRENT Gas Pvt. Ltd letter no. TGP/Kota/PROJ/2020-21/53 dated 09.12.2021 and even no. 71 dated 28.02.2022.

2. PD, PIU-Kota letter no. 290120/2016-Kota/Kota Bypass/Torrent Gas/122/5062 dt. 16.03.2022.

Sir,

It is to inform all concern that the M/s. Torrent Gas Pvt. Ltd., Kota vide letter under reference (1) has submitted a proposal for the subjected work and PD, NHAI, PIU, Kota has submitted the above proposal vide letter under reference (2) for approval of the Competent Authority, Highway Administration.

2. The proposal is regarding permission for laying 6" Dia Steel Gas Pipeline along/across NH-27 (Kota-Baran-Shivpuri) at Km. 1134.660 to 1135.330 (LHS) and crossing at Km. 1134.660 to develop City Gas Distribution Network in Kota City and its surrounding areas en-route NH under Kota-Baran GA in the State of Rajasthan by M/s. Torrent Gas Pvt. Ltd..

3. As per Para-4 of Ministry's Circular No. RW/NH-33044/29/2015S&R(R) dated 22.11.2016, the Highway Administration shall be put out in the public domain for 30 days for seeking claims and objections (on grounds of public inconvenience, safety and general public interest).

4. In view of the above, before approval of the competent authority, the comments/objections of affected public is hereby invited with reference to the Ministry's circular dated 22.11.2016 due to laying of Gas Pipeline along and across on the subjected stretch. The objections/comments may be addressed to the below mentioned address upto 19.05.2022, beyond due date, no comments/objections will be accepted.

The Regional Officer, Regional Office - Jaipur

National Highways Authority of India,

F-120, Janpath, Shyam Nagar, Jaipur (Raj.)-302019,

Tel : 0141-2292049, 2292054 Email : rojaipur@nhai.org

This is issued with the approval of the Regional Officer, NHAI, RO, Jaipur (Rajasthan).

Yours faithfully,

(K R Chouhan)

Dy. General Manager (T)

- Copy to: (i) Web Admn., NHAI, HQ, New Delhi - for uploading in NHAI's website [web-admin@nhai.org]
(ii) Director, NIC, New Delhi - for uploading in Ministry's website. [mansoor@nic.in]
(iii) PD, PIU-Kota: for information.
(iv) M/s. Torrent Gas Pvt. Ltd.: 396, Shopping Centre, 1st Floor, Near Aerodrum Circle, Kota (Raj.)-324005: for information and with the request to submit proof of deposition of requisite license fee in 'Bharat Kosh' within 30 days period.



भारतीय राष्ट्रीय राजमार्ग प्राधिकरण

(सड़क परिवहन और राजमार्ग मंत्रालय)

National Highways Authority of India

(Ministry of Road Transport and Highways)

परियोजना कार्यान्वयन इकाई

ए-504, इन्द्रा विहार, कोटा (राजस्थान)-324005

Project Implementation Unit

A-504, Indra Vihar, Kota (Rajasthan)-324005

दूरभाष/ Phone : 91-744-2406315

91-744-2980181

ई-मेल/ E-mail : kota@nhai.org

kotapiu@gmail.com



3

No. 290120/2016-Kota/Kota Bypass/Torrent Gas/122/ 5062

Date: 16.03.2022

CGM (T) cum Regional Officer

National Highways Authority of India

Regional Office,

F-120, Janpath, Shyam Nagar

Jaipur - 302019

Sub: - Permission for laying proposed 6" Ø Steel Gas Pipe line along/across Km. 1134.660 to Km. 1135.330 (LHS) on NH-27 (Kota-Baran-Shivpuri) to Develop City Gas Distribution Network in Kota city and its surrounding areas en-route NH under Kota-Baran GA in the state of Rajasthan-reg.

- Ref: -**
1. M/s Torrent Gas Pvt. Ltd. letter no. TGPL/KOTA/PROJ/2020-21/53 dt 09.12.21
 2. PIU letter no. 290120/2016-Kota/Kota Bypass/Torrent Gas/122/4430 dt 16.12.21
 3. M/s TES letter no. TES/NHAI-OMT-08/12/2021-22/3019 dated 29.12.2021 (received on 05.01.2022)
 4. PIU letter no. 290120/2016-Kota/Kota Bypass/Torrent Gas/122/4633 dt 08.01.22
 5. M/s Torrent Gas Pvt. Ltd. letter no. TGPL/KOTA/PROJ/2020-21/71 dt 28.02.22 (received on 02.03.2022)
 6. PIU letter no. 290120/2016-Kota/Kota Bypass/Torrent Gas/122/4979 dt 04.03.22

Sir,

This is in reference to above cited subjected matter regarding permission for laying for laying of proposed 6" Ø Steel Gas Pipe line along/across Km. 1134.660 to Km. 1135.330 (LHS) in section of NH-27 by M/s Torrent Gas Private Limited, Kota.

2. PIU kota vide letter dated 16.12.2021 (Ref.2) requested M/s Theme Engineering Services Pvt. Ltd. to examine the subject proposal in light of Ministry's guidelines issued vide letter No.RW/NH-33044/29/2015/S&R dated 22.11.2016 and submit comments/ recommendation. M/s Theme Engineering Services Pvt. Ltd. vide letter dated 29.12.2021 (Ref.3) examined and recommended the proposal for onward submission to Competent Authority.

3. Further, PIU Kota vide letter dated 08.01.2022 (Ref.4) requested M/s Torrent Gas Private Limited, Kota to submit Performance Bank Guarantee amounting to Rs. 79,750/- for the subject proposal for onward submission of proposal for approval of Competent Authority. M/s Torrent Gas Private Limited, Kota vide letter dated 28.02.2022 (Ref.5) submitted the Bank Guarantee amounting to Rs. 79,750/- & the same has been verified on SFMS portal on 08.03.2022.

In view of above, the subjected proposal is recommended for approval of Competent Authority for granting permission.

Yours faithfully,

(J P Gupta)

GM(T) cum Project Director

Encl: Three sets of Proposals including 2 Set of License Deed in original.

Copy to: M/s Torrent Gas Private Limited, Kota - *It is pertinent to mention here that Rs. 54,412/- towards License Fee is to be submitted (as mentioned in checklist submitted) before approval of Competent Authority. Hence, it is advised for perusal of the proposal for deposition of License fee and signing of the License Deed at NHAI, RO- Jaipur.*

CHECK- LIST

General Information

Sr. No.	Description	Information /Status
1	Name and Address of the Applicant/Agency	<u>Torrent Gas Private Limited</u> 396, Shopping Center 1 st floor, Nr. Aerodrome Circle, Kota, Rajasthan-324005
2	National Highway Number	NH 27
3	State	Rajasthan
4	Location	Near Kanak Filling Station (LHS)
5	Chainage in KM	From KM 1134.660 to KM 1135.330 (L.H.S.) Crossing @ KM 1134.660
6	Length in Meters	730 mtr.
7	Width of available ROW in both side	60 mtr & 45mtr.
8	Side of NH (Right side of NH towards increasing chainage/Km direction)	<u>ALONG:</u> 1. LHS from KM 1134.660 to KM 1135.330 (0.685 Km Length) <u>ACROSS:</u> 1. @ KM 1134.660 (0.045KM Length)
9	Name of Highway Authority of NHAI	NHAI, RO-Jaipur
10	Highway Administration address	Project Director NHAI, Kota



THEME ENGINEERING SERVICES
PVT. LTD., KOTA



Team Leader
Theme Engineering Services
Pvt. Ltd., KOTA

12/11/14
Manager (Tech.)
NHAI, PIU-Kota



Project Director
NHAI, PIU-Kota



Site Engineer
NHAI, PIU-Kota



Sr. No	Item	Measurement. Observations as per site conditions	MORTH Norms	Whether complying with MORTH Norms
4.3	Type of casing pipe/conduit carrying the utility line.	STEEL	Steel, cast iron, or reinforced cement concrete and have adequate strength	Complying
4.4	Whether ends of the casing/conduit pipe are sealed from the outside	SEALED	Sealed	Complying
4.5	Length of casing/conduit pipe crossing NH.	45 M	Extend from drain to drain in cuts and toe to toe of slope in the fills	Complying
4.6	Depth of top of the casing/conduit pipe.	Minimum 2.0 M	At least 1.2 m below the top of subgrade	Complying
4.7	Crossing method in case of CC pavement.	HDD/Boring	Only boring method (HDD)	Complying
4.8	Horizontal and vertical clearances in case utilities are allowed overhead,	N/A (Underground Only)	In accordance with IRC codes.	N/A
5	Document / Drawings enclosed with the proposal	Yes Enclosed		
5.1	Cross-Section showing the size of trench for open trenching method		Enclosed, if applicable	
	(a) Trench width	600 mm	More than 30 cm and less than 60 Cm wider than the outer diameter of the utility pipe	Complying
	(b) Filling of trench	As per Ministry Guidelines.	As per Ministry guidelines vide letter No. RW/NH-34044/29/2015/S&R (R) dated 22.11.2016	Complying
	(c) location of trench	Within 2 meters from Extreme edge of available ROW Space.	Extreme edge of the ROW	Complying

Team Leader
Team Leader
 Theme Engineering Services
 Pvt. Ltd., KOTA

THEME ENGINEERING SERVICES

PVT. LTD., KOTA

Aspirational
Site Engineer

NHAI, PIU-Kota

Manager (Tech.)
Manager (Tech.)
NHAI, PIU-Kota

Project Director
Project Director
NHAI, PIU-Kota

Sr. No	Item	Measurement. Observations as per site conditions	MORTH Norms	Whether complying with MORTH Norms
5.2	Cross section showing the size of pit and location of conduit for HDD method	Yes Enclosed	Enclosed, if applicable	Complying
5.3	Strip plan/ Route plan showing utility line, chainage, width of ROW, distance of proposed utility from the edge of ROW, important mile stone, intersections, cross drainage works etc.	Yes Enclosed	Enclosed	Complying
5.4	Plan and profile drawing of stretch showing cross section of road at 20m distance along with ROW and proposed utility	Yes Enclosed	Enclosed	Complying
6	Methodology for laying of utility	Yes Enclosed	Enclosed	Complying
7	Draft License Agreement is as per Ministry guidelines vide letter No. RW/NH-34044/29/2015/S&R (R) dated 22.11.2016 and signed by two witnesses	Yes Enclosed	Enclosed	Complying
8	License fees in Favor of MoRTH RPAO Jaipur	Will be submitted	As per Ministry vide circular no. RE/NH-33044/29/2015/S& (R) dated 22.11.2016	As per Annexure-A Rs. 54,412/-
9	Whether Bank Guarantee has been obtained	Will be obtained at the time of permission.	As per Ministry vide circular no. RE/NH-33044/29/2015/S&(R) dated 22.11.2016	As per Annexure-B Rs. 79,750/-
	(a) If yes, whether Confirmation of BG has been obtained as per MoRTH/NHAI guidelines	Yes		
10	Affidavit / Undertaking from the Applicant for			
10.1	Undertaking for not to damage other existing utility, if damaged then to pay the losses to either to MoRTH/NHAI or to the concerned agency.	Enclosed	Enclosed	Complying
10.2	Undertaking for renewal of Bank Guarantees and when asked by NHAI/ MoRTH	Enclosed	Enclosed	Complying
10.3	Undertaking for confirming all standard condition of MoRTH/NHAI guidelines.	Enclosed	Enclosed	Complying


Team Leader
Thema Engineering Services
Pvt. Ltd., KOTA

THEMA ENGINEERING SERVICES
PVT. LTD., KOTA

12/11/2016
Manager (Tech.)
NHAI, PIU-Kota

Project Director
NHAI, PIU-Kota

Sr. No	Item	Measurement. Observations as per site conditions	MORTH Norms	Whether complying with MORTH Norms
10.4	Undertaking for shifting of utility as and when asked by MoRTH/ NHAI within a month at their own cost.	Enclosed	Enclosed	Complying
10.5	Undertaking for indemnity against all damages and claims.	Enclosed	Enclosed	Complying
10.6	Undertaking for management of traffic movement during laying of utility line without hampering the traffic.	Enclosed	Enclosed	Complying
10.7	Undertaking that If any claim is raised by the Concessionaire/contractor then the same has to be paid by the applicant	Enclosed	Enclosed	Complying
10.8	Undertaking that the applicant has obtained various safety clearances from the representative authorities such as directorate of Electricity, Chief controller of Explosives, Petroleum and Explosive Safety Organization, Oil Industry Safety Directorate, State/Central Pollution Control Board and any other statutory clearances applicable, before applying to Highway Administration	Enclosed	Enclosed	Complying


**THEME ENGINEERING SERVICES
PVT. LTD., KOTA**


The Right of the Way (ROW) of the National Highway available is 60 M & 45 M.


The above particulars along with the drawings and documents have been verified and certified as correct as per prevailing site conditions.



Nitin Mudgal (AGM-Projects)
Name, Designation & Signature of the
Authorized representative of Applicant


Site Engineer
NHAI, PIU-Kota


Manager (Tech.)
NHAI, PIU-Kota


Team Leader
Theme Engineering Services
Pvt. Ltd., KOTA


Project Director
NHAI, PIU-Kota
Name, Designation & Signature of the
Authorized representative of NHAI