



# भारतीय राष्ट्रीय राजमार्ग प्राधिकरण

(सड़क परिवहन एवं राजमार्ग मंत्रालय, भारत सरकार)

## National Highways Authority of India

(Ministry of Road Transport and Highways, Govt. of India)

क्षेत्रीय कार्यालय : एफ-120, जनपथ, श्याम नगर, जयपुर-302019

Regional Office : F-120, Janpath, Shyam Nagar, Jaipur-302019

Tel. (O.)/ फोन : (ऑ.) 0141-2292056, 2292049

E-mail / ई-मेल : rojaipur@nhai.org Web. / वेब : www.nhai.gov.in



No: NHAI/18013/1/2020-ROJ/Permission-Crossing 11 KV Elect Line/117/NH-21 km 204.265/2531

Date: 15.12.2021

### INVITATION OF PUBLIC COMMENTS

**Sub.:** Proposal for grant of permission for laying HDPE Pipe for UG crossing of 11KV Electric line at Km. 204.265, NH-21 (Jaipur-Dausa section) in the state of Rajasthan by M/s. Sencey Trade Solution Pvt. Ltd. - reg.

**Ref.:** (i) M/s. Sencey Trade Solution Pvt. Ltd. letter no. NOC/NH-21/Elec/001 dated 13.08.20121.  
(ii) PD, PIU-Dausa letter no. 23011/20/PIU/DAU/NOC/Electric/10774 dated 01.11.2021.

Sir,

It is to inform all concern that M/s. Sencey Trade Solution Pvt. Ltd. vide letter under reference (i) has submitted a proposal to NHAI for the subjected work and PD, NHAI, PIU, Dausa has forwarded the above proposal to this office vide letter under reference (ii) for approval of the Competent Authority, Highway Administrator.

2. The proposal is regarding permission for HDPE Pipe for UG crossing of 11KV Electric line at Km. 204.265, NH-21 (Jaipur-Dausa section) in the state of Rajasthan by M/s. Sencey Trade Solution Pvt. Ltd.

3. As per Para-4 of Ministry's Circular No. RW/NH-33044/29/2015S&R(R) dated 22.11.2016, the Highway Administration shall be put out in the public domain for 30 days for seeking claims and objections (on grounds of public inconvenience, safety and general public interest).

4. In view of the above, before approval of the competent authority, the comments/objections of affected public is hereby invited with reference to the Ministry's circular dated 22.11.2016 due to laying HDPE Pipe for UG crossing of 11KV Electric line at Km. 204.265, NH-21 (Jaipur-Dausa section) in the state of Rajasthan by M/s. Sencey Trade Solution Pvt. Ltd. The objections/comments may be addressed to the below mentioned address upto 14.01.2022, beyond due date, no comments/objections will be accepted.

**The Regional Officer, Regional Office - Jaipur**

National Highways Authority of India,

F-120, Janpath, Shyam Nagar, Jaipur (Raj.)-302019,

Tel : 0141-2292049, 2292054 Email : rojaipur@nhai.org

This is issued with the approval of the Regional Officer, NHAI, RO, Jaipur (Rajasthan).

Yours faithfully,

(Manoj Khoda)

Manager (Tech.)

Copy to: (i) Web Admn., NHAI, HQ, New Delhi - for uploading in NHAI's website [web-admin@nhai.org]

(ii) Director, NIC, New Delhi - for uploading in Ministry's website. [mansoor@nic.in]

(iii) PD, PIU-Dausa: for information.

(iv) M/s. Sencey Trade Solution Pvt. Ltd., 448, Acharya Kriplani Marg, Adarsh Nagar, Jaipur (Raj.)-302004: for information.



# भारतीय राष्ट्रीय राजमार्ग प्राधिकरण

(सड़क परिवहन और राजमार्ग मंत्रालय)

## National Highways Authority of India

(Ministry of Road Transport & Highways)

परियोजना कार्यान्वयन इकाई, दौसा

87, गंगा विहार कोलोनी, होटल रावत पैलेस के पीछे, दौसा - 303303 (राज.)

Project Implementation Unit Dausa

87, Ganga Vihar Colony, Behind Hotel Rawat Palace, Dausa-303303 (Raj.)

दूरभाष / Phone : 01427-224918

ई-मेल / E-mail : dausa@nhai.org



भारतमाला

प्रगति के चक्र पर चलना

2

No. 23011/20/PIU/DAU/NOC/Electric/10774

Regional Officer

National Highways Authority of India

F - 120, Jan Path, Shyam Nagar,

Jaipur-Raj.



Date: 01.11.2021

*[Handwritten signature]*

**Sub.: Permission for Laying HDPE pipe for crossing of 11KV Electric line at Km. 204.265, NH-21 (Jaipur-Dausa-Section) in the state of Rajasthan.**

- Ref.:**
1. This office letter no. 10647 dated 20.10.2021
  2. This office letter no. 10400 dated 29.09.2021
  3. IE letter no. 239 dated 13.09.2021
  4. This office letter no. 10143 dated 31.08.2021
  5. Sencey Trade solution letter NOC/NH-21/Elec/001 dated 13.08.2021

Sir,

with reference to subject matter kindly refer letter under ref (1) vide which M/s Sencey Trade Solution Pvt. Ltd. submitted the subject proposal for Laying HDPE pipe for crossing of 11KV Electric line at Km. 204.265, NH-21 (Jaipur-Dausa-Section) in the state of Rajasthan.

The said proposal was examined through Independent Engineer of the project in light of Ministry's Guideline issued vide no. RW/NH-33044/29/2015/S&S(R) dated 22.11.2016 & Ministry' letter no. RW/JAI/RJ/PS/2017/UTILITYGENL/1161-1189 dated 16.03.2017.

Authority Engineer vide ref (3) recommended the proposal for issuance of necessary permission subject to deposition of requisite license fees and BG amount conveyed by AE vide ref (3). The same was conveyed to the applicant vide this office letter ref (2) for necessary compliances.

The applicant M/s Sencey Trade Solution Pvt. Ltd. submitted the appropriate proof for deposition of license fee amounting to Rs Rs. 1,07,976/- in "Bharat Kosh" and Bank Guarantee of Rs. 1,06,000/- confirmed by Canara Bank.

Further the applicant submitted the desired undertaking on Rs. 50/- non judicial stamp duly stating that "within 07 days of receipt notice M/s Sencey Trade Solution Pvt. Ltd. will submit any kind of additional license deed amount of when as it was demanded by NHAI/MorT&H" and also submitted the copy of applicable DLC rate.

In view of above, the subject proposal is recommended for necessary approval of Competent Authority.

Yours sincerely

Encl.: As above.

*[Handwritten signature]*  
(Sahi Ram)

Project Director  
NHAI, PIU-Dausa

Copy to:-

1. Team Leader/Project Manager (NH-21 Jaipur Mahua Sec.) for information.
2. M/s Sancey Trade Solution Pvt. Ltd. Jaipur for information.

मुख्यालय : जी-5 एवं 6, सेक्टर- 10, द्वारका, नई दिल्ली - 110075 : Web: www.nhai.org.  
Corporate Office: G-5 & 6, Sector-10, Dwarka, New Delhi-110075 :




### CHECK-LIST

Guidelines for processing the proposal for laying of Utility line in the land along National Highways vested with NHAI/PWD/BRO.

#### General Information

1	Name and Address of the Applicant	JAIPUR DEVELOPMENT AUTHORITY
2	National Highway No.	NH-21
3	State	Rajasthan
4	Location	JAIPUR TO DAUSA (NEAR RAJADHOK TOLL PLAZA)
5	Chainage in km	KM: 204.265
6	Length in km	60.00 m
7	Width of available ROW in both side	60.00 m on both side from the center line of road NH-21.
8	Side of NH(Left or right side of NH towards increasing chainage/ km direction)	At KM: 204.265 (Drill from Right to Left Across the Road)
9	Name of Highway Authority of NHAI/PWD/BRO	NHAI-PD, PIU Dausa
10	Highway Administration address	PIU NHAI, 87, GANGA VIHAR COLONY,BEHIND HOTEL RAWAT,DAUSA – 303303 (RAJ.)

S.No	Item	Measurement Observations as per site conditions	MORTH Norms	Whether complying with MORTH Norms
1	Details of already laid utility service, if any	OFC / 11kv Electric line U/G	Enclosed	YES
2	Whether up-gradation of the stretch in near future is proposed or not			N/A
	(a) If yes, provision of utility adversely affect the plan of up-gradation	NO	Not affect plan of up-gradation	YES



Kamal Vyas

For SENCEY TRADE SOLUTIONS PVT. LTD.

Manager (Tech.)  
NHAI, PWD, BRO

Director

3.	Laying of the utility service along the National Highways.			
3.1	Location of proposed utility service along the stretch	204+265 (Across the Road) (From Right to Left)	11KV Electric Line crosses the NH by HDD Method	
3.2	Depth of top of utility service from ground level	$\geq 1.20\text{m}$ (As per site condition)	0.6 meter	YES
3.3	Mechanism for crossing water channel	NA	NA	NA
3.4	Whether ROW is restricted in this stretch?	NO		NO
3.4.1	If yes, whether provision of land acquisition is required to lay utility			
	(a) If yes, whether undertaking for land acquisition along with relevant L.A. details has been furnished.	NA		NA
3.4.2	Width of concrete duct, if utility services are proposed to be laid in concrete ducts	NA	Not less than one lane	NA
4	Laying of utility services across the NH	YES		
4.1	Whether Existing drainage structure is allowed to carry the utility lines.	No	Not to be allowed	NA
4.2	Proposed crossing of utility service	Crossing CH:204/265	Perpendicular to NH-21	YES
4.3	Type of casing pipe/conduit carrying the utility line.	HDPE PIPE (Dia. 160mm) GI PIPE (Dia. 160mm)	Steel, cast iron, or reinforced cement concrete and	YES

NHAI, P. U. Dausa



Kamal Singh

For SENCEY TRADE SOLUTIONS PVT. LTD.

Director

			have adequate strength	
4.4	Whether ends of the casing/conduit pipe are sealed from the outside.	Yes	Sealed	YES
4.5	Length of casing/conduit pipe crossing NH.	60.00 Crossing to NH (APPROX. LENGTH OF Drilling)	Extend from drain to drain in cuts and toe to toe of slop in the fills.	YES
4.6	Depth of top of the casing/conduit pipe.	<del>&gt;=1.20m</del> = 2.50m	At least 1.2 m below the top of subgrade	NA
4.7	Crossing method in case of CC pavement.	NA	Only boring method (HDD)	YES
4.8	Horizontal and vertical clearances in case utilities are allowed overhead.	NA (Underground only)	In accordance with IRC codes.	NA
5	Document I drawings enclosed with the proposal	YES		YES
5.1	Cross-section showing the size of trench for open trenching method	NA	Enclosed, if applicable	NA
	(a) Trench width	NA	More than 30 cm and less than 60 cm wider than the outer diameter of the utility pipe	NA
	(b) Filling of trench	NA	As per Ministry guidelines vide letter No.RW/NH-34044/29/2015/S&R (R) dated 22.11.2016	NA
	(c) Location of trench	NA	Extreme edge of the ROW	NA

*[Signature]*

Manager (Tech.)  
NHAI, P. U. Dausa



*[Signature]*


For SENCEY TRADE SOLUTIONS PVT. LTD.

Director

5.2	Cross section showing the size of pit and location of conduit for HDD method	Enclosed	Enclosed, if applicable	Enclosed
5.3	Strip plan/Route plan showing utility line, chainage, width of ROW, distance of proposed utility from the edge of ROW, important mile stone, intersections, cross drainage works etc.	Enclosed	Enclosed	Enclosed
5.4	Plan and profile drawing of stretch showing cross section of road at 20 m distance along with ROW and proposed utility	Enclosed	Enclosed	Enclosed
6	Methodology for laying of utility line	Enclosed	Enclosed	Enclosed
7	Draft license agreement is as per ministry guidelines vide letter No.RW/NH-34044/29/2015/S&R (R) dated 22.11.2016 and signed by two witnesses	Enclosed	Enclosed	Enclosed
8	License fees in favor of MORTH RPAO Jaipur	Enclosed	As per Ministry vide circular No.RE/NH-33044/29/2015/S &(R) dated 22.11.2016	YES
9	Whether Bank Guarantee has been obtained	It will be obtained before starting the work.	As per Ministry vide circular No.RE/NH-33044/29/2015/S &(R) dated 22.11.2016	
	(a) If yes, whether confirmation of BG	Enclosed		

*[Signature]*

Manager (Tech.)  
NHAI, PI U-Causa




*[Signature]*  
For SENCEYTRADE SOLUTIONS PVT. LTD.

Director



	has been obtained as per MORTH/NHAI guidelines			
10	<b>Affidavit /Undertaking from the Applicant for</b>	Enclosed		
10.1	Undertaking for not to damage other existing utility, if damaged then to pay the losses to either to MORTH/NHAI or to the concerned agency.	Enclosed	Enclosed	
10.2	Undertaking for renewal of Bank Guarantees and when asked by NHAI/MORTH	Enclosed	Enclosed	
10.3	Undertaking for confirming all standard condition of MORTH/NHAI guidelines.	Enclosed	Enclosed	
10.4	Undertaking for shifting of utility as and when asked by MORTH/NHAI within a month at their own cost.	Enclosed	Enclosed	
10.5	Undertaking for indemnity against all damages and claims.	Enclosed	Enclosed	
10.6	Undertaking for management of traffic movement during laying of utility line without hampering the traffic.	Enclosed	Enclosed	
10.7	Undertaking that If any claim is raised by the Concessionaire/ Contractor then the same has to be paid	Enclosed	Enclosed	

  
 Manager (Tech.)  
 NHAI, PI U-Dausa

Kunal V. J.  
 For SENCEY TRADE SOLUTIONS PVT. LTD.

	by the applicant.			
10.8	Undertaking that the applicant has obtained various safety clearances from the representative authorities such as directorate of electricity, Chief controller of Explosives, Petroleum and Explosive safety Organization, oil Industry safety Directorate, State/Center Pollution Control Board and any other statutory clearances applicable, before applying to Highway Administration	Enclosed	Enclosed	



The Right of the way (ROW) of the National Highway available at the proposed location from the center line of divided carriageway is 60.00 m on both side from the center line of road NH-21.

The above particular along with the drawing and documents have been verified and certified as correct as per prevailing site conditions.

**For SENCEY TRADE SOLUTIONS PVT. LTD.**

*Kamal Vign* **Director**

[Name Designation and Signature of the Authorized representative of applicant]

*[Signature]* **Project Director**  
**NHAI, P.U. Dausa**

[Name Designation and Signature of concerned field authority of NHAI/PWD/BRO]

*[Signature]*

**NHAI, P.U. Dausa**