



# भारतीय राष्ट्रीय राजमार्ग प्राधिकरण

(सड़क परिवहन एवं राजमार्ग मंत्रालय, भारत सरकार)

## National Highways Authority of India

(Ministry of Road Transport and Highways, Govt. of India)

क्षेत्रीय कार्यालय : एफ-120, जनपथ, श्याम नगर, जयपुर-302019

Regional Office : F-120, Janpath, Shyam Nagar, Jaipur-302019

Tel. (O.)/ फोन : (ऑ.) 0141-2292056, 2292049

E-mail / ई-मेल : rojaipur@nhai.org Web. / वेब : www.nhai.gov.in

No.: NHAI/18013/1/2020-ROJ/Permission-Gas Pipeline/IGL/118/NH-48, km 86.475 to 91.530/2534 Date: 15.12.2021



### INVITATION OF PUBLIC COMMENTS

Sub.: Proposal for grant of NOC for laying of Gas Pipeline of M/s. Indraprastha Gas Ltd. (IGL) (125mm dia MDPE Pipe) from Km. 86.475 to 91.530 (LHS) (length 5055m) and three nos. crossing at Km. 89.165 (length 77.10m), Km. 90.975 (length 62.10m) & Km. 91.530 (length 62.10m) and 110m length extra from Bus-bay and entry/exit (Total length 5366.30m) along NH-8 (New NH-48), Delhi-Jaipur Road in the state of Haryana - reg.

Ref.: 1. Chief Manager (GA Head Rewari), M/s IGL, Rewari letter no. NHAI/NOC/NH-8/ Pipeline/1 dated 05.02.2021.

2. PD, PIU-Jaipur letter no NHAI/JPR/NOC/86.475-91.530/IGL2021/1732 dt. 20.11.2021

Sir,

It is to inform all concern that the M/s. IGL, New Delhi vide letter under reference (1) has submitted a proposal for the subjected work and PD, NHAI, PIU, Jaipur has submitted the above proposal vide letter under reference (2) for approval of the Competent Authority, Highway Administration.

2. The proposal is regarding permission for laying of Gas Pipeline of M/s. Indraprastha Gas Ltd. (IGL) (125mm dia MDPE Pipe) from Km. 86.475 to 91.530 (LHS) (length 5055m) and three nos. crossing at Km. 89.165 (length 77.10m), Km. 90.975 (length 62.10m) & Km. 91.530 (length 62.10m) and 110m length extra from Bus-bay and entry/exit (Total length 5366.30m) along NH-8 (New NH-48), Delhi-Jaipur Road in the state of Haryana.

3. As per Para-4 of Ministry's Circular No. RW/NH-33044/29/2015S&R(R) dated 22.11.2016, the Highway Administration shall be put out in the public domain for 30 days for seeking claims and objections (on grounds of public inconvenience, safety and general public interest).

4. In view of the above, before approval of the competent authority, the comments/objections of affected public is hereby invited with reference to the Ministry's circular dated 22.11.2016 due to laying of Gas Pipeline along and across on the subjected stretch. The objections/comments may be addressed to the below mentioned address upto 14.01.2022, beyond due date, no comments/objections will be accepted.

**The Regional Officer, Regional Office - Jaipur**

National Highways Authority of India,

F-120, Janpath, Shyam Nagar, Jaipur (Raj.)-302019,

Tel : 0141-2292049, 2292054 Email : rojaipur@nhai.org

This is issued with the approval of the Regional Officer, NHAI, RO, Jaipur (Rajasthan).

Yours faithfully,

(Manoj Khoda)

Manager (Tech.)

Copy to: (i) Web Admn., NHAI, HQ, New Delhi - for uploading in NHAI's website [web-admin@nhai.org]

(ii) Director, NIC, New Delhi - for uploading in Ministry's website. [mansoor@nic.in]

(iii) PD, PIU-Jaipur: for information.

(iv) Chief Manager, M/s. IGL, New Delhi, Plot No. 4, Community Centre, R K Puram, Sector-9, New Delhi-110022: for information and further necessary action pl.





# भारतीय राष्ट्रीय राजमार्ग प्राधिकरण

(सड़क परिवहन और राजमार्ग मंत्रालय)

## National Highways Authority of India

(Ministry of Road Transport & Highways)

परियोजना कार्यान्वयन इकाई, जयपुर

डी-148, आर.एस.ई.बी. सब-स्टेशन के पीछे, वैशाली नगर, जयपुर-302021

Project Implementation Unit, Jaipur

D-148, Behind RSEB Sub-Station, Vaishali Nagar, Jaipur-302021

दूरभाष / Phone : 91-141-2351427

फैक्स / Fax : 91-141-4026465

ई-मेल / E-mail : jai@nhai.org

(2)

No. NHAI/JR/NOC/86.475-91.530/IGL2021/1732

Date: 20.11.2021

Highway Administration cum Regional Officer

Regional Office

National Highways Authority of India

Regional Office, F-120, Janpath,

Shyam Nagar, Jaipur-302019



*Handwritten signature and initials:*  
Dumg  
MKJ  
29/11/21

Sub.: NOC case for laying of Gas Pipe line of "M/s Indraprastha Gas Limited (IGL) (125mm Dia MDPE Pipe) from Km 86.475 LHS to Km 91.530 LHS (length 5055m), Three crossing at Km 89.165 (length 77.10m), Km 90.975 (length 62.10m) & Km 91.530 (length 62.10m) and 110m length Extra from Bus-Bay and Entry/Exit (total length 5366.30m) along NH-8 (new NH-48) Delhi to Jaipur Road) in the State of Haryana-reg

- Ref.: i) Chief Manager (GA Head Rewari), Indraprastha Gas Limited (IGL) Rewari letter no. NHAI/NOC/NH-8/Pipeline/1 dated 05.02.2021.  
ii) This office letter no. 2505 dated 18.02.2021.  
iii) IE M/s. URS Scott Wilson India Pvt. Ltd With M/s LION Engineering Consultants Pvt Ltd. letter no. 243 daed 23.04.2021.  
iv) This office letter no. 141 dated 06.05.2021  
v) M/s IGL, Rewari letter no. 53 dated 28.08.2021  
vi) This office letter no. 1298 dated 21.09.2021

Sir

Please refer M/s Indraprastha Gas Limited, Rewari above referred letter dated 05.02.2021 regarding NOC for laying of Gas Pipe line of "M/s Indraprastha Gas Limited (IGL) (125mm Dia MDPE Pipe) from Km 86.475 LHS to Km 91.530 LHS (length 5055m), Three crossing at Km 89.165 (length 77.10m), Km 90.975 (length 62.10m) & Km 91.530 (length 62.10m) and 110m length Extra from Bus-Bay and Entry/Exit (total length 5366.30m) along NH-8 (new NH-48) Delhi to Jaipur Road) in the State of Haryana.

2. The said proposal has been examined by Independent Engineer of the Project Gurgaon-Kotputli-Jaipur section of NH-8, M/s. URS Scott Wilson India Pvt Ltd. IE vide their letter dated 23.04.2021 has recommended for according in approval for the said proposal to this office for laying of Gas Pipe line of "M/s Indraprastha Gas Limited (IGL) (125mm Dia MDPE Pipe) from Km 86.475 LHS to Km 91.530 LHS (length 5055m), Three crossing at Km 89.165 (length 77.10m), Km 90.975 (length 62.10m) & Km 91.530 (length 62.10m) and 110m length Extra from Bus-Bay and Entry/Exit (total length 5366.30m) along NH-8 (new NH-48) Delhi to Jaipur Road) in the State of Haryana. Independent Engineer of the Gurgaon-Kotputli-Jaipur project vide letter dated 23.04.2021 has submitted the following:

*"The IE's representative has inspected the proposed site on 12.04.2021 for Laying of Gas Pipe Line of "M/s Indraprastha Gas Limited (IGL)" (125mm Dia MDPE Pipe) from Km. 86.475 LHS to Km. 91.530 LHS (Length 5055m), Three crossing at Km. 89.165 (Length 77.10m), Km. 90.975 (Length 62.10m) & Km. 91.530 (Length 62.10m) and 110m Length Extra from Bus- Bay and Entry/Exit (Total Length 5366.30m) along NH- 8 (New NH- 48) (Delhi to Jaipur Road) in the State of Haryana along with their Consultants (Empanelled by MoRTH) and our comments are given below.*

*In this regard, NHAI has requested to examine the checklist, drawings & other documents of the proposal in the accordance with MoRTH/NHAI guidelines & as per site condition & submit the*

clear-cut recommendation along with Site Inspection Certificate to NHAI for taking further action.

In accordance with sub clause 43.1 of CA, the Concessionaire shall have right to the use of the site as sole licensee subject to and in accordance with the Concession Agreement, and to this end, it may regulate the entry and use of the Project Highways by third parties in accordance with and subject to the provisions of CA.

In view of the above, the Concessionaire was requested vide 1<sup>st</sup> cited to go through the contents of said proposal for premission for Laying of Gas Pipe Line of "M/s Indraprastha Gas Limited (IGL)" (125mm Dia MDPE Pipe) from Km. 86.475 LHS to Km. 91.530 LHS (Length 5055m), Three crossing at Km. 89.165 (Length 77.10m), Km. 90.975 (Length 62.10m) & Km. 91.530 (Length 62.10m) and 110m Length Extra from Bus- Bay and Entry/Exit (Total Length 5366.30m) along NH- 8 (New NH- 48) (Delhi to Jaipur Road) in the State of Haryana and submit your comments / inspection report with respect to Ministry of Road Transport & Highways Circular no. RW/NH-33044/29/2015/S&R(R) dated 22.11.2016 & Ministry letter no. RW/JAI/RJ/PS/2017/UTILITY/GENL/1161-1189 dated 16.03.2017 within three days along with the copy of the proposal for our review and comments.

It has also requested that comments on this matter shall clearly mention that whether the location of the proposed gas pipeline is in urban/rural area and other points which are not covered in Ministry Checklist but are necessary having regard to road safety.

The Concessionaire's Consent/no objection for the said proposal has not been received till date from the date of IE's letter no. 197 dated 01.04.2021 to Concessionaire under reference 1<sup>st</sup> cited. As more than 20 days have elapsed since our request to the Concessionaire, it is informed that the consent of the Concessionaire is deemed to have been received for this case and it is also presumed that there is no objection from the Concessionaire.

However, we had gone through the contents of said proposal and examined the checklist, drawings & other documents of the proposal as per site condition. Our comments on this proposal are also given below.

Upon examination of the submitted documents, it has been noted that the applicant has submitted the checklist, drawings & other documents in accordance with Ministry's Guidelines issued vide letter no. RW/NH-33044/29/2015/ S&R (R) dated 22.11.2016 & Ministry letter no. RW/JAI/RJ/PS/2017/UTILITY/GENL/1161-1189 dated 16.03.2017.

Upon examination of the drawings, it has been noticed that, the applicant has proposed the gas pipeline from Km. 86.475 LHS to Km. 91.530 LHS (Length 5055m), Three crossing at Km. 89.165 (Length 77.10m), Km. 90.975 (Length 62.10m) & Km. 91.530 (Length 62.10m) and 110m Length Extra from Bus- Bay and Entry/Exit (Total Length 5366.30m) along NH- 8 (New NH- 48) (Delhi to Jaipur Road).

Our representative has inspected the site along with M/s IGL representative to check the physical availability of utility corridor at the desired stretch of project highway for the proposed laying of gas pipeline, it has been observed that, the proposed gas pipeline has passing from Km. 86.475 LHS to Km. 91.530 LHS (Length 5055m), Three crossing at Km. 89.165 (Length 77.10m), Km. 90.975 (Length 62.10m) & Km. 91.530 (Length 62.10m) and 110m Length Extra from Bus- Bay and Entry/Exit (Total Length 5366.30m) along NH- 8 (New NH- 48) (Delhi to Jaipur Road). Therefore, the above said proposal has been considered from Km. 86.475 LHS to Km. 91.530 LHS (Length 5055m), Three crossing at Km. 89.165 (Length 77.10m),

Km. 90.975 (Length 62.10m) & Km. 91.530 (Length 62.10m) and 110m Length Extra from Bus-Bay and Entry/Exit (Total Length 5366.30m) along NH- 8 (New NH- 48) (Delhi to Jaipur Road) for granting the permission under the jurisdiction of NHAI PIU Jaipur. Accordingly, the corrected drawings & checklist has been received from the applicant.

Further, it has also been observed that some of the project facilities like Bus Bay, Entry/Exit ramp and Junction Improvements have not yet been completed where the said gas pipeline has been proposed to be laid in the utility corridor of project highway.

After examining the case, our comments are as under :-

- i) It has been noted that the 125mm Dia MDPE Pipe in same trench through HDD method has been proposed to be laid in the Utility Corridor along the project highway from Km. 86.475 LHS to Km. 91.530 LHS (Length 5055m), Three crossing at Km. 89.165 (Length 77.10m), Km. 90.975 (Length 62.10m) & Km. 91.530 (Length 62.10m) and 110m Length Extra from Bus-Bay and Entry/Exit (Total Length 5366.30m) along NH- 8 (New NH- 48) (Delhi to Jaipur Road).
- ii) The depth of the 125mm Dia MDPE Pipe in same trench through HDD method has been proposed to be laid in the Utility Corridor along the project highway from Km. 86.475 LHS to Km. 91.530 LHS (Length 5055m), Three crossing at Km. 89.165 (Length 77.10m), Km. 90.975 (Length 62.10m) & Km. 91.530 (Length 62.10m) and 110m Length Extra from Bus-Bay and Entry/Exit (Total Length 5366.30m) along NH- 8 (New NH- 48) (Delhi to Jaipur Road) at minimum 1.65m below the Natural ground level.
- iii) There is three crossing at Km. 89.165, Km. 90.975 and 91.530 has been proposed for a depth of 1.65m below the Natural ground level.
- iv) The Service Road has already been constructed.
- v) The complete desired stretch of the submitted proposal are falling under the Rural section from Km. 86.475 LHS to Km. 91.530 LHS (Length 5055m), Three crossing at Km. 89.165 (Length 77.10m), Km. 90.975 (Length 62.10m) & Km. 91.530 (Length 62.10m) and 110m Length Extra from Bus-Bay and Entry/Exit (Total Length 5366.30m) along NH- 8 (New NH- 48) (Delhi to Jaipur Road) in Haryana section and the ROW in the Rural section is 62.10 m.

We have also worked out the license fee and performance bank guarantee in favour of NHAI which are required to be obtain from the applicant IGL, Rewari (Haryana) The amount for license for laying of 5366.30m Pipe Line along and across NH-8 section has been worked to ₹2,87,161/- based on the prevailing circle rates for the particular area as made available by the applicant duly considering under the category of public utilities for this case as per the guidelines of MoRTH.

It is calculated at the rate of ₹100/- per route meter for pipe of size  $\geq 300$  mm dia/width total length of 5366.30 m in NH-8 (New NH-48) for Rs.5,36,630/- on NH-8 (New NH-48) initially for a period of five years (extendable if required till satisfactory completion of work) as a security to comply with the requirements of conditions as per MORT&H circulars in this regard. The amount of the deposited for payment of Performance bank guarantee is Rs.5,36,630/- in this regard. The detailed calculation sheet for working the amount for License fee and performance bank guarantee is attached herewith.

Keeping in view of the aforesaid points and present status of works in the site, it is recommended that permission for the laying of gas pipeline of Indraprastha Gas Limited may be accorded in favour of the Applicant except the facility locations mentioned above and the laying of gas pipeline in the balance locations can be carried out in the utility corridor portion.



*of project highway and after completion of said project facilities by the Concessionaire in the said facility locations.*

*Hence, we are submitting herewith duly signed and sealed copies of checklist & drawings along with Inspection Certificate as requested by the Authority for taking further action as deemed fit in this regard".*

3. Accordingly, the proposal has been examine in this office and vide above referred letter dated 06.05.2021 has requested to M/s IGL, Rewari to submit the desired documents as per Ministry Circular dated 22.11.2016. M/s IGL, Rewari vide above referred letter dated 28.08.2021 has submitted proof of deposition of License Fee of amounting of Rs. 2,87,161/-in Bharat Kosh vide Receipt No. 0608210011176 dated 06.08.2021 and Bank Guarantee No. 210127IBGP00858 dated 27.08.2021 of Rs. 5,36,630/- of IDBI Bank Ltd. valid upto 19.08.2022 for the Performance Security of the said proposal. Copy of BG confirmation is also enclosed. The license deed amount has been calculated duly considering DLC rate of agricultural land near national highway of respective village (copy of certified DLC rate and its calculation are also enclosed) and assumed it a public utility provider. M/s IGL has also submitted an additional undertaking for the said proposal vide their letter dated 28.08.2021 for any kind of additional license deed amount as when as it was demanded by NHAI/MoRTH within 07 days of receipt of notice.

4. In view of the above, the said proposal is seems to be found in order as per the prevailing site conditions. Duly signed checklist & drawings by undersigned is enclosed with the proposal and recommended to grant permission for laying and crossing of IGL Gas pipeline.

The proposal is forwarded for approval please.

  
Project Director  
NHAI PIU Jaipur

Encl: As above

### CERTIFICATE

Sub.: NOC case for laying of Gas Pipe line of "M/s Indraprastha Gas Limited (IGL) (125mm Dia MDPE Pipe) from Km 86.475 LHS to Km 91.530 LHS (length 5055m), Three crossing at Km 89.165 (length 77.10m), Km 90.975 (length 62.10m) & Km 91.530 (length 62.10m) and 110m length Extra from Bus-Bay and Entry/Exit (total length 5366.30m) along NH-8 (new NH-48) Delhi to Jaipur Road) in the State of Haryana-reg

1. We have examined the proposal of the applicant for laying of gas pipeline at Km 86.475 LHS to Km 91.530 LHS (length 5055m), Three crossing at Km 89.165 (length 77.10m), Km 90.975 (length 62.10m) & Km 91.530 (length 62.10m) and 110m length Extra from Bus-Bay and Entry/Exit (total length 5366.30m) along NH-8 and confirm that the all standard conditions issued vide Ministry Circular No. RW/NH-33044/29/2015/S&R dated 22.11.2016 has been followed.
2. It is certified that any other location of Utility line (gas pipeline) would be extremely difficult and unreasonable costly and installation of utility line within ROW will not adversely affect the design stability & traffic safety of the highway not the likely future improvement such as widening of the carriageway, casing of curve etc.
3. We will ensure supervision of the work of laying of utility (gas pipeline) and ensure that the defects in road portion after laying of utility are corrected.
4. We will notify/forfeit the BG for claims for damages done/disruption in working, if any.
5. We will ensure that proposed permission is entered in the register of records.
6. The record of previous approval, if any has been considered and copy of same is enclosed with the approval.

  
Project Director  
NHAI, PIU Jaipur



## CHECK-LIST

Guidelines for processing the proposal for laying of utility line in the land across National Highways vested with NHAI/PWD/BRO.

Ministry circular No-RW/NH 330044/29/2015/S&R(R) Dated 22/11/2016.

Sr. No.	Item	Information/ Status	Remarks
	<b>General Information</b>		
1	Name and Address of the Applicant/Agency	"M/s Indraprastha Gas Limited (IGL)" Regd. Office: - IGL Bhawan, Plot no. 4, Community Center, R K Puram, Sector 9, New Delhi - 110022	
2	National Highway Number	NH- 8 (New NH- 48)	
3	State	Haryana	
4	Location	NH- 8 (New NH- 48) (Delhi to Jaipur Road in the State of Haryana	
5	Chainage in Km	From Km. 86.475 LHS to Km. 91.530 LHS (Length 5055m), Three crossing at Km. 89.165 (Length 77.10m), Km. 90.975 (Length 62.10m) & Km. 91.530 (Length 62.10m) and 110m Length Extra from Bus- Bay and Entry/Exit	
6	Length in m	(Total Length 5366.30m)	
7	Width of available ROW in both side	31.05m LHS & 31.05m RHS	
8	Side of NH (left or right side of NH towards increasing change/Km direction)	LHS	
9	Name of Highways Authority of NHAI/PWD/BRO	NHAI	
10	Highway Administration Address	Regional Office, NHAI, F-120 Janpath, Shyam Nagar, Jaipur- 302019	

*(Signature)*

*(Signature)*



*(Signature)*

*(Signature)*

**PYARE LAL GUPTA**  
Chief Manager (Operation)  
Indraprastha Gas Limited

Sr. No.	Item	Measurement observation as per site condition	MORT&H Norms	Whether complying with MORT&H Norms
1	Details of already laid utility service in any	No	Enclosed	Complying
2	Whether up gradation of the stretch in near future is proposed or not	Yes		Yes
	(a). If yes, provision of utility adversely affects the plan of up - gradation	Yes	affect the plan of up-gradation	Yes
3	<b>Laying of the utility service along the National</b> Details of already laid utility service, if any <b>Highways.</b>	Yes		
3.1	Location of proposed utility service along the stretch	From Km. 86.475 LHS to Km. 91.530 LHS (Length 5055m), Three crossing at Km. 89.165 (Length 77.10m), Km. 90.975 (Length 62.10m) & Km. 91.530 (Length 62.10m) and 110m Length Extra from Bus- Bay and Entry/Exit (Total Length 5366.30m) extreme edge HDD trench pit will be done outside of ROW of NH- 8 (New NH- 48)	Utility duct / beyond the toe line of the embankment and drains, enclose to the extreme edge of the ROW	
3.2	Depth of the utility service from Ground level	1.65m (Min.)	0.6m	Complying
3.3	Mechanism for crossing for water channel	N/A	Through utility duct (if provision exist) or beneath the bed of water channel	N/A
3.4	Whether ROW is restricted in the stretch?	No		N/A
3.4.1	If yes, whether provision of land acquisition is required to lay utility	N/A		N/A
	(a). If yes, whether undertaking for land acquisition along with relevant L.A detail has been furnished	N/A	38	N/A

*[Signature]*


*[Signature]*



*[Signature]*

**PYARE LAL GUPTA**  
Chief Manager (Operation)  
Indraprastha Gas Limited



3.4.2	With if concrete duct, if utility services are proposed to be laid in concrete ducts	N/A	Not less than one lane	N/A
4	<b>Laying of utility Services across the NH</b>	Yes		
4.1	Whether existing drainage structures is allowed to carry the utility lines.	Yes	Not to be allowed	Yes
4.2	Proposed crossing of utility services	No	Perpendicular to NPH	N/A
4.3	Type of casing pipe/conduit carrying the utility line	125mm Dia MDPE PIPE	Steel, cast iron, or RCC and have adequate strength	Complying
4.4	Whether ends of the casing /conduit pipe are sealed from the outside	Sealed	Sealed	Complying
4.5	Length of crossing /conduit pipe crossing NH.	Three crossing 77.10m, 62.10m and 62.10m (total length 201.30m)	Extend from drain to drain in cuts and toe to toe of slope in the fills	Complying
4.6	Depth of top of the casing /conduit pipe.	1.65m	At least 1.2m below the top of subgrade	Complying
4.7	Crossing method in case of CC pavement	HDD Trench	Only open trench method	Complying
4.8	Horizontal and vertical clearances in case utilities are allowed overhead	Yes (MDPE Pipe)	In accordance with IRC codes.	N/A
5	<b>Document / drawing enclosed with the proposal</b>	Yes Enclosed		
5.1	Cross section showing in the size of trench for open trenching method	N/A	Enclosed, if applicable	N/A
	(a). Trench width	N/A	More than 30 cm and less than 60 cm wider than the outer diameters of the utility pipe	N/A
	(b). Filling of trench	N/A	As per Ministry circular No-RW/NH 30044/29/2015/S&R(R) Dated 22/11/2016.	N/A
	(c). Location of trench	N/A	Extreme edge of the ROW	N/A
5.2	Cross section showing the size of pit and location of conduit for HDD method	Yes	Enclosed, if applicable 	N/A






  
**PYARE LAL GUPTA**  
 Chief Manager (Operation)  
 Indraprastha Limited

5.3	Strip plan / Route plan showing utility line, Chainage, width of ROW, distance of proposed utility from the edge of ROW, important mile stone, intersection, cross drainage works etc.	Yes Enclosed	Enclosed	Complying
5.4	Plan and profile drawing of stretch showing cross section of road at 20m distance along with ROW and proposed utility	Yes enclosed	Enclosed	Complying
6	Methodology for laying of utility line	Yes enclosed	Enclosed	Complying
7	Draft license agreement is as per Ministry circular No-RW/NH30044/29/2015/S&R(R) Dated 22/11/2016.and signed by two witnesses	Yes enclosed	Enclosed	Complying
8	License fee in favor of NHAI in Bharat Kosh portal on-line.	Yes	As per Ministry circular No-RW/NH330044/29/2015/S&R(R) Dated 22/11/2016.	Complying
9	Whether bank guarantee has been obtained	Yes	As per Ministry circular No-RW/NH30044/29/2015/S&R(R) Dated 22/11/2016.	
	a. If yes, whether confirmation of BG has been obtained as per MORT&H / NHAI guidelines	Shall be obtained		
10	Affidavit / Undertaking from Applicant for			
10.1	Undertaking for not to damage other existing utility, if damaged then to pay the losses to either to MORT&H / NHAI or to the concerned agency.	Enclosed	Enclosed 	Complying
10.2	Undertaking for renewal of bank guarantees and when asked by NHAI/MORT&H	Enclosed	Enclosed	Complying










  
**PYARE LAL GUPTA**  
 Chief Manager (Operation)  
 Indraprastha Gas Limited

10.3	Undertaking for conforming all standard condition of MORT&H/NHAI guidelines.	Enclosed	Enclosed	Complying
10.4	Undertaking for shifting of utility as and when asked by MORT&H /NHAI within a month at their own cost	Enclosed	Enclosed	Complying
10.5	Undertaking for indemnity against all damages and claims.	Enclosed	Enclosed	Complying
10.6	Undertaking for management of traffic movement during laying of utility line without hampering the traffic.	Enclosed	Enclosed	Complying
10.7	Undertaking that if any claim is raised by the concessionaire/ contractor then the same has to be paid by the applicant	Enclosed	Enclosed	Complying
10.8	Undertaking that the applicant has obtained various safety clearances from the representative authorities such as directorate of Electricity, Chief controller of explosives, Petroleum and Explosive safety Organization, Oil industry Safety state / central pollution control board and any other statutory clearances applicable before applying to Highway Administration	Enclosed	Enclosed	Complying

The ROW of the National Highway available at the proposed location from the centre line of divided carriageways is [31.05m & 31.05m]m from centre of ROW towards proposed utility section.

The above particular along with the drawing and documents has been verified and certified as correct as per prevailing site conditions.

  
**PYARE LAL GUPTA**  
 Chief Manager (Operation)  
 Indraprastha Gas Limited

Name designation & Signature of the  
Authorized representative of applicant

  
**PYARE LAL GUPTA**  
 Chief Manager (Operation)  
 Indraprastha Gas Limited

Name designation & Signature of the  
concerned field authority of NHAI/PWD/BRO

  
  
**KOTPUTLI**