



**भारतीय राष्ट्रीय राजमार्ग प्राधिकरण**  
(सड़क परिवहन और राजमार्ग मंत्रालय, भारत सरकार)  
**National Highways Authority of India**  
(Ministry of Road Transport & Highways, Govt. of India)  
क्षेत्रीय कार्यालय : एफ-120, जनपथ, श्याम नगर, जयपुर-302019  
Regional Office : F-120, Janpath, Shyam Nagar, Jaipur-302019  
Tel. (O) / फोन : (ऑ.) 0141-2292056, 2292049  
E-mail / ई-मेल : rojaipur@nhai.org Web. / वेब : www.nhai.gov.in



No.:NHAI/18013/1/2021-ROJ/Permission-Laying Electric Cable/NCTRC/190/NH-48, km 57.60 to 104.724/2555 Date: 28.11.2022

**INVITATION OF PUBLIC COMMENTS**

- Sub.:** Proposal for grant of permission for laying Electric Cable within NH ROW from Ch. 57+600 to 104+724 on NH-48 for implementation of Delhi-Gurugram-SNB Regional Rapid Transit System (RRTS) Corridor by M/s NCRTC in the state of Haryana - reg.
- Ref.:** 1. Dy. CE/Civil-I/GGN, NCRTC letter no. NCRTC/CPM-GGN/NHAI/Utility shifting/2020/162 dated 26.11.2021 and letter dated 25.01.2022.  
2. SE (Elect.), NCRTC letter no. NCRTC/CPM-GGN/NHAI/Utility shifting/2020/ 162 dated 13.10.2022 and letter dated 29.10.2022.  
3. PD, PIU-Jaipur letter no. NHAI/JPR/NOC/GKJ/NCRTC/Electric Cable/2022/ 2074 dated 17.11.2022.

Sir,


It is to inform all concern that Dy. CE/Civil-I/GGN, NCRTC and SE (Elect.), NCRTC vide letter under reference (1) & (2) above has submitted a proposal for the subjected work and PD, NHAI, PIU, Jaipur has submitted the above proposal vide letter under reference (3) for approval of the Competent Authority, Highway Administration.

2. The proposal is regarding grant of permission for laying Electric Cable within NH ROW from Ch. 57+600 to 104+724 on NH-48 for implementation of Delhi-Gurugram-SNB Regional Rapid Transit System (RRTS) Corridor by M/s NCRTC in the state of Haryana.
3. As per Para-4 of Ministry's Circular No. RW/NH-33044/29/2015S&R(R) dated 22.11.2016, the Highway Administration shall be put out in the public domain for 30 days for seeking claims and objections (on grounds of public inconvenience, safety and general public interest).
4. In view of the above, before approval of the competent authority, the comments/objections of affected public is hereby invited with reference to the Ministry's circular dated 22.11.2016 due to laying of electric cable on the subjected stretch. The objections/comments may be addressed to the below mentioned address upto 28.12.2022, beyond due date, no comments/objections will be accepted.

**The Regional Officer, Regional Office - Jaipur**  
National Highways Authority of India,  
F-120, Janpath, Shyam Nagar, Jaipur (Raj.)-302019,  
Tel : 0141-2292049, 2292054 Email : rojaipur@nhai.org

This issues with the approval of Highway Administration-cum Regional Officer, NHAI, Jaipur

Yours faithfully,

  
(Subhash Janu)

General Manager (Tech.)

- Copy to: (i) Web Admn., NHAI, HQ, New Delhi - for uploading in NHAI's website [web-admin@nhai.org]  
(ii) Director, NIC, New Delhi - for uploading in Ministry's website. [mansoor@nic.in]  
(iii) PD, PIU-Jaipur: for information.  
(iv) Dy. CE/Civil-I/GGN, NCRTC, Gurugram: for information.





# भारतीय राष्ट्रीय राजमार्ग प्राधिकरण

(सड़क परिवहन और राजमार्ग मंत्रालय, भारत सरकार)

## National Highways Authority of India

(Ministry of Road Transport & Highways, Government Of India)

परियोजना कार्यान्वयन इकाई, जयपुर/ Project Implementation Unit, Jaipur

डी-148, आर. एस.ई.बी. सब-स्टेशन के पीछे, वैशाली नगर, जयपुर-302021

D-148, Behind RSEB Sub-Satation, Vaishali Nagar, Jaipur-302021

दूरभाष / Phone : 91-141 - 4026465, ई-मेल /E-mail : jai@nhai.org



No. NHAI/JPR/NOC/GKJ/NCRTC/Electric cable/2022/2074

Date: 17.11.2022

### Highway Administrator cum Regional Officer

National Highways Authority of India

Regional Office, F-120, Janpath,

Shyam Nagar, Jaipur-302019



4207  
21/11/22  
9400-50

**Sub.: Implementation of Delhi-Gurugram-SNB Regional Rapid Transit System (RRTS) Corridor- Regarding permission for laying electrical cable within NH ROW from ch. 57+600 to ch.104.724 on NH-08 in the state of Haryana-reg..**

- Ref:
1. Dy. CE/Civil-I/GGN, NCRTC letter no. NCRTC/CPM-GGN/NHAI/Utility shifting/2020/162 dated 26.11.2021 (km. 57.600 to km. 67.320)
  2. Dy. CE/Civil-I/GGN, NCRTC letter no. NCRTC/CPM-GGN/NHAI/Utility shifting/2020/162 dated 25.01.2022 (km. 67.270 to km. 104.724)
  3. This office letter no. 2197 dated 08.02.2022
  4. IE M/s. Consulting Engineers Group Ltd letter no. 89 dated 16.03.2022
  5. IE M/s. Consulting Engineers Group Ltd letter no. 92 dated 16.03.2022
  6. This office letter no. 19 dated 01.04.2022
  7. This office letter no. 20 dated 01.04.2022
  8. This office letter no. 169 dated 19.04.2022
  9. Regional Office, NHAI Jaipur letter no. 261 dated 22.04.2022
  10. Dy. CE/Civil-I/GGN, NCRTC letter no. NCRTC/CPM-GGN/NHAI/Utility shifting/2020/162 dated 25.04.2022
  11. Dy. CE/Civil-I/GGN, NCRTC letter no. NCRTC/CPM-GGN/NHAI/Utility shifting/2020/162 dated 25.04.2022
  12. This office letter no. 226 dated 27.04.2022
  13. Dy. CE/Civil-I/GGN, NCRTC letter no. NCRTC/CPM-GGN/NHAI/Utility shifting/2020/162 dated 02.06.2022
  14. This office letter no. 710 dated 16.06.2022 addressed to IE.
  15. IE M/s CEG in Jv letter no. 246 dated 28.06.2022
  16. This office letter no. 1113 dated 02.08.2022
  17. Your letter no. NCRTC/CPM-GGN/NHAI/Utility shifting/2020/162 dated 10.08.2022
  18. This office letter no. 1294 dated 26.08.2022
  19. SE (Elect.), NCRTC letter no. NCRTC/CPM-GGN/NHAI/Utility shifting/2020/162 dated 13.10.2022
  20. This office email dated 21.10.2022
  21. SE (Elect.), NCRTC letter no. NCRTC/CPM-GGN/NHAI/Utility shifting/2020/162 dated 29.10.2022

Sir

Please refer NCRTC above referred letter dated 25.01.2022 & 26.11.2021 regarding permission for laying of electrical cable within ROW along & across NH-08 (New NH-48) of Delhi-Jaipur road, Haryana along the road 57.600 to 67.320 & Ch. 67.270 to 104.724 on NH-08.

2. In this regard, M/s NCRTC has requested to provide permission for trial trench from NH-48 Ch. 42.700 to 109.000 to check existing utilities and space availability to lay additional utilities by trial trenches in utility corridor of NH-48. The same has been forwarded to Regional Office, NHAI Jaipur vide letter dated 19.04.2022 for approval of the Competent Authority.

3. Regional Office, NHAI Jaipur vide letter dated 22.04.2022 submitted that the permission only for conducting trial trench and in no way, it is the permission to lay new utilities. The trial permission shall be subjected to following additional conditions beside the MoRTH guidelines:

मुख्यालय: जी-5 एवं 6, सेक्टर-10, द्वारका, नई दिल्ली - 110075 :

Corporate Office: G-5 & 6, Sector-10, Dwarka, New Delhi-110075 :

Web : www.nhai.org



- (i) NCRTC shall be solely responsible/liable for full compensation/indemnification of concerned agency/aggrieved Authority for any direct, indirect consequential damage caused to them/claims or replacements sought for, at the cost and risk of the NCRTC.
- (ii) In case of any damages to ongoing road work due to trial trench, all cost pertaining to repair and the claims likely to be raised by the Concessionaire/IE, shall be borne by NCRTC.
- (iii) PD shall ensure to obtain an undertaking containing all above conditions from the NCRTC prior to allow the execution of the subjected work.

4. The said proposal has been examined by Independent Engineer of the Project Gurgaon-Kotputli-Jaipur section of NH-8, M/s CEG Ltd. In JV. IE vide their letter no. 89 & 92 dated 16.03.2022 has recommended the said proposal. Regional Office, NHAI Jaipur vide letter dated 22.04.2022 has granted trial trench approval on the said proposal which has been conveyed to M/s NCRTC vide this office letter dated 27.04.2022. M/s NCRTC vide letter dated 02.06.2022 has submitted the trial trench report which has been forwarded to IE vide this office letter dated 16.06.2022 to examine. IE vide letter dated 28.06.2022 has submitted the following:

1. *It is intimated that IE has examined the proposal and carried out detailed site inspection and also examined the checklist, drawings & other documents of the proposal as per site condition and as per IRC 32 and MoRTH Circular dated 22.11.2016 and has already recommended the proposal vide M/s CEG Letter no. 89 & 92 dated 16.03.2022.*
2. *NCRTC has carried out trial trenches in the utility corridor of NH-48 to check existing utility and space availability for laying electrical cables as suggested by NHAI and the same has also been witnessed by our RE. Details have already been submitted by NCRTC vide letter no. 162 dated 02.06.2022.*

5. While scrutiny of the said proposal this office vide above referred letter dated 02.08.2022 has requested to applicant to submit the documents/clarification on the said proposal. NCRTC vide letter dated 10.08.2022 has submitted the required documents and details of license fees as per MoRTH guidelines. M/s NCRTC has also submitted an undertaking on duly stating that *"It is certify that user agency, NCRTC undertake that within 7 days of receipt of notice, NCRTC will submit any kind of license deed amount as and when it is demanded by NHAI/MoRTH"*.

6. Further, NCRTC vide letter dated 29.10.2022 has submitted the proof of deposition of license fee of Rs. 74,50,837/- vide Bhart Kosh receipt no. 1810220021886 dated 18.10.2022 and submitted the performance security in the form of FDR (FDR No. 41377764166 dated 27.10.2022) of Rs. 1,15,11,910 dated 27.10.2022 issued by SBI Bank, New Delhi. The original FDR deposited in PIU Jaipur accounts section.

7. In view of the above, the said proposal has been examined in this office and generally seems in order.

8. Duly signed checklist & documents is enclosed with the proposal and recommended to grant permission for laying electrical cable within NH ROW from ch. 57+600 to ch.104.724 on NH-08 in the state of Haryana on NH-08.

The proposal is forwarded for approval please.

Yours faithfully,

  
(Ajay Arya)  
Project Director

Encl. : As above

## Application Details [20220404/3/1/14825/22552]

Highway	NH48 [NH48 ] Category: 6 Lane
District and State	REWARI (HARYANA)
Location	42.700-273.000
Chainage in Km	67.28 (Km) To 104.725 (Km)
Side of NH (Left or right side of NH towards: Increasing Chainage/ Km/ Direction )	Left
Name of Highway Authority	NHAI Dwarka New delhi
Highway Administration Address	Jaipur Jaipur
Whether the Fuel Station is part of Rest-area complex	No
Name of Applicant/Oil Company	NATIONAL CAPITAL REGION TRANSPORT CORPORATION Address: PLOT NO. C2 LEASURE VALLEY ROAD SECTOR 29 GURUGRAM HARYANA, Gurugram (HARYANA), PIN: 122001 Phn: 9971592129 Email: azharuddin@ncrtc.in
Application Type	New
Application Category	Retail/Way side Amenities
Submitted On	

## Details

Service Road Provided *		No
Stretch Type *		Rural
1. Acceleration lane *	Minimum 100m	NA
2. Deceleration Lane *	Minimum 70m	NA
3. Distance from intersection:		



Intersection with any category of road/ Median Gap *	Minimum 300 m	NA
4. Distance from Check barrier/Toll Plaza/Railway level crossing *	Minimum 1000m	NA
5. Distance from start of approach road of Road Over Bridge *	Minimum 200m	NA
6. Distance from start of Grade Separator/ Flyover *	Minimum 300m	NA
7. Distance from nearest Fuel Station		
Undivided carriageway (for both side of carriageway), *	300 m- Undivided carriage way	NA
Divided carriageway (with no gap in median at this location) *	1000m-Divided carriage way	NA
8. Provision of service/ connecting road *	Necessary at clustering of retail outlet/ intersection with any category of road less than 300m/1000m	No
9. Gradient of Highway section *	Maximum 5%	NA
10. Slope of Fuel Station Premises/Service Area for drainage purpose *	Minimum 2%	NA
11. Width of Frontage of Plot *	Minimum 35m	NA
12. Depth of Plot *	Minimum 35m	NA
13. Length of Buffer Strip *	Minimum 12m	NA
14. Width of Buffer Strip extending inside ROW *	Minimum 3m	NA

15. Height of kerb for buffer strip *	Minimum 275mm	NA
16. Radius of Turning Curve *	Minimum 13 m	NA
17. Radius of Non-turning curve *	Minimum 1.5m Maximum 3m	NA
I. Whether additional Land Acquisition as above is required by the side of ROW (to provide prescribed turning radius) has been done by the owner of the fuel station *		No
II. If Yes, mention the additional L.A. required to be done by the owner of the fuel station. *	[Mention Area (sq.m.)]	0.00
III. Whether additional Land Acquisition as above is required by the side of ROW (to provide prescribed turning radius) has been done by the owner of the fuel station *		No
IV. If Yes, whether the documentary evidence of the L.A. details are attached *		NA
18. Minimum downward slope of access roads towards the fuel station. *	Minimum 2%	NA
19. Difference in level between the highway and the fuel station and access area measured at the edge of the shoulder on the highway. *	Minimum 300 mm	NA

36101

20. Provision of Culvert, designed for drainage according to IRC:SP-13 *		NA
I. Provision of drinking water and toilet facilities *	Drawing showing these arrangements as per satisfaction of highway authorities to be submitted	No
II. Provision of proper drainage arrangement for fuel station premises *	Drawing showing these arrangements as per satisfaction of highway authorities to be submitted	No
21. test1		
22. Provision of adequate signs, display board and markings as per the drawings *	Minimum requirement as shown in the Drawing	NA
23. Whether the oil company has certified that the fuel station is neither in operation nor energized and that construction of the fuel station has not been commenced. *		NA

Locations				
Sno	Highway /Stretch	From (Km.)	From (To.)	Details
1	NH48 [NH48] (42.700-273.000)	Km: 67.28 Lat: Lng:	Km: 104.725 Lat: Lng:	Area(Sq.Mt.): 0  Diameter(Mt.): 0 Length(Mt.): 0
Documents				



36(C)

Sno	Stage	Document	Mandatory	Action
1	Under Submission	Signed copy of license deed.	Yes	View
2	Under Submission	Undertaking from the oil company/Owner that the oil company/owner would pay necessary fee for the use of the National Highway land whenever the fee is asked by the Highway Authorities in future.	Yes	View
3	Under Submission	Detail of the material for pavement composition for deceleration lane, service road and acceleration lane.	Yes	--
4	Under Submission	Certified copy of sectional view showing elevation of Fuel Station with respect to National Highway and slopes to be provided for adequate drainage and preventing water logging on National Highway.	Yes	--
5	Under Submission	Drainage plan of the Fuel Station.	Yes	--
6	Under Submission	Undertaking from Oil Company that necessary alteration including complete removal/shifting of the approach roads at its own cost if so required by Ministry, for the development of National Highway or in the interest of safety in this section.	Yes	--
7	Under Submission	Undertaking from Oil Company that they shall take all the action as prescribed in Appendix I to ensure conformity of these Norms. For Access to Fuel Stations along National Highways.	Yes	--
8	Under Submission	Undertaking from the Oil Company that the fuel station is neither in operation nor energized and that construction of the fuel station has not been commenced.	Yes	--
9	Under Submission	Documentary evidence of additional Land Acquisition details (if required) beyond the available ROW (to accommodate service roads, deceleration / acceleration lanes, turning radius etc.) done by the owner of the fuel station.[NOTEâ€ It needs to be specifically mentioned if the same is not applicable/required.]	No	--



10	Under Submission	Undertaking from Owner that they shall take all the action as prescribed in Appendix II to ensure conformity of these Norms. For Access connection to Residential Properties (RP) and other Properties (OP) in Urban, Built up & Rural Reaches.	Yes	--
11	Under Submission	Certified copy of location plan of the Fuel Station along the National Highway showing details of Right of Way (ROW) of National Highway, existing intersections and the intersecting roads, including existing public roads and other developments, falling within a reach of 1.1 km in each side of the Fuel Station and carriageway	Yes	--
12	Under Submission	Certified copy of plan of the proposed Fuel Station showing details of deceleration, acceleration lanes, service road (if provided), buffer strip, fuel pump, office, kiosk, lubritorium, air and water supply, toilet & drinking water facilities, drainage details, signages and markings conforming to applicable figures enclosed with these norms	Yes	--
13	Under Submission	Inspection Report of EE,NH/PD,NHAI	No	--
14	Under Submission	Land Ownership record, Khata certificate/Record of rights	Yes	--
15	Under Submission	Letter of Intent issued by Oil Company	Yes	--
16	Under Submission	If Letter of intent (LOI) holder is not land owner, then give lease agreement from land owner to LOI holder for leasing of land on which Retail fuel station is located	No	--
17	Under Submission	Any Document to indicate commercial activities are allowed on the land.	Yes	--
18	Under Submission	General Power of Attorney given by Oil Company for signing the License Deed	Yes	--
19	Under Submission	If Retail Fuel station is a Company Owned and Company Operated (COCO) fuel station, then upload lease agreement given by Land Owner to Oil Company	No	--

20	Under Submission	For Urban area Retail Fuel station: Population certificate issued by the competent authority indicating population as per latest census	No	--
----	------------------	---	----	----

### Applicable Fee Details

Sno	Fee Head	Stage	Fee	Amount	Status
1	Application Fees	Under Submission	Processing Charges	10000.00	Payment Done (Dated:13/04/2022 14:31:00 ) <a href="#">View Details</a>
2	Application Fees	Issue of Provisional NOC	Provisional Fees	20000.00	
3	Application Fees	Final Approval	License	250000.00	