



भारतीय राष्ट्रीय राजमार्ग प्राधिकरण

(सड़क परिवहन और राजमार्ग मंत्रालय)

National Highways Authority of India

(Ministry of Road Transport & Highways)

क्षेत्रीय कार्यालय - हैदराबाद

प्रथम तल, नया भवन, भारतीय प्रशासनिक स्टाफ कॉलेज, पार्क कॉम्पस, रोड नंबर-3, बंजारा हिल्स, हैदराबाद-500 034. तेलंगाना

Regional Office - Hyderabad,

First Floor, New Building, Administrative Staff College of India (ASCI), College Park Campus, Road No. 3, Banjara Hills, Hyderabad - 500 034, Telangana.

टेली / Tele : 040 - 29562147 / 48

ई-मेल / E-mail : rohyderabad@nhai.org
nhairohyd@gmail.com



NHAI/RO-HYD/25011/2/6/2019/Acc Permission/Re-Outlets/NH-44/2567

Dt.24/12/2019

Notice inviting public comments in respect of Extension of Time for 'in-principle' NOC

Sub: Proposal for grant of access permission to the proposed retail outlet by M/s.IOCL at km.59/882-917 (RHS) at survey no. 40/A/1 of Hyderabad-Bangalore Section of NH-44 at Balanagar Village, Balanagar Mandal, Mahabubnagar District in the State of Telangana-Reg.

Ref: 1. PIU Hyderabad lr. no. NHAI/PIU-HYD/NH-44/AP-3/IOCL/Km.59+882(RHS)/2019/1412, Dated 02.12.2019

This has reference to the letter vide reference cited above, wherein the proposal for grant of access permission to the proposed retail outlet by M/s.IOCL at km.59/882-917 (RHS) at survey no. 40/A/1 of Hyderabad-Bangalore Section of NH-44 at Balanagar Village, Balanagar Mandal, Mahabubnagar District in the State of Telangana was received at this office.

2. For the subject proposal, PD, PIU Hyderabad in the letter vide reference cited above and IE vide email dated 27.11.2019 has reported that earthen road which is recently black topped and which leads to private venture is existing at 203 m away from the proposed retail outlet (i.e., Km. 60/120).

3. As per Ministry vide OM No.RW/NH/33023/19/99-DO.III dated 24.07.2013, for non-urban (Rural) Stretch, the Distance of Retail Outlet from intersection with Rural/ approach roads to Private and Public Properties to be maintained is 300mm. However, from the Para 2 above, it is noticed that it is less than 300mm.

4. As per Ministry vide OM No.RW/NH/33023/19/99-DO.III dated 16.03.2016, the Highway Administrator will make available the relaxation proposal of Oil company for public comments, and the comments will be invited within 60 days from the day of uploading.

5. In view of the above, the comments from public on the above mentioned proposal is invited on public portal for access permission to fuel station on website of Ministry and Road Transport and Highways (www.morth.nic.in) as per Form-A (copy enclosed).

The Regional Officer,
National Highways Authority of India,
Regional Office: Hyderabad,
First Floor, New Building,
Administrative Staff College of India(ASCI),
College Park Campus, Road No.3,
Banjara Hills, Hyderabad - 500 034,
Telangana State,
Phone: 040-29562147, 040-29562148,
Email: rohyderabad@nhai.org, nhairohyd@gmail.com

Encl: As above

Yours faithfully,


(Keerthi Bharadwaj)

Deputy Manager (Tech)

For Regional Officer, Hyderabad

Copy to:- Senior Technical Director, NIC, Transport Bhawan, New Delhi- 110001 for uploading on Ministry's website.

कारपोरेट कार्यालय : जी-5 एवं 6, सेक्टर-10, द्वारका, नई दिल्ली - 110 075. वेबसाइट : <http://www.nhai.org>
Corporate Office : G-5 & 6, Sector -10, Dwaraka, New Delhi - 110 075 Website : <http://www.nhai.org>

FORM-A

Form for inviting public comments on the application for relaxation in the guidelines/norms for access permission to fuel stations, private properties, rest areas complexes and other such facilities along National Highways.

Sub: Proposal for grant of access permission to the proposed retail outlet by M/s.IOCL at km.59/882-917 (RHS) at survey no. 40/A/1 of Hyderabad-Bangalore Section of NH-44 at Balanagar Village, Balanagar Mandal, Mahabubnagar District in the State of Telangana- Reg

The comments by the general public needs to be given within 60 days of uploading the online application for comments

Sl. No	Item	Details
1	Name of the person who is desiring to give comments	
2	Address of the person	
3	Details of the application for access permission against which comments are being given (name of applicant and other details like site address etc.)	
	a) Application No.	
	b) Name of applicant (who applied to access permission)	
	c) Details of Application	
4	Whether the specific permission if given, shall cause any damage to Highways? If yes, please give details	
5	Whether specific permission if given, shall adversely affect safety and convenience of the traffic on the Highways? If yes, please give the details.	
6	Whether specific permission if given, shall adversely affect hygiene or cause nuisance and pollution on the Highways? If yes, please give the details.	



भारतीय राष्ट्रीय राजमार्ग प्राधिकरण

(सड़क परिवहन और राजमार्ग मंत्रालय)

National Highways Authority of India

(Ministry of Road Transport & Highways)

परियोजना कार्यान्वयन इकाई - हैदराबाद / Project Implementation Unit - Hyderabad

आवास सं : 25A & 28A, भारत का प्रशासनिक स्टाफ कॉलेज,

कॉलेज पार्क कैम्पस, सड़क सं : 3, बंजारा हिल्स, हैदराबाद - 500 034, तेलंगाना

Qtr.No. 25A & 28A, Administrative Staff College of India (ASCI), College Park Campus, Road No.3, Banjara Hills, Hyderabad- 500 034, Telangana

Land Mark : Near TV9 Bus Stop

टेली / Tele : 040 - 29550558

ई-मेल / E-mail : hyd@nhai.org

nhaihyd@gmail.com

NHAI/PIU-HYD/NH-44/ AP-3/IOCL/Km.59+882(RHS)/2019/1412.

02.12.2019

To

The Regional Officer

National Highways Authority of India

Regional Office, First Floor, New Building,

Administrative Staff College of India (ASCI),

College Park Campus, Road No.3

Banjara Hills, Hyderabad-500034, Telangana.



Sub: NHAI-PIU-HYD - Design, Construction, Development, Finance, Operation & Maintenance Stage of 4-lane divided carriageway from Km.22.300 (Thondupalli) to Km.80.306 (Jadcherla) of Hyderabad-Bangalore section of NH-44(Old NH No.7) in the state of Telangana on BOT (Toll) Basis under North-South Corridor (NHDP Phase-II) Package No. NS2/BOT/AP-3- **No Objection Certificate for proposed IOCL Retail Outlet at Km. 59/882-917(RHS) at Sy.no. 40/A/1 at Balanagar Village, Balanagar (M), Mahabubnagar District, Telangana State – Submitted for Approval - Reg.**

Ref: (1) M/s IOCL Ir. no. nil dated: 03.09.2019
(2) IE, Ir.no. AA/TL/AP03/NH-44/NHAI/2261/19-20/065 dated: 27.09.2019
(3) IE e-mail dated 27.11.2019
(3) MORTH Circular No. RW/NH-33023/19/99-DO-III dated: 24.07.2013

Sir,

This has reference to M/s Indian Oil Corporation Limited proposal submitted vide Ref.1st cited for No Objection Certificate for proposed IOCL Retail Outlet at Km. 59/882-917(RHS) at Sy.no. 40/A/1 at Balanagar Village, Balanagar (M), Mahabubnagar District, Telangana State. Along with the proposal, IOCL has given an undertaking to pay Rs.2,68,019/- (Rupees Two Lakh Sixty Eight Thousand and Nineteen Only) as one time license fee. The proposal in 2 sets (2 Original) each with the following documents is enclosed herewith and processing fee of Rs.10,000/- through <http://bharatkosh.gov.in> under Central Govt. Head of Account MH-1054, has been deposited:

1. Checklist
2. Undertakings for approach roads.
3. Signed copy of License Deed.
4. Rain Water Design calculations for culvert.
5. Population Certificate issued by Local MRO Office.
6. Affidavit issued by land owner
7. Copy of General Power of attorney
8. Copy of letter of intent
9. Copy of Land Documents.
10. Self copy of Layout plan of the retail outlet showing Deceleration and Acceleration lanes.
11. Self copy of 1.5 KM Radius Location Plan (Key Plan).
12. Self copy of Rainwater drain water plan.
13. Self copy of Index Map.

Contd...(2)

14. It is certified that "the License Agreement submitted by the applicant has been compared verbatim with latest Ministry's format given in MORTH Circular No. RW/NH-33023/19/99-DO-III dated 24.07.2013 and is found correct".

2. The applicant, M/s Indian Oil Corporation Limited has given undertaking that they will construct Deceleration/Acceleration lanes and other specified facilities at their own cost as per standards and specifications of NHAI.

3. Further, IE vide Ir. No. 065 dated: 27.09.2019 informed that the proposal complies with the check list of the Ministry guideline no. RW/NH-33023/19/99-DO-III dated: 24.07.2013 and provisional NOC may be granted. However, vide email dated 27.11.2019, IE has reported that an earthen road is existing at 203m away from the proposed outlet. Whereas as per MoRTH guidelines, the nearest intersection road of width >3.5m should not be less than 300m.

4. In view of the above, as per recommendation of IE, it is recommended for accord of access permission for proposed IOCL Retail Outlet at Km. 59/882-917(RHS) at Sy.no. 40/A/1 at Balanagar Village, Balanagar (M), Mahabubnagar District, Telangana State. On approval of the above proposal, the license Fee Rs. 2,68,019/- (Rupees Two lakhs Sixty Eight Thousand Nineteen Only) will be collected from M/s Indian Oil Corporation Limited as license fee.

Yours faithfully,

Encl: (i) 2 Sets of files

(ii) Ref. No. 0909190000831 dated: 09.09.2019 for Rs.10,000/-



(M. K.R. Kiran)

Project Director

Copy to:

1. M/s Indian Oil Corporation Limited, Secunderabad Divisional Office, Door No.9-1-83 & 84, Sarojini Devi Road, Secunderabad – 500003, Telangana State.
2. District Forest Officer, Mahabubnagar – With a request to notify damages of forest trees to be cut at the aforesaid location.

DETAILED REPORT



The location of proposed Retail Outlet of M/s IOCL on Hyderabad-Bangalore Section of NH- 44 is inspected by I.E and following observations are made:

1. The location of Retail Outlet falls at Km. 59.882-917 (RHS) in Sy.no. 40/A/1 at Balanagar Village Balanagar (M), Mahabubnagar District, Telangana State.
2. The stretch from Km 34.140 to Km 80.050 was four laned with divided carriageway in Sep, 2009.
3. The proposed siting of Retail Outlet is as under:

I	Location falls in	...	Plain terrain & Rural 60M & Divided carriageway
II	Distance from NH/SH/MDR	...	8630m (1000 m)
III	Distance from nearest intersection rural / approach roads	...	385 m (300 m) (203m) – 5m wide cart track
IV	Distance from nearest Check barrier/Toll plaza is	5592 m (1000 m)
V	Distance from nearest existing fuel station	4482 m (1000 m)
VI	Distance from nearest median opening	...	843 m (300 m)
VII	Distance from start of Grade Separator / Ramp	...	There is no grade separator/ramp within 500m (500m)

Figures shown in the brackets are minimum distance stipulations of MORT&H for considering the access permission to the fuel stations.

4. Further, M/s Indian Oil Corporation Limited has given undertaking that they will construct Deceleration/Acceleration lanes and other specified facilities at their own cost as per standards and specifications of NHAI.
5. The NOC proposal for the Retail Outlet submitted by M/s IOCL vide letter dated 03.09.2019 with the provisions of Service Road, deceleration & acceleration lanes, pavement composition, drainage system etc., is in accordance with the stipulations of MoRT&H on this subject (Circular No.RW/NH-33023/19/99-DO-III dated 24.07.2013).
6. As such, the NOC can be granted & permission can be accorded by the Competent Authority for proposed IOCL Retail Outlet at Km. 59.882(RHS) in Sy.no. 40/A/1 at Balanagar Village Balanagar (M), Mahabubnagar District, Telangana State.


(M. K.R. Kiran)
Project Director


Letter No. AA/TL/AP03/NH-44/NHAI/2261/19-20/065

Date: 27th September, 2019.

To
The Project Director,
National Highways Authority of India,
PIU-Hyderabad.

Sub: Independent Engineer Services during Operation & Maintenance Stage of 4-lane divided carriageway from Km.22.300 (Thondupalli) to Km.80.306 (Jadcherla) of Hyderabad-Bangalore section of NH-44(Old NH No.7) in the State of Telangana on BOT (Toll) Basis under North-South Corridor (NHDP Phase-II) Package No. NS2/BOT/AP-3 **Request to furnish the detailed report**

Ref: - NHAI Letter no. NHAI/PIU-HYD/NH-44/AP-3/IOCL/Km. 59.882(RHS)/2019/1097 Dt 20.09.2019


Dear Sir,

This has a reference to the above cited letter wherein we are requested to furnish the detailed report regarding the access to project highway M/s. IOCL Retail Outlet at Sy.No. 40/A/1 at Km. 59/882- 917 (RHS) Balanagar Village.

In view of the above, we have carried out site inspection and also reviewed the drawing inline with MoRTH circular no. RW/NH-33023/19/99-DO-III dated 24.07.2013. We found that the details furnished by applicant confirming to IRC : 12-2016.

Thanking you and assuring the best of our Services at all times.

With best regards
for Aarvee Associates Architects Engineers & Consultants Pvt. Ltd.,


M.G. Basha
Team Leader
Thondupalli - Jadcherla Project

Copy to: The Authorized Signatory, Aarvee Associates Architects Engineers & Consultants Pvt. Ltd.,
Hyd.



PIU,NHAI, HYDERABAD <nhaihyd@gmail.com>

AP-3 : Our Lr.no. AA/065 Reg. Detailed report on IOCL

2261 Jadcherla <om2261jadcherla@aarvee.net>
To: "PD, NHAI, HYD" <nhaihyd@gmail.com>

Wed, Nov 27, 2019 at 10:34 AM

Dear Sir,

With reference to your trailing mail dated November 4th, report regarding M/s. IOCL Retail Outlet at Sy. No. 40/A/1 at Km. 59/882- 917 our comments are: -

- 1) An earthen road is existing at 203 m away from the proposed outlet location, which is not intersecting at any point of highway it was black top recently by a private venture firm which has access only to their plots
- 2) As per MoRTH Check list of stipulated Norms for fuel stations of clause no 1.2.1, The earthen road less than 3.5 M width carriageway shall be at minimum distance of 100m. As per site a small approach which is 110 mtr away from proposed station was formed for hauling of materials during highway construction and is still existing.
- 3) As per MoRTH Check list of stipulated Norms for fuel stations of clause no 1.2.1, intersecting with any category of roads of carriageway width of 3.5 m and above with minimum distance of 300m. But at site it is 385 m away from the proposed outlet location.
- 4) Line diagram is attached for your Ready reference.

The detailed report is submitted vide our letter no :-AA/TL/AP-03/NH-44 /NHAI/2261/19-20/065, Dated 27th September 2019.

This is for your information.

Regards,
TL Office
AP-03 Project
Shamshabad


From: "PD, NHAI, HYD" <nhaihyd@gmail.com>
To: "2261 Jadcherla" <om2261jadcherla@aarvee.net>
Sent: Monday, 4 November, 2019 17:59:07
Subject: Re: AP-3 : Our Lr.no. AA/065 Reg. Detailed report on IOCL

[Quoted text hidden]

HYDERABAD



BANGALORE



KM. 59.882

±10 MTS

SMALL EARTHEN ROAD

END OF BALANAGARI SERVICE ROAD



PROPOSED IOCL RETAIL
OUTLET

GOVT SCHOOL

ACCESS TO PRIVATE VENTURE

INTERSECTING ROAD