



सत्यमेव जयते

भारतीय राष्ट्रीय राजमार्ग प्राधिकरण

(सड़क परिवहन और राजमार्ग मंत्रालय, भारत सरकार)

National Highways Authority of India

(Ministry of Road Transport & Highways, Govt. of India)

क्षेत्रीय कार्यालय : एफ-120, जनपथ, श्याम नगर, जयपुर-302019

Regional Office : F-120, Janpath, Shyam Nagar, Jaipur-302019

Tel. (O) / फोन : (ऑ.) 0141-2292056, 2292049

E-mail / ई-मेल : rojaipur@nhai.org Web./ वेब : www.nhai.gov.in



No.: NHAI/18013/1/2021-ROJ/Permission-Laying OFC/Jio Digital/22/NH-148D, Km 225.575 to 255.400/271 Date: 22.04.2022

INVITATION OF PUBLIC COMMENTS

- Sub.: Proposal for grant of ROW permission for laying of OFC from Nainwa Gate to Mendi along from Km. 225+575 to km. 255+400 for total section of 29.825 km. length along Gulabpura-Uniyara section of NH-148D in the state of Rajasthan by M/s. Jio Digital Fiber Pvt. Ltd.- reg.
- Ref.: 1. M/s. Reliance Jio letter no. JDFPL/MoRTH/SW/01 dated 12.07.2021, letter no 02 dated 10.08.2021 and letter dated 01.12.2021.
2. PD, PIU-Sawaimadhopur letter no. NHAI/PIU-SWM/NH-148D/13016/3/2019/ XP/1296 dated 28.02.2020.
3. This office letter no. NHAI/18013/1/2020-ROJ/Permission-OFC/NH-148D/5103 dated 17.03.2020.
4. PD, PIU-Sawaimadhopur letter no. NHAI/PIU-SWM/NH-148D/13016/3/2021/XP/37/4847 dated 28.03.2022.

Sir,

It is to inform all concern that M/s. Jio Digital Fiber Pvt. Ltd. (Reliance Jio) vide letter under reference (1) has submitted a proposal for the subjected work and PD, NHAI, PIU, Sawaimadhopur has submitted the above proposal vide letter under reference (2) & (4) for approval of the Competent Authority, Highway Administration.

2. The proposal is for grant of permission for laying of OFC from Nainwa Gate to Mendi along from Km. 225+575 to km. 255+400 for total section of 29.825 km. length along Gulabpura-Uniyara section of NH-148D in the state of Rajasthan by M/s. Jio Digital Fiber Pvt. Ltd..

3. As per Para-4 of Ministry's Circular No. RW/NH-33044/29/2015S&R(R) dated 22.11.2016, the Highway Administration shall be put out in the public domain for 30 days for seeking claims and objections (on grounds of public inconvenience, safety and general public interest).

4. In view of the above, before approval of the competent authority, the comments/objections of affected public is hereby invited with reference to the Ministry's circular dated 22.11.2016 due to laying OFC on the subjected stretch. The objections/comments may be addressed to the below mentioned address upto 21.05.2022, beyond due date, no comments/objections will be accepted.

The Regional Officer, Regional Office - Jaipur

National Highways Authority of India,

F-120, Janpath, Shyam Nagar, Jaipur (Raj.)-302019,

Tel : 0141-2292049, 2292054 Email : rojaipur@nhai.org

This is issued with the approval of the Regional Officer, NHAI, RO, Jaipur (Rajasthan).

Yours faithfully,

(K R Chouhan)

Dy. General Manager (1)

- Copy to: (i) Web Admn., NHAI, HQ, New Delhi - for uploading in NHAI's website [web-admin@nhai.org]
- (ii) Director, NIC, New Delhi - for uploading in Ministry's website. [mansoor@nic.in]
- (iii) PD, PIU-Sawaimadhopur: for information.
- (iv) M/s. Jio Digital Fiber Pvt. Ltd., 1st Floor, Anand Bhawan, Sansar Chandra Road, Jaipur (Raj.)-302001: for information.



सत्यमेव जयते

भारतीय राष्ट्रीय राजमार्ग प्राधिकरण

National Highways Authority of India

(सड़क परिवहन और राजमार्ग मंत्रालय, भारत सरकार)

(Ministry of Road Transport & Highways, Government of India)

परियोजना कार्यान्वयन इकाई-सवाई माधोपुर

मकान नं० 12, श्याम सरोवर, पटेल नगर, आलनपुर, सवाई माधोपुर - 322021 (राज.)

Project Implementation Unit - Sawai Madhopur

House No. 12, Shyam Sarover, Patel Nagar, Alanpur, Sawai Madhopur - 322021 (Raj.)

Ph. No. : 07462-294310, E-mail / ई-मेल : piusawaimadhapur@nhai.org, Web. / वेब : www.nhai.gov.in



5

NHAI/PIU-SWM/NH-148D/13016/3/2021/XP/37/4847

28.03.2022

सेवा में,

श्रीमान् मुख्यमहाप्रबंधक(तक०)सह
क्षेत्रीय अधिकारी, जयपुर
क्षेत्रीय कार्यालय, राजस्थान,
भारतीय राष्ट्रीय राजमार्ग प्राधिकरण
एफ-120, जन पथ, श्याम नगर,
जयपुर (राजस्थान) - 302019



KP
MKS

विषय- राष्ट्रीय राजमार्ग संख्या 148-डी गुलाबपुरा उनियारा पथांश के दो लेन मय पेव्ड शोल्डर के निर्माण कार्य हेतु- **Proposal for grant of ROW permission for laying of OFC from Nainwa Gate to Mendi along from km. 225+575 to km. 255+400 for total section of 29.825 km. length along Gulabpura-Uniara section of NH-148D in the state of Rajasthan**

- प्रसंग-1. Your office letter no. RJIL/OFC/Nainwa to Mendi-1910 dated 18.07.2019.
2. This office letter no. NHAI/PIU-SWM/NH-148D / 13016 / 3 / 2019 / XP / 37 / 1296 dated 28.02.2020.
3. NHAI, RO-Jaipur letter no. NHAI/18013/1/2020-ROJ/Permission-OFC/NH-148D/5103 dated 17.03.2020. **(Copy Enclosed).**
4. This office letter no. NHAI/PIU-SWM/NH-148D / 13016 / 2 / 2019 / XP / 37 / 1470 dated 24.06.2020.
5. Authority Engineer letter n TES/G-U/NH-148D/NHAI/2020/20/2473 dated 07.10.2020.
6. Reliance Jio letter No. NIL dated NIL.
7. This office letter no. NHAI/PIU-SWM/NH-148D / 13016 / 2 / 2019 / XP / 37 / 1944 dated 03.12.2020.
8. Reliance Jio letter No. JDFPL/Morth/SW/01 dated 12.07.2021.
9. This office letter no. NHAI/PIU-SWM/NH-148D / 13016 / 2 / 2019 / XP / 37 / 3681 dated 04.08.2021.
10. Reliance Jio letter No. JDFPL/Morth/SW/02 dated 10.08.2021. (Received in this office on 23.08.2021.)
11. This office letter no. NHAI/PIU -SWM/ NH-148D / 13016 / 2 / 2019 / XP / 37 / 3944 dated 25.09.2021.
12. Bank Guarantee & License fee receipt submitted by JIO Digital Fiber Pvt. Ltd on 01.12.2021
13. M/s Canara Bank, Sawaimadhapur email dated 28.02.2022

Sir,

Proposal for grant of Permission for laying of fibre cable from Km 225+575 to 255+400 for Total section of 29.825 Kms. Nainwa Gate to Mendi (ROW) along Gulabpura-Uniara NH148D applied in the state of Rajasthan pertaining to M/s. Jio Digital Fiber Private Limited was received by this office vide letter (ref-1) dated 18.07.2019.

- 2] Subsequently, this office vide letter dated 28.02.2020 (ref-2) forwarded the proposal to Competent Authority for approval.
- 3] Competent Authority vide letter dated 17.03.2020 (ref-3) conveyed the observations for its compliances.
- 4] This office vide letter under ref-4 had forwarded the observations raised by RO-Jaipur for compliances by Applicant.
- 5] M/s. Jio Digital Fiber Private Limited resubmitted the proposal vide its letter dated 10.08.2021 (ref-10) after compliances of the observations raised by Competent Authority.
- 6] This office vide above referred letter (11), wrote to the Authorized Signatory of M/s. Jio Digital Fiber Private Limited to furnish a Bank Guarantee for an amount of **Rs. 33,82,500/- (as determined by Authority Engineer) favoring of Project Director, National Highways Authority of India, PIU - Sawaimadhopur as per MoRTH Guidelines and the License Fee for an amount of Rs. 95,677.51/- (as determined by Authority Engineer) against use of NH Land through Bharat Kosh Portal (www.Bharatkosh.gov.in).**
- 7] M/s. Jio Digital Fiber Private Limited submitted the Bank Guarantee and receipt of deposition of License Fee on 01.12.2021. Issuance of Bank Guarantee has got confirmed as per NHAI's extant guidelines. (ref-13)
- 8] In view of the above, the proposal as submitted by M/s. Jio Digital Fiber Private Limited for grant of permission for laying of fiber cable from Km. 225+575 to Km. 255+400 for Total section of 29.825 Kms. along Gulabpura-Uniara NH148D, Nainwa Gate to Mendi (ROW) applied in the state of Rajasthan is recommended for consideration and approval of Competent Authority.

भवदीय

(मनोज कुमार शर्मा)
परियोजना निदेशक

अनु: यथोक्त


Copy to- **Authorized Signatory, M/s. Jio Digital Fiber Private Limited 1st floor, Anand Bhawan, Sansar Chandra Road, Jaipur-302001-** for kind information please.

CHECK- LIST


1


Guidelines for processing the proposal for laying of OFC CABLE in the land along National Highways vested with NHA/PWD/BRO.

1	General information	LAYING OF OFC CABLE FOR PUBLIC UTILITY
2	Name and Address of the Application/ Agency	RELIANCE JIO INFOCAOM LIMITED at 9 th Floor, Maker Chambers IV, Nariman Point, Mumbai 400021
3	Nation highway No.	NH-148D
4	State	Rajasthan
5	Location	MENDI- NAINWA
6	Chainage in Km	225+575 TO 255+400
7	Length in Km	29.825 km
8	Width of available ROW in both side	15.00M ONE SIDE (30.00 OVERALL) 22.50 M BOTH SIDE (45.00M OVERALL)
9	Side of (left or right side of NH towards increasing chainage/ km direction)	RIGHT SIDE AND LEFT SITE
10	NAME OF Highway Authority of NHAI/PWD/BRO	PROJECT DIRECTOR NAHI PIU BUNDI
11	Highway Administration address	REGIONAL OFFICER Ministry of Road Transport & Highway DCM- Ajmer Road, Jaipur (Raj.)



M. L. Kalwar
Resident Engineer
T.E.S. HINDOLI





प्रबंधक (सक.)
Engineer (Tech.)
प्रा. प्रकाई-सवाई माधोपुर
NAHI PIU, S'VM



परियोजना निदेशक
आ. प्रकाई-सवाई माधोपुर

S.No.	Item	Measurement Observation as per site condition	Morth Norms	Whether Complying with Morth Norms
1	Details of already laid utility service, if any		Enclosed	New NH Hence NA
2	Whether up gradation of the stretch in near future is proposed or not			
	(a) if yes provision of utility adversely affect the plan of up-gradation		Not affect plan of UP gradation	NO
3	Laying of the utility service the National Highway			
3.1	Location of proposed utility service stretch		Utility Duct/ beyond the toe line of the embankment and drains, and close to the extreme edge of the ROW	YES
3.2	Depth of top utility service from ground level		0.6 meter	YES
3.3	Mechanism for crossing from ground		Through utility duct(if provision exists) or beneath the bed of water channel	YES
3.4	Whether ROW is restricted in this stretch	YES $225+450 - 225+900 =$		YES Also - Restricted Length Ch. 225+575 to 225+900 = 0.325 KM Ch. 239+350 to 239+700 = 0.350 KM Total - 0.675 KM
3.4.1	If yes, whether provision of land acquisition is required to lay utility			NO
	(a) If , yes whether undertaking for land acquisition along with relevant L.A. details has been furnished			NA
3.4.2	Width of concrete duct, if utility services are proposed to be laid in concrete ducts		Not less than one lane	YES
4	Laying of utility services across the NH			
4.1	Whether Exiting drainage structures is allowed to carry the utility lines		Not to be allowed	NO
4.2	Proposed crossing of utility services		Perpendicular	YES
4.3	Type of casing pipe/ conduit carrying the utility line		Steel, cast iron, or reinforced cement concrete and have adequate strength	YES


M.L. Kalwar
Resident Engineer
T.E.S. HINDOLI




प्रबंधक (सक.)
Manager (Tech.)
भारतवासी पकई-सवाई माधोपुर
NH-14, P.M. S/NM


परिचालन निदेशक
भारतवासी पकई-सवाई माधोपुर

4.4	Whether ends of the casing/conduit pipe are sealed from the outside		Sealed	YES
4.5	Length of casing/conduit pipe are sealed from the outside		Extend from drain to drain in cuts and toe to toe of slope in the fills	YES
4.6	Depth of top of the casing/conduit pipe		At least 1.2m below the top of subgrade	YES
4.7	Crossing method in case of cc Pavement.		Only boring method(HDD)	NA
4.8	Horizontal and vertical clearances in case utilites are allowed overhead		In accordance with IRC codes	YES
5	Documents/Drawings enclosed with the proposal			
5.1	Cross-Section showing the size of trench for open trenching method		Enclosed if applicable	YES
	(a)Trench Width		More than 30cm and less than 60cm wider than the outer diameter of the utility pipe	YES
	(b)Filling of trench		Sa per Ministry guidelines vide letter NO.RW/NH340 44/29/2015/S& R (R) dated 22.11.2016	YES
	(c)Location of trench		Extreme edge of ROW	YES
5.2	Cross section showing the size of pit and location of conduit for HDD method		Enclosed if applicable	YES
5.3	Strip plan/Route plan showing utility line, chain age, width of ROW, distance of proposed utility from the edge of ROW, important mile stone, intersections, cross drainage works etc.		Enclosed	YES
5.4	Plan and profile drawing of stretch showing cross section of road at 20m. distance along with ROW and proposed utility		Plan Enclosed	Enclosed
6	Methodology for laying of utility line		Enclosed	Methodology to be Mentioned
7	Draft License Agreement is as per Ministry guidelines vide letter No.		Enclosed	YES


M. I. Kohli
M. I. Kohli

30/11/2016
प्रबंधक (सि.क.)
Manager (Tech.)
भारतीय नगरपालिका विकास प्राधिकरण
नयाँ दिल्ली




परियोजना निदेशक
परियोजना निदेशक
परियोजना निदेशक

8	License fees in favor of MORTH RPAO Jai.		As per Ministry vide circular no. RE/NH33044/29/2015/S&*dated 22.11.2016	
9	Whether Bank Guarantee has been obtained		As per Ministry vide circular no. RE/NH33044/29/2015/S&*dated 22.11.2016	
	(a)if yes, whether, Confirmation of BG has been obtained as per MORTH/NHAI guidelines		Yes	
10	Affidavit/Undertaking from the Applicant for			
10.1	Undertaking for not to damage other existing utility, if damaged than to pay the losses to either to MORET/NHAI or to the concerned agency			
10.2	Undertaking for renewal of Bank Guarantees and when by NHAI/MORTH			
10.3	Undertaking for confirming all standard condition of MoRTH/NHAI guidelines.			
10.4	Undertaking for Shifting of Utility as and when asked by MoRTH/NHAI within a month at their own cost			
10.5	Undertaking for Indemnity against all damages and claims.		Enclosed	
10.6	Undertaking for management of traffic movement during laying of utility line without hampering the traffic		Enclosed	
10.7	Undertaking that if any claim is raised by the concessionaire/contractor then the same has to be paid by the applicant Undertaking that the applicant has obtained various safety clearances from the representative authorities such as directorate of Electricity, chif controller of Explosives,		Enclosed	
10.8	Petroleum and Explosive safety Organization, Oil Industry Safety Directorate, State/Central pollution control Board and any other statutory clearances applicable, before applying to Highway Administration			


M. L. Kalwar
 Resident Engineer

प्रबंधक (तक.)
 Manager (Tech.)
 रावईगांधीपुर




 परिचालन निदेशक
 रावईगांधीपुर

5

The Right of the Way (ROW) of the National Highway available at the proposed location from the Center line of divided carriageway is (.....)m (from center of ROW to edge of ROW towards proposed utility)

The above particulars along with the drawings and documents have been verified and certified as correct as per prevailing site conditions.

[Name Designation and signature of the
Authorized representative of applicant]



प्रबंधक (तक.)
Manager (Tech.)
भाराराप्रा पकाई-सवाईमाधोपुर
NHAI PIU, SWM

[Name Designation and signature of
Concerned field authority of NHAI/PIU/D/BRO]

भाराराप्रा, पकाई-सवाईमाधोपुर



M. L. Kalwar
Resident Engineer
T.E.S. HINDOLI