



सत्यमेव जयते

भारतीय राष्ट्रीय राजमार्ग प्राधिकरण

(सड़क परिवहन और राजमार्ग मंत्रालय, भारत सरकार)

National Highways Authority of India

(Ministry of Road Transport & Highways, Govt. of India)

क्षेत्रीय कार्यालय : एफ-120, जनपथ, श्याम नगर, जयपुर-302019

Regional Office : F-120, Janpath, Shyam Nagar, Jaipur-302019

Tel. (O) / फोन : (ऑ.) 0141-2292056, 2292049

E-mail / ई-मेल : rojaipur@nhai.org Web. / वेब : www.nhai.gov.in



No: NHAI/18013/1/2020-ROJ/Permission-UG Crossing Gas Pipeline/AGP CGD/191/NH-25 km 26.172/2745 Date: 20.12.2022

INVITATION OF PUBLIC COMMENTS

Sub.: Proposal for grant of permission for laying proposed 8" dia Steel Gas Pipeline encased in 14" dia casing underground crossing across NH-25 (Sangariya Bypass Jodhpur Ring Road) by HDD method for 60 mtr at Ch. 26.172 to develop City Gas Distribution Network in Jodhpur City and its surrounding areas en-route NH under Jodhpur Geographical area by M/s. AGP CGD India Pvt. Ltd. - Reg.

Ref.: (i) M/s. AGP CGD India Pvt. Ltd. letter no. AGP/CGD/BJJ/BGAU/2022-8 dated 12.07.2022.

(ii) PD, PIU-Jodhpur letter no. 17016/2022/JRR/NH-Crossing/2825 dated 22.11.2022.

Sir,

It is to inform all concern that M/s. AGP CGD India Pvt. Ltd., Jodhpur vide letter under reference (i) has submitted a proposal to NHAI for the subjected work and PD, NHAI, PIU, Jodhpur has forwarded the above proposal to this office vide letter under reference (ii) for approval of the Competent Authority, Highway Administrator.

2. The proposal is regarding permission for crossing proposed 8" dia Steel Gas Pipeline encased in 14" dia casing underground crossing across NH-25 (Sangariya Bypass Jodhpur Ring Road) by HDD method for 60 mtr at Ch. 26.172 to develop City Gas Distribution Network in Jodhpur City and its surrounding areas en-route NH under Jodhpur Geographical area by M/s. AGP CGD India Pvt. Ltd.

3. As per Para-4 of Ministry's Circular No. RW/NH-33044/29/2015S&R(R) dated 22.11.2016, the Highway Administration shall be put out in the public domain for 30 days for seeking claims and objections (on grounds of public inconvenience, safety and general public interest).

4. In view of the above, before approval of the competent authority, the comments/objections of affected public is hereby invited with reference to the Ministry's circular dated 22.11.2016 due to crossing 8" dia Steel Gas Pipeline encased in 14" dia casing underground crossing across NH-25 (Sangariya Bypass Jodhpur Ring Road) by HDD method for 60 mtr at Ch. 26.172 to develop City Gas Distribution Network in Jodhpur City and its surrounding areas en-route NH under Jodhpur Geographical area by M/s. AGP CGD India Pvt. Ltd. The objections/comments may be addressed to the below mentioned address upto 19.01.2023, beyond due date, no comments/objections will be accepted.

The Regional Officer, Regional Office - Jaipur

National Highways Authority of India,

F-120, Janpath, Shyam Nagar, Jaipur (Raj.)-302019,

Tel : 0141-2292049, 2292054 Email : rojaipur@nhai.org

This issues with the approval of Highway Administration-cum Regional Officer, NHAI, Jaipur

Yours faithfully,



(Mansoor Khoda)

Manager (Tech.)

Copy to: (i) Web Admn., NHAI, HQ, New Delhi - for uploading in NHAI's website [web-admin@nhai.org]

(ii) Director, NIC, New Delhi - for uploading in Ministry's website. [mansoor@nic.in]

(iii) PD, PIU-Jodhpur: for information.

(iv) M/s. AGP CGD India Pvt. Ltd., Jodhpur: for information.



भारतीय राष्ट्रीय राजमार्ग प्राधिकरण

(सड़क परिवहन एवं राजमार्ग मंत्रालय, भारत सरकार)

National Highways Authority of India

(Ministry of Road Transport & Highways, Government of India)

परियोजना कार्यान्वयन इकाई, जोधपुर – 188, उम्मेद हैरिटेज, रातानाड़ा,

जोधपुर – 342011 (राजस्थान)

Project Implementation Unit- Jodhpur – 188, Umaid Heritage, Ratanada

Jodhpur – 342011 (Rajasthan), फोन / Tel. : 0291-2510065, 2511165

ई-मेल : jodhpur@nhai.org, jodhpurpiu3@gmail.com



3

No.: 17016/1/2022/JRR/NH Crossing/ 2825

Date: 22.11.2022

To,

The Chief General Manager (Tech.)
National Highway Authority of India,
Regional Office, F-120, Janpath,
Shyam Nagar, Jaipur (Raj) 302019



MID MK
28/11/22

Sub: Permission for laying proposed 8" dia Steel Gas Pipeline encased in 14" dia casing underground across NH-25 (Sangariya Bypass Jodhpur Ring Road) by HDD method for 60 mtr at Ch. 26.712 to develop City Gas Distribution Network in Jodhpur City and its surrounding areas en-route National Highway under Jodhpur Geographical area.

- Ref:**
1. Your office letter no. NHAI/22025/1/2022/RO- Jaipur/BG/2170 dated 13.10.2022
 2. This office letter no. NHAI/PIU-Jod/2022/BG-Conf./2414 dated 04.10.2022
 3. M/s AGP CGD India Private Limited office letter no. AGP/CGD/BJJ/BGAU/2022-8 dated 12.07.2022
 4. This office letter no. 17016/1/2022/JRR/NH Crossing/1254 dated 18.05.2022
 5. IE office letter no. CEG/JRR/OFC-Pipeline/2021-22/1344 dated 05.05.2022
 6. This office Letter no. 17016/1/2022/JRR/NH Crossing/763 dated 21.03.2022
 7. IE office letter no. CEG/JRR/OFC-Pipeline/2021-22/1320 dated 11.03.2022
 8. This office Letter no. 17016/1/2022/JRR/NH-Crossing/464 dated 17.02.2022
 9. M/s AGP CGD India Private Limited office letter no. AGP/Jodhpur/NHAI/Sangariya Bypass/2022/01 dated 04.02.2022

Dr. Mangal
27/11

Sir,

M/s AGP CGD India Private Limited vide letter under ref.(9) has submitted proposal for laying proposed 8" dia Steel Gas Pipeline encased in 14" dia casing underground across NH-25 (Sangariya Bypass Jodhpur Ring Road) by HDD method for 60 mtr at Ch. 26.712 to develop City Gas Distribution Network in Jodhpur City and its surrounding areas en-route National Highway under Jodhpur Geographical area.

The same was forwarded to the Independent Engineer vide letter under ref.(8) deployed on project captioned to scrutinize the proposal in accordance with the Ministry's guidelines, issued vide letter no. RW/NH-33044/29/2015 S&R(R) dated 22.11.2016 and was asked to submit comments / recommendation. Independent Engineer vide letter under ref.(7) submitted recommendation after examination of proposal in the light of Ministry Guidelines.

This office vide letter under ref. (6) observed following are as under:-

1. Team Leader signature is missing in checklist.
2. Verification of amount of BG and licences fee is not done.
3. Please confirm that all undertaking & agreement are as per guidelines.
4. There is no clear recommendation for the proposal.

Independent Engineer vide letter under ref. (5) vide which submitted compliance of observation and recommendation after examination of proposal in the light of Ministry Guidelines.

Vide this office letter no. 1254 dated 18.05.2022 a demand note for license fee and Bank Guarantee in accordance with Ministry Circular no. RW/NH-33044/29/2015 S&R(R) dated 22.11.2016 was issued to M/s AGP CGD India Private Limited for submission Bank Guarantee & Licence fees.



भारतीय राष्ट्रीय राजमार्ग प्राधिकरण

(सड़क परिवहन एवं राजमार्ग मंत्रालय, भारत सरकार)

National Highways Authority of India

(Ministry of Road Transport & Highways, Government of India)
परियोजना कार्यान्वयन इकाई, जोधपुर - 188, उम्मेद हैरिटेज, रातानाड़ा,
जोधपुर - 342011 (राजस्थान)

Project Implementation Unit- Jodhpur - 188, Umaid Heritage, Ratanada
Jodhpur - 342011 (Rajasthan), फोन / Tel. : 0291-2510065, 2511165

ई-मेल : jodhpur@nhai.org, jodhpurpiu3@gmail.com



M/s AGP CGD India Private Limited vide their letter no. AGP/CGD/BJJ/BGAU/2022-8 dated 12.07.2022 submitted Bank Guarantee & Licence fees. This office vide letter no. NHAI/PIU-Jod/2022/BG-Conf./2414 dated 04.10.2022 has requested RO-Jaipur for confirmation of the BG on SFMS portal. Further, RO-Jaipur vide letter no. NHAI/22025/1/2022/RO- Jaipur/BG/2170 dated 13.10.2022 has confirmed that the BG is Shown on SFMS portal.

Hence proposal submitted by M/s AGP CGD India Private Limited for granting permission for laying proposed 8" dia Steel Gas Pipeline encased in 14" dia casing underground across NH-25 (Sangariya Bypass Jodhpur Ring Road) by HDD method in 60 mtr length at Ch. 26.712 to develop City Gas Distribution Network in Jodhpur City and its surrounding areas en-route National Highway under Jodhpur Geographical area is being submitted along with documents details as under:-

- 1) As per MORTH circular dated 22.11.2017 license agreement on 500/- Rs. Stamp and under taking as per SI No. 10.0 to 10.8 are enclosed.
- 2) DLC rates duly verified by Revenue Office are enclosed.
- 3) Certified calculation sheet showing calculation amount of Licence Fee and Bank Guarantee is enclosed.
- 4) Incumbent has deposited Licence fee in 'Bharat Kosh' vide Transaction Reference No. 2406220010596 dated 22.11.2022.

In view of above, the detailed proposal is herewith submitted with recommendation of PIU for accord of approval of Competent Authority.

Thanking you,

Yours faithfully,

Encl: (2 Original, 1 Copy)

22/11/2022
(Ajay Bishnoi)
Project Director

Copy to: 1. M/s Consulting Engineer Group Ltd.: for information.
2. M/s Jodhpur Ring Road Pvt. Ltd. Jodhpur for information.
3. M/s AGP CGD India Private Limited for information.

CHECK- LIST

Guidelines for processing the proposal for laying of Utility line in the land along/across National Highways vested with NHAI.

Ministry Circular No-RW/NH 330044/29/2015/S&R@ Dated 22/11/2016.


General Information

Sr. No.	Description	Information /Status
1	Name and Address of the Applicant/Agency	AGP CGD India Private Limited 2 nd floor, Sun Tower Building, Pal Road, Jodhpur - 342001
2	National Highway Number	NH 25
3	State	Rajasthan
4	Location	Sangariya Bypass, Jodhpur
5	Chainage in KM	@ Ch. 26.712 km
6	Length in Meters	60 m
7	Width of available ROW in both side	60 m
8	Side of NH (left or right side of NH towards increasing chainage/Km direction)	ACROSS: 1. @ Ch. 26.712 km
9	Name of Highway Authority of NHAI	The Project Director National Highway Authority of India 148, Umaid Heritage, Ratanada, Jodhpur, Rajasthan-342001
10	Highway Administration address	Project Director NHAI, Jodhpur


Project Director
NHAI
PIU Jodhpur


J. M. MEHTA
Team Leader
Jodhpur Ring Road Project


S. L. MATHUR
Resident Engineer
Jodhpur Ring Road Project


Manager (Tech)
NHAI, PIU Jodhpur



Sr. No	Item	Measurement, Observations as per site conditions	MORTH Norms	Whether complying with MORTH Norms
1	Details of already laid utility service, if any	NO	Enclosed	Complying
2	Whether up gradation of the stretch in near future is proposed or not	NO		N/A
	(a) If yes, provision of utility adversely affect the plan of up-gradation	Will not affect the up gradation. Proposed Structures are shown in Plan Drawing.	Not affect plan of up-gradation	N/A
3	Laying of the utility service along the National Highways.			
3.1.	Location of proposed utility service along the stretch	NO	Utility Duct/ beyond the toe line of the embankment and drains, and close to the extreme edge of the RoW.	
3.2	Depth of top of utility service from ground level	Minimum 2.5 m	0.6 meter	complying
3.3	Mechanism for crossing water channel	Beneath the bed of Water Channel	Through utility duct(if provision exists) or beneath the bed of water channel	Complying
3.4	Whether ROW is restricted in this stretch?	NO		N/A

Project Director

NHAI

PIU Jodhpur

Manager (PIU)
NHAI, PIU Jodhpur


S. L. MATHUR
Resident Engineer
Jodhpur Ring Road Project


J. M. MEHTA
Team Leader
Jodhpur Ring Road Project




Sr. No	Item	Measurement. Observations as per site conditions	MORTH Norms	Whether complying with MORTH Norms
3.4.1	If yes, whether provision of land acquisition is required to lay utility	N/A		N/A
	(a) If yes, whether undertaking for land acquisition along with relevant L.A. details has been furnished	N/A		N/A
3.4.2	Width of concrete duct, if utility services are proposed to be laid in concrete ducts	N/A	Not less than one lane	N/A
4	Laying of utility services across the NH			
4.1	Whether Existing drainage structures is allowed to carry the utility lines.	NO	Not to be allowed	N/A
4.2	Proposed crossing of utility service	NO	Perpendicular to NH	Complying
4.3	Type of casing pipe/conduit carrying the utility line.	STEEL	Steel, cast iron, or reinforced cement concrete and have adequate strength	Complying
4.4	Whether ends of the casing/conduit pipe are sealed from the outside	SEALED	Sealed	Complying
4.5	Length of casing/conduit pipe crossing NH.	60 m Length 14" Dia	Extend from drain to drain in cuts and toe to toe of slope in the fills	Complying
4.6	Depth of top of the casing/conduit pipe.	Minimum 2.5 M	At least 1.2 m below the top of subgrade	Complying
4.7	Crossing method in case of CC pavement.	HDD	Only boring method (HDD)	Complying


Manager (Tech)
NHAI, PIU Jodhpur


S. L. MATHUR
Resident Engineer
Jodhpur Ring Road Project



Project Director
NHAI
PIU Jodhpur







J. M. MEHTA
Team Leader
Jodhpur Ring Road Project

Sr. No	Item	Measurement. Observations as per site conditions	MORTH Norms	Whether complying with MORTH Norms
4.8	Horizontal and vertical clearances in case utilities are allowed overhead,	N/A (Underground Only)	In accordance with IRC codes.	N/A
5	Document / Drawings enclosed with the proposal	Yes Enclosed		
5.1	Cross-Section showing the size of trench for open trenching method		Enclosed, if applicable	
	(a) Trench width	700 mm	More than 30 cm and less than 60 Cm wider than the outer diameter of the utility pipe	
	(b) Filling of trench	As per Ministry Guidelines.	As per Ministry guidelines vide letter No. RW/NH-34044/29/2015/S&R (R) dated 22.11.2016	
	(c) location of trench	Extreme edge of available ROW Space.	extreme edge of the ROW	
5.2	Cross section showing the size of pit and location of conduit for HDD method	Yes Enclosed	Enclosed, if applicable	Complying
5.3	Strip plan/ Route plan showing utility line, chainage, width of ROW, distance of proposed utility from the edge of ROW, important mile stone, intersections, cross drainage works etc.	Yes Enclosed	Enclosed	Complying
5.4	Plan and profile drawing of stretch showing cross section of road at 20m distance along with ROW and proposed utility	Yes Enclosed	Enclosed	Complying
6	Methodology for laying of utility line	Yes Enclosed	Enclosed	Complying
7	Draft License Agreement is as per Ministry guidelines vide letter No. RW/NH-34044/29/2015/S&R (R) dated 22.11.2016 and signed by two witnesses	Yes Enclosed	Enclosed	Complying



Manager (P&T)
NHAI, PIU Jodhpur



S. L. MATHUR
 Resident Engineer
 Jodhpur Ring Road Project



Project Director
NHAI
PIU Jodhpur




J. M. MEHTA
 Team Leader
 Jodhpur Ring Road Project


Sr. No	Item	Measurement. Observations as per site conditions	MORTH Norms	Whether complying with MORTH Norms
8	License fees in Favor of MoRTH RPAO Jaipur	Will be submitted	As per Ministry vide circular no. RE/NH-33044/29/2015/S&(R)dated 22.11.2016	
9	Whether Bank Guarantee has been obtained	Will be obtained at the time of permission.	As per Ministry vide circular no. RE/NH-33044/29/2015/S&(R)dated 22.11.2016	
	(a) If yes, whether Confirmation of BG has been obtained as per MoRTH/NHAI guidelines			
10	Affidavit / Undertaking from the Applicant for			
10.1	Undertaking for not to damage other existing utility, if damaged then to pay the losses to either to MoRTH/NHAI or to the concerned agency.	Enclosed	Enclosed	Complying
10.2	Undertaking for renewal of Bank Guarantees and when asked by NHAI/ MoRTH	Enclosed	Enclosed	Complying
10.3	Undertaking for confirming all standard condition of MoRTH/NHAI guidelines.	Enclosed	Enclosed	Complying
10.4	Undertaking for shifting of utility as and when asked by MoRTH/ NHAI within a month at their own cost.	Enclosed	Enclosed	Complying
10.5	Undertaking for indemnity against all damages and claims.	Enclosed	Enclosed	Complying
10.6	Undertaking for management of traffic movement during laying of utility line without hampering the traffic.	Enclosed	Enclosed	Complying
10.7	Undertaking that If any claim is raised by the Concessionaire/contractor then the same has to be paid by the applicant	Enclosed	Enclosed	Complying


Manager (Civil)
 NHAI, PIU Jodhpur


S. L. MATHUR
 Resident Engineer
 Jodhpur Ring Road Project


J. M. MENTA
 Team Leader
 Jodhpur Ring Road Project




Project Director
 NHAI
 PIU Jodhpur

Sr. No	Item	Measurement. Observations as per site conditions	MORTH Norms	Whether complying with MORTH Norms
10.8	Undertaking that the applicant has obtained various safety clearances from the representative authorities such as directorate of Electricity, Chief controller of Explosives, Petroleum and Explosive Safety Organization, Oil Industry Safety Directorate, State/Central Pollution Control Board and any other statutory clearances applicable, before applying to Highway Administration	Enclosed	Enclosed	Complying


The above particulars across with the drawings and documents have been verified and certified as correct as per prevailing site conditions.


Atul Bhatt
Regional Head

Name, Designation & Signature of the Authorized representative of Applicant


S. L. MATHUR
Resident Engineer
Jodhpur Ring Road Project


J. M. MEHTA
Team Leader
Jodhpur Ring Road Project


(Ajay Bishnoi)
Gm(T) EPD, PIU - Jodhpur
Name, Designation & Signature of the Authorized Representative of NHAI
NHAI
PIU Jodhpur


Manager (Tech.)
NHAI, PIU Jodhpur

CERTIFICATE

1. Undersigned has examined the proposal of the applicant for laying of proposed 8" Ø steel Natural Gas Pipeline Across NH-25 (Sangariya Bypass) to develop city gas distribution network in Jodhpur District en-route National Highway under Jodhpur GA and confirm that the all standard conditions issued vide Ministry circular No: RW/NH-33044/29/2015/S&(R) dated 22.11.2016 has been followed.
2. It is certified that any other location of utility line would be extremely difficult and unreasonable costly and installation of utility line within ROW will not adversely affect the design, stability & traffic safety of the highway nor the likely future improvement such as widening of the carriageway, easing of curve etc.
3. I will ensure supervision of the work of laying of utility and ensure that the defects in road portion after laying of utility are corrected.
4. I will notify/forfeit the BG for claims for damages done/disruption in working, if any.
5. I will ensure that proposed permission in entered the register of records
6. The record of previous approval, if any has been considered and copy of same is enclosed with the proposal.

**[Name Designation and signature
of concerned field authority of
NHAI/PWD/BRO]**