



भारतीय राष्ट्रीय राजमार्ग प्राधिकरण
(सड़क परिवहन एवं राजमार्ग मंत्रालय, भारत सरकार)
(परियोजना कार्यावन्यन इंकाई-रेवाड़ी)
प्लाट नं. 20, सैक्टर 32,
गुरुगांव - 122003, (हरियाणा)

National Highways Authority of India
(Ministry of Road Transport and Highways, Govt. of India)
(Project Implementation Unit-Rewari)
Plot No. 20, Sector 32, (Institutional Area),
Gurgaon-122003, (Haryana)



ई-मेल / E-mail: piurewari@nhai.org.in, वेब / web: www.nhai.gov.in, फोन/Ph. +91 124 3525610

NHAI/EC/NH-11/08/10/82/2025-26/2718

23.01.2026
27

Invitation of Public Comments

Sub: PROPOSED LAY-OUT PLAN FOR GRANTING THE PERMISSION TO LAY 350 MM DIA UNDERGROUND WATER PIPE LINE (MS PIPE) FOR CROSSING THE NH-11 (REWARI -NARNAUL ROAD) AT KM 9.896 (LHS) FOR THE PROJECT OF "PUBLIC HEALTH ENGINEERING DEPARTMENT, REWARI" IN VILLAGE-MANETHI & DISTRICT MAMARIA THETHAR, TEHSIL REWARI (HR).

Ref: SDO PHED Bawal letter No. 1574 dated 26.12.2025.

The Public Health Engineering Department (PHED), Rewari, through the concerned authority, has submitted a proposal seeking permission for laying of 350 mm dia underground water pipeline (MS Pipe) for crossing National Highway-11 (Rewari-Narnaul Road) at Km 9.896 (LHS) in Village Manethi, District Mahendragarh, Tehsil Rewari, Haryana.

The proposal has been examined in light of the Ministry of Road Transport & Highways (MoRTH) guidelines issued vide Office Memorandum No. RW/NH-33044/29/2015/S&R(R) dated 22.11.2016, which stipulate that such proposals shall be placed in the public domain for a period of 30 days for inviting claims and objections, if any, on grounds of public inconvenience, safety, and public interest.

In view of the above, comments/objections from the general public are hereby invited on the aforesaid proposal. The comments, if any, may be submitted in writing to the address mentioned below within 30 days from the date of publication, after which no comments shall be entertained.

Address for submission of comments:

The Project Director
National Highways Authority of India
Project Implementation Unit - Rewari
Plot No. 20, Sector-32, Gurugram
Haryana - 122003

Encl: As above.

(Yogesh Tilak)
Project Director

Copy to:

1. Technical Director, NIC, Transport Bhawan, New Delhi- with request for uploading on the Ministry's website. (Email: mansoor@nic.in).
2. Regional Officer - Delhi, NHAI- for kind information.
3. SDO, PHED Bawal, Distt. - Rewari - for kind information.



भारतीय राष्ट्रीय राजमार्ग प्राधिकरण
 (सड़क परिवहन एवं राजमार्ग मंत्रालय, भारत सरकार)
 (परियोजना कार्यालयन इकाई-रेवाड़ी)
 प्लॉट नं. 20, सेक्टर 32,
 गुरुग्राम - 122003, (हरियाणा)

E-मेल / E-mail: piurewari@nhai.org, वेब / web: www.nhai.gov.in, फोन/Ph.: +91 124 3525610

NHAI/EC/NH-11/18/10/82/2025-26/2778



23.01.2026
27

सार्वजनिक टिप्पणियों के लिए आमंत्रण

विषय: राष्ट्रीय राजमार्ग-11 (रेवाड़ी-नारनौल मार्ग) पर कि.मी. 9.896 (बायाँ भाग) पर 350 मि.मी. व्यास की भूमिगत जल पाइप लाइन (एम.एस. पाइप) बिछाने की अनुमति प्रदान किए जाने हेतु प्रस्तावित ले-आउट योजना - "लोक स्वास्थ्य अभियांत्रिकी विभाग, रेवाड़ी" की परियोजना हेतु ग्राम-मनेठी एवं जिला-महेंद्रगढ़ (ममरिया ठेठार), तहसील रेवाड़ी (हरियाणा) में।

संदर्भ: एस.डी.ओ., लोक स्वास्थ्य अभियांत्रिकी विभाग, बावल का पत्र संख्या 1574 दिनांक 26.12.2025।

लोक स्वास्थ्य अभियांत्रिकी विभाग (PHED), रेवाड़ी द्वारा संबंधित सक्षम प्राधिकारी के माध्यम से राष्ट्रीय राजमार्ग-11 (रेवाड़ी-नारनौल मार्ग) पर कि.मी. 9.896 (बायाँ भाग) पर ग्राम-मनेठी, जिला-महेंद्रगढ़, तहसील रेवाड़ी, हरियाणा में 350 मि.मी. व्यास की भूमिगत जल पाइप लाइन (एम.एस. पाइप) बिछाने हेतु अनुमति प्रदान किए जाने का प्रस्ताव प्रस्तुत किया गया है।

उक्त प्रस्ताव का परीक्षण सड़क परिवहन एवं राजमार्ग मंत्रालय (MoRTH) द्वारा जारी कार्यालय ज्ञापन संख्या RW/NH-33044/29/2015/S&R(R) दिनांक 22.11.2016 के प्रावधानों के आलोक में किया गया है, जिनके अनुसार ऐसे प्रस्तावों को 30 दिनों की अवधि के लिए सार्वजनिक डोमेन में रखा जाना आवश्यक है, ताकि सार्वजनिक असुविधा, सुरक्षा एवं जनहित के आधार पर यदि कोई दावा अथवा आपत्ति हो तो आमंत्रित की जा सके।

उपरोक्त के दृष्टिगत, उक्त प्रस्ताव पर सामान्य जन से टिप्पणियाँ/आपत्तियाँ, यदि कोई हों, आमंत्रित की जाती हैं। टिप्पणियाँ/आपत्तियाँ, यदि कोई हों, प्रकाशन की तिथि से 30 दिनों के भीतर नीचे दिए गए पते पर लिखित रूप में प्रस्तुत की जा सकती हैं, जिसके पश्चात कोई भी टिप्पणी स्वीकार नहीं की जाएगी।

टिप्पणियाँ प्रस्तुत करने हेतु पता:

परियोजना निदेशक
 भारतीय राष्ट्रीय राजमार्ग प्राधिकरण
 परियोजना कार्यालयन इकाई - रेवाड़ी
 प्लॉट संख्या 20, सेक्टर 32, गुरुग्राम - 122003
 हरियाणा

संलग्न: यथोपरि

(योगेश तिलक)
 परियोजना निदेशक

प्रतिलिपि:

1. तकनीकी निदेशक, एनआईसी, ट्रांसपोर्ट भवन, नई दिल्ली - मंत्रालय की वेबसाइट पर अपलोड करने हेतु अनुरोध सहित। (ईमेल: mansoor@nic.in)
2. क्षेत्रीय अधिकारी - दिल्ली, एनएचएआई - जानकारी हेतु।
3. एस.डी.ओ., लोक स्वास्थ्य अभियांत्रिकी विभाग, बावल, रेवाड़ी जानकारी हेतु।

CHECK-LIST

Guidelines for processing the proposal for laying of utility line in the land across National Highways vested with NHAI Ministry circular No-RW/NH 330044/29/2015/S&R(R) Dated 22/11/2016.

CHECK LIST FOR GETTING APPROVAL FROM NHAI FOR THE LAYING OF WATER PIPE LINE FOR CROSSING AT NH -11 (REWARI – NARNAUL ROAD).

Sr. No.	Item	Information/ Status	Remarks
	General Information	Haryana	
1	Name and Address of the Applicant / Agency	SUB DIVISIONAL ENGINEER, BAWAL	
2	National Highway Number	NH -11 (Rewari – Narnaul Road)	
3	State	Haryana	
4	Location	Village- Mamaria Thethar, Tehsil- Manethi, District- Rewari	
5	Chainage in Km	Km-9.896(LHS)	
6	Length in m	64m	
7	Width of available ROW in both side	32m	
8	Side of NH (left, or right side of NH towards increasing change /Km direction)	Crossing	
9	Name of Highways Authority of NHAI/PWD/BRO	NHAI	
10	Highway Administration Address	REGIONAL OFFICE NHAI BAYS NO. 35-38, SECTOR -4, PANCHKULA HARYANA.	

Sr. No.	Item	Measurement observation as per site condition	MORT&H Norms	Whether complying with MORT&H Norms
1	Details of already laid utility service, if any	No	Enclosed	Complying
2	Whether up gradation of the stretch in near future is proposed or not	No		N/A
	(a). If yes, provision of utility adversely affect the plan of up - gradation	No	Affect the plan of up-gradation	N/A
3	Laying of the utility service along the National Highways.			
3.1	Location of proposed utility service along the stretch	N/A	Utility duct / beyond the toe line of the embankment and drains , enclose to the extreme edge of the ROW	Complying
3.2	Depth of the utility service from Ground level	2.20m	0.60m	Complying
3.3	Mechanism for crossing for water channel	N/A	Through utility duct (if provision exist) or beneath the bed of water channel	N/A
3.4	Whether ROW is restricted in the stretch?	No		N/A
3.4.1	If yes, whether provision of land acquisition is required to lay utility	N/A		N/A
	(a). If yes, whether undertaking for land acquisition along with relevant L.A detail has been furnished	N/A		N/A
3.4.2	With if concrete duct, if utility services are proposed to be laid in concrete ducts	N/A	Not less than one lane	N/A
4	Laying of utility Services across the NH			

4.1	Whether existing drainage structures is allow to carry the utility lines.	N/A	Not to be allowed	N/A
4.2	Proposed crossing of utility services	Km-9.896(LHS)	Perpendicular to NPH	N/A
4.3	Type of casing pipe/conduit carrying the utility line	Water Pipe Line	Steel , cast iron , or RCC and have adequate strength	Complying
4.4	Whether ends of the casing /conduit pipe are sealed from the outside	Sealed	Sealed	Complying
4.5	Length of crossing /conduit pipe crossing NH.	64m	Extend from drain to drain in cuts and toe to toe of slope in the fills	Complying
4.6	Depth of top of the casing /conduit pipe.	2.50m	At least 1.2m below the top of subgrade	Complying
4.7	Crossing method in case of CC pavement	HDD Trench	open trench method / HDD Trench	Complying
4.8	Horizontal and vertical clearances in case utilities are allowed overhead	(Underground Only)	In accordance with IRC codes.	N/A
5	Document / drawing enclosed with the proposal	Yes Enclosed		
5.1	Cross section showing in the size of trench for open trenching method	N/A	Enclosed, if applicable	N/A
	(a). Trench width	N/A	More than 30 cm and less than 60 cm wider than the outer diameters of the utility pipe	N/A
	(b). Filling of trench	N/A	As per Ministry circular No-RW/NH 30044/29/2015/S&R(R) Dated 22/11/2016.	N/A
	(c). Location of trench	N/A	Extreme edge of the ROW	N/A

5.2	Cross section showing the size of pit and location of conduit for HDD method	Yes	Enclosed , if applicable	Complying
5.3	Strip plan / Route plan showing utility line, Chainage, width of ROW, distance of proposed utility from the edge of ROW, important mile stone , intersection , cross drainage works etc.	Yes Enclosed	Enclosed	Complying
5.4	Plan and profile drawing of stretch showing cross section of road at 20m distance along with ROW and proposed utility	Yes enclosed	Enclosed	Complying
6	Methodology for laying of utility line	Yes enclosed	Enclosed	Complying
7	Draft license agreement is as per Ministry circular No-RW/NH30044/29/2015/S&R(R) Dated 22/11/2016.and signed by two witnesses	Yes enclosed	Enclosed	Complying
8	License fee in favor of NHAI RO Delhi	Yes	As per Ministry circular No-RW/NH330044/29/2015/S&R(R) Dated 22/11/2016.	Complying
9	Whether bank guarantee has been obtained	Yes	As per Ministry circular No-RW/NH 30044/29/2015/S&R(R) Dated 22/11/2016.	Complying
	a. If yes, whether confirmation of BG has been obtained as per MORT&H / NHAI guidelines	Shall be obtained		

10	Affidavit / Undertaking from Applicant for			
10.1	Undertaking for not to damage other existing utility, if damaged then to pay the losses to either to MORT&H / NHAI or to the concerned agency.	Enclosed	Enclosed	Complying
10.2	Undertaking for renewal of bank guarantees and when asked by NHAI/MORT&H	Enclosed	Enclosed	Complying
10.3	Undertaking for conforming all standard condition of MoRT&H / NHAI guidelines	Enclosed	Enclosed	Complying
10.4	Undertaking for shifting of utility as and when asked by MORT&H /NHAI within a month at their own cost	Enclosed	Enclosed	Complying
10.5	Undertaking for indemnity against all damages and claims.	Enclosed	Enclosed	Complying
10.6	Undertaking for management of traffic movement during laying of utility line without hampering the traffic.	Enclosed	Enclosed	Complying
10.7	Undertaking that if any claim is raised by the concessionaire/ contractor then the same has to be paid by the applicant	Enclosed	Enclosed	Complying
10.8	Undertaking that the applicant has obtained various safety clearances from the representative authorities such as directorate of Electricity, Chief controller of explosives, Petroleum and Explosive safety	Enclosed	Enclosed	Complying

Organization , Oil industry Safety state / central pollution control board and any other statutory clearances applicable before applying to Highway Administration		
--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	--

The ROW of the National Highway available at the proposed location from the centre line of ROW is [32.0]m (from centre of ROW to edge of ROW towards proposed utility).

The above particular along with the drawing and documents has been verified and certified as correct as per prevailing site conditions.



Vinod Bagri
Sub Divisional Engineer,
Bawal
Sub. Divisional Engineer
PHE Sub. Division No.-2
Bawal

Project Director
NHAI PIU
Rewari

