



सत्यमेव जयते

भारतीय राष्ट्रीय राजमार्ग प्राधिकरण

(सड़क परिवहन और राजमार्ग मंत्रालय, भारत सरकार)

National Highways Authority of India

(Ministry of Road Transport & Highways, Govt. of India)

क्षेत्रीय कार्यालय : एफ-120, जनपथ, श्याम नगर, जयपुर-302019

Regional Office : F-120, Janpath, Shyam Nagar, Jaipur-302019

Tel. (O) / फोन : (ऑ.) 0141-2292056, 2292049

E-mail / ई-मेल : rojaipur@nhai.org Web. / वेब : www.nhai.gov.in



No.: NHAI/18013/1/2021-ROJ/Permission-Gas Pipeline-IGL/195/NH-48, km 0.0 to 6.100/2825 Date: 28.12.2022

INVITATION OF PUBLIC COMMENTS

Sub.: Permission for laying underground 8" dia Carbon Steel Gas Pipeline of M/s. Indraprastha Gas Ltd. (IGL) from Km. 0.00 (near Naya Ganv) to 5.600 (RHS) and Km. 5.600 to 6.100 (LHS) (near Silora Industrial Area) along NH-48 and crossing of NH at Km 5.600 of Kishangarh-Gulabpura) section of NH-79 (New NH-48) in the State of Rajasthan.

Ref.: 1. M/s. IGL letter no. IGL/PNG/STEEL/dated 13.12.2021 and letter dated 16.08.2021 and letter dated 30.11.2022.
2. PD, PIU-Ajmer letter no. NHAI/Ajm/KUA/NH-79/Access/Utility/14069 dated 02.12.2022 (received on 12.12.2022).

Sir,

It is to inform all concern that the M/s. IGL, New Delhi vide letter under reference (1) has submitted a proposal for the subjected work and PD, NHAI, PIU, Ajmer has submitted the above proposal vide letter under reference (2) for approval of the Competent Authority, Highway Administration.

2. The proposal is regarding permission for laying underground 8" dia Carbon Steel Gas Pipeline of M/s. Indraprastha Gas Ltd. (IGL) from Km. 0.00 (near Naya Ganv) to 5.600 (RHS) and Km. 5.600 to 6.100 (LHS) (near Silora Industrial Area) along NH-48 and crossing of NH at Km 5.600 of Kishangarh-Gulabpura) section of NH-79 (New NH-48) in the State of Rajasthan.

3. As per Para-4 of Ministry's Circular No. RW/NH-33044/29/2015S&R(R) dated 22.11.2016, the Highway Administration shall be put out in the public domain for 30 days for seeking claims and objections (on grounds of public inconvenience, safety and general public interest).

4. In view of the above, before approval of the competent authority, the comments/objections of affected public is hereby invited with reference to the Ministry's circular dated 22.11.2016 due to laying of Gas Pipeline along and across on the subjected stretch. The objections/comments may be addressed to the below mentioned address upto 27.01.2023, beyond due date, no comments/objections will be accepted.

The Regional Officer, Regional Office - Jaipur

National Highways Authority of India,

F-120, Janpath, Shyam Nagar, Jaipur (Raj.)-302019,

Tel : 0141-2292049, 2292054 Email : rojaipur@nhai.org

This issues with the approval of Highway Administration-cum Regional Officer, NHAI, Jaipur

Yours faithfully,

(Manoj Khoda)

Manager (Tech.)

- Copy to:** (i) Web Admn., NHAI, HQ, New Delhi - for uploading in NHAI's website [web-admin@nhai.org]
(ii) Director, NIC, New Delhi - for uploading in Ministry's website. [mansoor@nic.in]
(iii) PD, PIU-Ajmer: for information for information and ensure to get deposited the requisite amount of license fee and performance BG within 30 days period from the applicant.
(iv) Chief Manager, M/s. IGL, New Delhi, Plot No. 4, Community Centre, R K Puram, Sector-9, New Delhi-110022: for information and with the request to deposit required license fee and BG charges as calculated by AE/PD Ajmer within 30 days period for further processing the case for approval.



सत्यमेव जयते

भारतीय राष्ट्रीय राजमार्ग प्राधिकरण National Highways Authority of India

(सड़क परिवहन और राजमार्ग मंत्रालय, भारत सरकार)
(Ministry of Road Transport & Highways, Government of India)

परियोजना कार्यान्वयन इकाई, अजमेर

मकान नम्बर-104, आदर्श नगर, अजमेर (राज.) 305001

Project Implementation Unit, Ajmer

House No.-104, Adarsh Nagar, Ajmer (Raj.) 305001

Ph. No.: 0145-2680571, E-mail / ई-मेल : ajmer@nhai.org, Web./ वेब : www.nhai.gov.in



2

UPC: N/02001/05001/RJ

No. NHAI/Ajm/KUA/NH-79/Access/Utility/14069

मुख्य महाप्रबंधक (तक.) सह क्षेत्रीय अधिकारी

भारतीय राष्ट्रीय राजमार्ग प्राधिकरण,

क्षेत्रीय कार्यालय,

एफ-120, जनपथ, श्याम नगर

जयपुर-302019

MIT/AMK



Date: 02.12.2022

Signature

Sub.: Six lanning of Kishangarh to Gulabpura Section of NH-79A & NH-79 in the State of Rajasthan (length 90.000 km) on DBFOT (Toll) basis under NHDP Phase-V, PKG-I: **Permission for laying of 8" Carbon Steel Gas Pipeline from NH Ch. Km-0.00 (Near Naya Ganv) to NH Ch. Km-5.600 (RHS) and from NH Ch. Km-5.600 to NH Ch. Km-6.100 (LHS, Near Silora Industrial Area) along the National Highway No.-48 & Crossing of NH at NH Ch. Km-5.600 in the State of Rajasthan - reg.**

Ref.: (1) M/s. Indraprastha Gas Ltd. letter no. IGL/PNG/STEEL/ dated 13.12.2021 received in this office on 21.12.2021
(2) This Office letter no. NHAI/Ajm/KUA/NH-79/ Access-Utility/12366 dated 23.12.2021
(3) IE letter no. SAI/IE/NHAI/02/2908/2022 dated 13.01.2022
(4) This office letter no. NHAI/Ajm/KUA/NH-79/ Access/Utility/12466 dated 19.01.2022
(5) M/s. Indraprastha Gas Ltd. letter no. IGL/PNG/STEEL/ dated 06.04.2022
(6) This office letter no. NHAI/Ajm/KUA/NH-79/ Access/Utility/12878 dated 08.04.2022
(7) IE letter no. SAI/IE/NHAI/02/3047/2022 dated 07.05.2022
(8) This office letter no. NHAI/Ajm/KUA/NH-79/ Access/Utility/13334 dated 15.06.2022
(9) M/s. Indraprastha Gas Ltd. letter no. IGL/PNG/STEEL/ dated 30.11.2022

Sir,

M/s. Indraprastha Gas Ltd. vide above referred letter dated 13.12.2021 (**Annex-1**) has submitted the proposal of permission for laying of 8" Carbon Steel Gas Pipeline from NH Ch. Km-0.00 (Near Naya Ganv) to NH Ch. Km-5.600 (RHS) and from NH Ch. Km-5.600 to NH Ch. Km-6.100 (LHS, Near Silora Industrial Area) along the National Highway No.-48 & Crossing of NH at NH Ch. Km-5.600 in the State of Rajasthan.

The same has been forwarded to IE of the Project M/s. SAI Consulting Engineers Pvt. Ltd. vide this office letter dated 23.12.2021 (**Annex-2**) to examine the proposal as per prevailing site condition in light of the Ministry's guidelines issued vide letter no. RW/NH-33044/29/2015/S&R/(R) dated 22.11.2016 & further letter no. RW/JAI/RJ/PS/2017/UTILITY/GENL/1162 dated 16.03.2017 and requested to submit their comments/recommendations along with consent of Concessionaire.

IE has examined the proposal and raised certain observations along with corrected License Fee & applicable Performance Bank Guarantee vide their letter dated 13.01.2022 (**Annex-3**) which has been communicated to agency M/s. IGL vide this office letter dated 19.01.2022 (**Annex-4**) for their compliance.

Agency M/s. IGL vide their letter dated 06.04.2022 (**Annex-5**) has revised the proposal after furnishing point wise compliance of observations. The same has been forwarded to IE vide this office letter dated 08.04.2022 (**Annex-6**) to re-examine the proposal as per prevailing site condition in light of the Ministry's guidelines and submit their comments/recommendations accordingly.

IE has forwarded the proposal to Concessionaire of the Project and obtained comments/consent of Concessionaire issued vide its letter dated 25.04.2022 (Annex-7). Further, IE has reviewed and re-examined the proposal w.r.t. the observations conveyed as well as Ministry's guidelines dated 22.11.2016 & 16.03.2017 and IE vide its letter dated 07.05.2022 (Annex-8) has submitted that agency M/s. Indraprastha Gas Ltd. has complied all the observations hence, recommended the proposal duly signed & stamped on each page of checklist, Layout Plan, Key Plan subject to complete all provision as shown in the drawings & specified in the checklist.

This office vide letter dated 15.06.2022 (Annex-9) has further asked agency to clarify whether the proposed location in the instant case require any statutory permissions from Forest, Railway or any other department and if it is required. In compliance to this, agency vide its letter dated 30.11.2022 (Annex-10) has submitted that, in the instant case, only Forest Permission is required apart from NHAI permission and agency has Undertake that "We will take separate Permission from Forest Department before commencement of work."

This office has further examined the proposal in light of the MoRTH guidelines dated 22.11.2016 & 16.03.2017 and same is found in order. Accordingly, the proposal is submitted duly signed and sealed on each pages of Checklist & Drawings with the recommendations of this office to accord "In-Principle" approval for the subjected work subject to fulfillment of the deposition of applicable Fees.

Encl.: Two copies of proposal

भवदीय
(ए.के. खण्डेलवाल)
महाप्रबंधक (तक.) / परियोजना निदेशक

Copy to:-

1. Team Leader, M/s. SAI Consulting Eng. Pvt. Ltd., Nasirabad; for kind information please.
2. Authorized Signatory, M/s. Kishangarh-Gulabpura Tollway Ltd., Nasirabad; for kind information please.
3. Authorized Signatory, M/s. Indraprastha Gas Ltd., IGL Bhawan, Plot No. 4, Community Centre, - R.K. Puram, Sector-9, New Delhi-110022; for information please.

CHECK-LIST

**Guidelines for processing the proposal for laying of utility line in the land across
National Highways vested with NHAI/PWD BRO.**

Ministry Circular No-RW/NH 330044/29/2015/S&R(R) Dated 22/11/2016.

Sr.No.	Item	Information/ Status	Remarks
	General Information		
1	Name and Address of the Applicant / Agency	Indraprastha Gas Ltd. IGL Bhawan, Plot No-4, Community Centre, R.K. Puram, Sector-9, New Delhi-110022	
2	National Highway Number	NH-48	
3	State	Rajasthan	
4	Location	Naya Ganv to Silora Industrial Area	
5	(Chainage in km)	From NH Ch. Km- 0.000 to NH Ch. Km- 6.100	
6	Length in Meters	6100 Mtrs	
7	Width of available ROW in both side	30 Mtrs/ Each Side	
8	Side of NH (left or right side of NH towards increasing change /KM/ direction)	From NH Ch. Km- 0.00 to NH Ch. Km- 5.600 (RHS) & From NH Ch. Km- 5.600 to NH Ch. Km- 6.100 (LHS)	
9	Name of Highways Authority of NHAI/PWD/BRO	Project Director National Highways Authority of India Project Implementation Unit- Ajmer	
10	Highway Administration Address	Highway Administration-cum Regional Officer Office of CGM (Tech.) cum Regional Officer National Highway Authority of India F-120, Janpath, Saket Nagar, Shyam Nagar, Jaipur Rajasthan-302019	

Vinod Kumar Dhaaka
Vice President
GA Head- Ajmer, Pali, Rajasmand
Indraprastha Gas Limited

[Signature]

[Signature]
Manager (Tech.)
National Highways Authority of India
PIU, Ajmer (Raj.)

[Signature]
(LHS)



[Signature]
AJMER

Project Director
National Highways Authority of India
NHAI PIU (Raj.)
Ajmer

[Signature]
SEC(16)

Sr.	Item	Measurement observation as per site condition	MORT&H Norms	Whether complying with MORT&H Norms
1	Details of already laid utility service in any	Details Enclose as Annexure-1	Enclosed	Complying ✓
2	Whether up gradation of the stretch in near future is proposed or not	No		N/A
	a. If yes provision of utility adversely affect the plan of up gradation	No	Not affect the plan of up gradation	N/A
3	Laying of the utility service along the National Highways	Yes		Complying
3.1	Location of proposed utility service along the stretch	From Km-0.00 to Km- 6.100 along the NH at Extreme edge of the NH ROW	Utility duct / beyond the toe line of the embankment and drains , enclose to the extreme edge of the ROW	Complying
3.2	Depth of the utility service from Ground level	1.5 mtr or 0.3 mtr below the Drain inverts	0.6m	Complying
3.3	Mechanism for crossing for water channel	Beneath the bed	Through utility duct (if provision exist) or beneath the bed of water channel	N/A
3.4	Whether is ROW restricted in the stretch?	No		N/A
3.4.1	If yes whether provision of land acquisition is required to lay utility	N/A		N/A
	a. If yes whether undertaking for land acquisition along with relevant L.A detail has been furnished	N/A		N/A
3.4.2	With if concrete duct , in utility service are proposed to be laid in concrete ducts	N/A	Not less than one lane	N/A
4	Laying of utility Service across the NH	Yes		Complying
4.1	Whether existing drainage structures is allow to carry the utility lines.	No	Not to be allowed	N/A
4.2	Proposed crossing of utility service	Yes at NH Ch. Km- 5.600	Perpendicular to NH	Complying ✓

Manager (Tech.)

National Highways Authority of India
P.O. Ajmer (Raj.)

Vinod Kumar Dhaaka
Vice President

GA Head- Ajmer, Pali, Rajasmand
Indraprastha Gas Limited

Project Director

National Highways Authority of India
P.O. Ajmer (Raj.)



4.3	Type of casing pipe/conduit carrying the utility line	Steel as Casing	Steel , cast iron , or RCC and have adequate strength	Complying
4.4	Whether ends of the casing /conduit pipe are sealed from the outside	Sealed	Sealed	Complying
4.5	Length of crossing /conduit pipe crossing NH	60 Mtrs	Extend from drain to drain in cuts and toe to toe of slope in the fills	Complying
4.6	Depth of top of the casing /conduit pipe	3.0 Mtrs	At least 1.2m below the top of subgrade	Complying
4.7	Crossing method in case of CC pavement	HDD	Only boring method (HDD)	Complying
4.8	Horizontal and vertical clearances in case utilities are allowed overhead	N/A	In accordance with IRC codes.	N/A
5	Document/drawing enclosed with the proposal	Yes Enclosed		Complying
5.1	Cross section showing in the site of trench for open trenching method	Yes	Enclosed	Complying
	a. Trench width	Yes	More than 30cm and less than 60 cm wider than the outer diameters of the utility pipe	Complying
	b. Filling of trench	Yes	As per Ministry circular No- RW/NH 30044/29/2015/S&R(R) Dated 22/11/2016.	Complying
	c. Location of trench	Yes	Extreme edge of the ROW	Complying
5.2	Cross section showing the size of pit and location of conduit for HDD method	Yes enclosed	Enclosed , if applicable	Complying
5.3	Strip plan / Route plan showing utility line , chainage , width of ROW , distance of proposed utility from the edge of ROW , important mile stone , intersection , cross drainage works etc.	Yes Enclosed	Enclosed	Complying
5.4	Plan and profile drawing of stretch showing cross section of road at 20m distance along with ROW and proposed utility	Yes enclosed	Enclosed	Complying

National Highways Authority of India
PIU, Ajmer (Raj.)

Project Director
National Highways Authority of India
Piu. Ajmer (Raj.)

Vinod Kumar Dhaaka
Vice President
GA Head- Ajmer, Pali, Rajasmand
Indraprastha Gas Limited



6	Methodology for laying of utility line	Yes enclosed	Enclosed	Complying
7	Draft license agreement is as per Ministry circular No-RW/NH30044/29/2015/S&R(R) Dated 22/11/2016.and signed by two witness	Yes enclosed	Enclosed	Complying
8	License fee in favor of MORT&H RPAO Jaipur	Shall be furnished as per demand	As per Ministry circular No-RW/NH330044/29/2015/S&R(R) Dated 22/11/2016.	Complying
9	Whether bank guarantee has been obtained	Shall be furnished as per demand	As per Ministry circular No-RW/NH 30044/29/2015/S&R(R) Dated 22/11/2016.	Complying
	a. If yes, whether confirmation of BG has been obtained as per MORT&H / NHAI guidelines	Shall be obtained		
10.1	Undertaking for not to damage other existing utility , if damaged then to pay the losses to either to MORT&H / NHAI to the cornered agency	Enclosed	Enclosed	Complying
10.2	Undertaking for renewal of bank guarantee and when asked by NHAI/MORT&H	Enclosed	Enclosed	Complying
10.3	Undertaking for conforming all standard condition of MORT&H / NHAI guidelines	Enclosed	Enclosed	Complying
10.4	Undertaking for shifting of utility as and when asked by MORT&H /NHAI within a month at their own cost	Enclosed	Enclosed	Complying
10.5	Undertaking for indemnity against all damages and claim	Enclosed	Enclosed	Complying
10.6	Undertaking for management of traffic moment during laying of utility line without hampering the traffic.	Enclosed	Enclosed	Complying

Project Director
National Highways Authority of India
PIL, Ajmer (Raj.)

Manager (Tech.)

National Highways Authority of India
PIU, Ajmer (Raj.)

Vinod Kumar Dhaaka
Vice President

GA Head- Ajmer, Pali, Rajasmand
Indraprastha Gas Limited



10.7	Undertaking that if any claim is raised by the concessionaire/ contractor than the same has to be paid by the applicant	Enclosed	Enclosed	Complying
10.8	Undertaking that the applicant has obtained various safety clearances from the representative authorities such as directorate of electricity, chief controller of explosive safety of directorate , state / central pollution control board and any other statutory clearances applicable before applying to Highway Administration	Enclosed	Enclosed	Complying

The ROW of the National Highway available at the proposed location from the central line of divided carriage way to ROW extreme edge in rural section is 30.00 m

The above particular along with the drawing and documents has been verified and certified as correct as per prevailing site conditions.

Vinod Kumar Dhaaka
Vice President
GA Head-Ajmer, Fali, Rajasmand
Indraprastha Gas Limited

Name designations & Signature of the
Authorized representative of applicant

Project Director
National Highways Authority of India
Name designations & Signature of the
concerned field authority of NHAI

[Signature]
AUG

[Signature]
AS

[Signature]
SE (U)

[Signature]
Manager (Tech.)
National Highways Authority of India
PIU, Ajmer (Raj.)

