



भारतीय राष्ट्रीय राजमार्ग प्राधिकरण

(सड़क परिवहन और राजमार्ग मंत्रालय, भारत सरकार)

National Highways Authority of India

(Ministry of Road Transport and Highways, Government of India)

श्रेणीय कार्यालय : 41-29-45A, सर्वे नं: 373/2A, कोदंडरामालयम्, चलासानी नगर,

रानीगारीतोटा, कृष्णालंका, विजयावाडा - 520 013, आन्ध्र प्रदेश

Regional Office : D.No. 41-29-45A, RS.No. : 373/2A, Kodandaramalayam, Chalasani Nagar,

Ranigari Thota, Krishna Lanka, Vijayawada - 520 013, Andhra Pradesh.

फोन / Tel : 0866-2483910, ई-मेल/e-mail: rovijayawada@nhai.org, nhairovja@gmail.com

वेब/ web: www.nhai.gov.in



Lr.No. NHAI/RO-VJA/PIU-VJA/NH-16/C-G(P3)/NOC/2025/ 316

Dt.31.01.2025

To

The Sr. Technical Director,
NIC, Transport Bhawan,
New Delhi- 110001.

Sub: NHAI, RO - Vijayawada - Permission for providing and laying of Megha gas pipe line 100mm dia CS-Pipe & 40mm PVC pipe line along Chinna Avutupalli - Gollapudi section of NH-16 (from Km.10+579 - Km.14+582) 4.063 Km RHS and crossing at Km.10+760(RHS to LHS) by M/s MCGDPL, at Vedurupavuluru Village, Gannavaram (M), Krishna District in the State of Andhra Pradesh - Public comments - Reg.

Sir,

Please find enclosed herewith a proposal submitted by M/s. MCGDPL for laying of Megha gas pipe line 100mm dia CS-Pipe & 40mm PVC pipe line along Chinna Avutupalli - Gollapudi section of NH-16 (from Km.10+579 - Km.14+582) 4.063 Km RHS and crossing at Km.10+760(RHS to LHS) by M/s. MCGDPL, at Vedurupavuluru Village, Gannavaram (M), Krishna District in the State of Andhra Pradesh.

2. As per MORTH guidelines vide letter No. RW/NH-33044/29/2015/S&R(R) dated 22nd November 2016, the application along with the recommendations of PD, PIU-Vijayawada & notice inviting public comments are enclosed herewith with a request to host the same in the Ministry's website for 30 days seeking claims and objections (on grounds of public inconvenience, safety and general public interest), for taking further necessary action.

Yours faithfully,

Encl: As above

(R.K. Singh, IES),
CGM (Tech.) & Regional Officer

Copy to:

- (i) PD, PIU - Vijayawada
- (ii) Project Manager, M/s. MCGDPL



भारतीय राष्ट्रीय राजमार्ग प्राधिकरण

(सड़क परिवहन और राजमार्ग मंत्रालय, भारत सरकार)

National Highways Authority of India

(Ministry of Road Transport and Highways, Government of India)

श्रेणीय कार्यालय : 41-29-45A, सर्वे नं: 373/2A, कोदंडरामालयम्, चलासानी नगर,

रानीगारीतोटा, कृष्णालंका, विजयावाडा - 520 013, आन्ध्र प्रदेश

Regional Office: D.No. 41-29-45A, RS.No. : 373/2A, Kodandaramalayam, Chalasani Nagar,

Ranigari Thota, Krishna Lanka, Vijayawada - 520 013, Andhra Pradesh.

फोन / Tel : 0866-2483910, ई-मेल/e-mail: rovijayawada@nhai.org, nhairovja@gmail.com

वेब/ web: www.nhai.gov.in



Lr.No. NHAI/RO-VJA/PIU-VJA/NH-16/ C-G(P3)/NOC/2025/ 317

Dt.31.01.2025

INVITATION OF PUBLIC COMMENTS

Sub: NHAI, RO - Vijayawada - Permission for providing and laying of Megha gas pipe line 100mm dia CS-Pipe & 40mm PVC pipe line along Chinna Avutupalli - Gollapudi section of NH-16 (from Km.10+579 - Km.14+582) 4.063 Km RHS and crossing at Km.10+760(RHS to LHS) by M/s MCGDPL, at Vedurupavuluru Village, Gannavaram (M), Krishna District in the State of Andhra Pradesh - **Public comments - Reg.**

The Project Director, PIU - Vijayawada submitted a proposal of M/s. MCGDPL for laying of Megha gas pipe line 100mm dia CS-Pipe & 40mm PVC pipe line along Chinna Avutupalli - Gollapudi section of NH-16 (from Km.10+579 - Km.14+582) 4.063 Km RHS and crossing at Km.10+760(RHS to LHS) by M/s. MCGDPL, at Vedurupavuluru Village, Gannavaram (M), Krishna District in the State of Andhra Pradesh.

As per MORTH guidelines vide letter No. RW/NH-33044/29/2015/S&R(R) dated 22nd November 2016, the Highway Administration will put out the application in the Ministry's website for 30 days seeking claims and objections (on grounds of public inconvenience, safety and general public interest).

In view of the above, the comments of public, if any, on the above mentioned proposal is invited on below mentioned address.

Regional Officer - Vijayawada,
National Highways Authority of India,
Regional Office, Dr. No.41-29-45A, R. S. No.373/2A
Near Kodandaramalayam, Chalasani Nagar,
Ranigarithota, Krishnalanka, Vijayawada - 520 013.
Email: rovijayawada@nhai.org

(R.K. Singh, IES),
CGM (Tech.) & Regional Officer



भारतीय राष्ट्रीय राजमार्ग प्राधिकरण
(सड़क परिवहन और राजमार्ग मंत्रालय)
National Highways Authority of India
(Ministry of Road Transport & Highways)



परियोजना कार्यान्वयन ईकाई
Project Implementation Unit

प्लॉट नं:74, वनमाली भवन, एन.ए.सि. कल्याणा वेदिका के बगल में,
कमर्शियल टैक्सेज कॉलोनी, गुरुनानक नगर रोड, विजयवाडा-520 008.
Plot No. 74, Vanamali Building, Beside N.A.C. Kalyana Vedika, Commercial Taxes Colony,
Gurunank Nagar Road, Vijayawada-520 008.

दूरभाष / Phone : 0866 - 2543496, ई-मेल / E-mail : vij@nhai.org, nhaipiuvij@gmail.com

Ref: 11088-MGDPL/PIU/V/NHAI/2025/1780

Date: 29.01.2025

To
The CGM(T) & Regional Officer,
National Highways Authority of India
Regional Office, Vijayawada
Door No.41-29-45A, R.S.No.373/2A
Near Kodandaramalayam
Chalasani Nagar, Ranigarithota
Krishnalanka
Vijayawada - 520 013

Sir,

UPC: N/02004/24001/AP - RCW

Sub : NHAI, PIU, Vijayawada - Permission for providing and laying of Megha gas pipe line 100mm dia CS-Pipe & 40mm PVC pipe line along Chinna Avutupalli - Gollapudi section of NH-16 (from Km.10+579 - Km.14+582) 4.063 Km RHS and crossing at Km.10+760(RHS to LHS) by M/s Megha City Gas Distribution Pvt Ltd, at Vedurupavuluru Village, Gannavaram (M), Krishna District-Request for Provisional Approval- Reg.

- Ref: 1. M/s MCGDPL, letter No. Nill dated 25.10.2024.
2. T/o, email dt.20.11.2024
3. Independent Engineer, M/s. Lion Engineering Consultants Pvt. Ltd.,
Lr.No.LION/IE/3221/2021/VW-BYPASS/pkg-III/NH-16/1097 dt.03.12.2024
4. Concessionaire/s.MEIL Vijayawada Bypass Roadways Pvt Ltd., Lr.No.
MEIL/HAM/NHAI/Vijayawada Bypass-Pkg-3/2024-25/230 dt.04.12.2024

It is to submit that M/s. Mega City Gas Distribution private limited, vide reference 1st cited has requested to issue permission for laying of 100mm dia CS-Pipe & 40mm PVC pipe line on NH-16 at Km 10+579 to Km.14+582 (4.063Km) on RHS side and crossing at Km.10+760(RHS to LHS) respectively of Chinna Avutupalli - Gollapudi Section of NH-16 by using HDD method (Horizontal Directional Drilling).

In this regard, the IE, M/s Lion Engineering Consultants Pvt. Ltd, has reviewed the proposal and submitted vide reference 3rd cited that the checklist, drawings are found

Page 1 of 3

in order as per the MoRT&H guidelines Lr.no. RW/NH-33044/29/2015/S&R(R) dated 22.11.2016. The proposal of the agency and the comments/recommendations of AE have been examined in line with the MoRT&H Guidelines and the following are submitted.

- 1) M/s. MCGDPL, has proposed to lay 100mm dia CS-Pipe & 40mm PVC pipe line on NH-16 at Km 10+579 to Km.14+582 and crossing at Km.10+760(RHS to LHS) respectively of Chinna Avutupalli - Gollapudi Section of NH-16.
- 2) The length of crossing at Km 10+760 is 60m.
- 3) HDD Method (Horizontal Directional Drilling method) is proposed for crossing of the Highway at 1 No. Road crossing viz. Km. 10+760(RHS to LHS).
- 4) The width of RoW at Km.10+760 is 30m towards RHS and 30m towards LHS from center line of Highway.
- 5) License Deed has been submitted by M/s. MCGDPL in the prescribed format.
- 6) Construction Methodology for laying of CS-Pipe & PVC Pipe by HDD method is enclosed which is found to be in order.
- 7) Cross section showing the size of Pipe 200mm dia for HDD method and site plan showing the crossing location is enclosed.
- 8) Strip plan / Route plan for crossing of CS-Pipe & PVC Pipe, Chainage, distance of proposal pipeline for road crossings, are enclosed.
- 9) Checklist in accordance to MoRT&H Guidelines is enclosed for laying of CS-Pipe & PVC Pipe on NH land and the same is found in order.
- 10) Necessary undertakings required in accordance to MoRT&H Guidelines are also submitted by M/s MCGDPL.
- 11) As per Clause no.4 of MoRT&H guidelines Lr.no. RW/NH-33044/29/2015/S&R(R) dated 22.11.2016, the consent from Petroleum and Natural Gas Regulatory Board is enclosed.
- 12) Certificate in accordance to MoRT&H Guidelines issued by the Project Director is also enclosed.
- 13) The proposal submitted by M/s MCGDPL is in conformity with as per MoRT&H guidelines vide Lr.no. RW/NH-33044/29/2015/S&R(R) dated 22.11.2016.
- 14) Requisite Performance Bank Guarantee @ Rs.100/- per route meter along with License fee for 5 years as per MoRT&H guidelines dated 22.11.2016 will be obtained from the agency, upon approval of the above proposal.

In view of the above, the proposal of M/s MCGDPL, for laying of Laying of (Natural Gas) CS-Pipe & PVC Pipe along the NH from Km. Km 10+579 to Km.14+582 (4.063 Km) on RHS side & across (road crossing) on NH-16 at Km 10+760 (RHS to LHS) on Chinna Avutupalli - Gollapudi Section of NH-16 is herewith recommended for the approval of the competent Authority.

Yours faithfully,

Encl : As above.


(Latha Kodem)

DGM (Tech.) & Project Director
NHAI, PIU-Vijayawada

INSPECTION REPORT

Sub: Proposal for laying of Megha gas pipe line 100mm Dia CS-Pipe & 40mm PVC pipe line along Chinna Avutupalli - Gollapudi section of NH-16 (from Km.10+579 - Km.14+582) and crossing at Km.10+760(RHS to LHS) by M/s Megha City Gas Distribution Pvt Ltd, at Vedurupavuluru Village, Gannavaram (M), Krishna District.

The access permission location was inspected by me and details are certified as below:

- i) The width of RoW from Km.10+579 to Km.14+582 (4.063 Km) on RHS side is 30m towards RHS and 30m towards LHS from center line of Highway.
- ii) The Proposed Pits for HDD method (Horizontal Directional Drilling method) are falling within the ROW.
- iii) The Proposed pipeline of 100mm Dia CS-Pipe & 40mm PVC Pipe will not disturb the Existing Crust of National Highway at the above said locations as the pipe will be laid at a depth of 1.5m below ground level in the utility corridor within the ROW.



(Latha Kodem)

DGM (Tech.) & Project Director
NHAI, PIU-Vijayawada

DOCUMENTS ACCOMPANYING THE PROPOSAL

Name of Work: Proposal for laying of Megha gas pipe line 100mm dia CS-Pipe & 40mm PVC pipe line along Chinna Avutupalli - Gollapudi section of NH-16 (from Km.10+579 - Km.14+582) (4.063 Km) RHS and crossing at Km.10+760 (RHS to LHS) by M/s Megha City Gas Distribution Pvt Ltd, at Vedurupavuluru Village, Gannavaram (M), Krishna District.

- i) Checklist in accordance to MoRT&H Guidelines is enclosed for laying of on NH land.
- ii) Draft Agreement regarding granting of ROW permissions for laying 100mm Dia CS-Pipe & 40mm PVC Pipe.
- iii) Undertaking for not to damage to other utility, if damaged then to pay the losses either to NHAI or to the concerned agency.
- iv) Strip Plan/Route Plan for Crossing of 100mm Dia CS-Pipe & 40mm PVC Pipe from Km.10+579 to Km.14+582 (4.063 Km) RHS & crossing at Km.10+760(RHS to LHS).
- v) Construction Methodology of 100mm Dia CS-Pipe & 40mm PVC Pipe laying/ crossing.
- vi) Certificate from the Project Director.


(Latha Kodem)
DGM (Tech.) & Project Director
NHAI, PIU-Vijayawada

CERTIFICATE

1. It is certified that all Standard Conditions specified in the proposal from M/s Mega City Gas Distribution private limited for permission for laying of pipe line 100mm dia CS-Pipe & 40mm PVC pipe line from Km.10+579 to Km.14+582 (4.063 Km) RHS & crossing at Km.10+760(RHS to LHS) on Chinna Avutupalli - Gollapudi section of NH-16 in the State of Andhra Pradesh is in conformity as per MoRT&H guidelines vide Lr.no. RW/NH-33044/29/2015/S&R(R) dated 22.11.2016.
2. It is to certify that upon receipt of approval for the above proposal, the same will be entered in the Register of Records of the Permissions in the prescribed proforma.


(Latha Kodem)

DGM (Tech.) & Project Director
NHAI, PIU-Vijayawada