



भारतीय राष्ट्रीय राजमार्ग प्राधिकरण

(सड़क परिवहन एवं राजमार्ग मंत्रालय, भारत सरकार)

क्षेत्रीय कार्यालय - नागपुर : "नारंग टावर", तिसरी मंजिल, उपआयुक्त यातायात पुलिस (नागपुर शहर)
कार्यालय के सामने, पाम रोड, सिविल लाईन्स नागपुर-440 001 महाराष्ट्र टेलि. 0712-2520091, 2980554
ई-मेल : ronagpur@nhai.org वेबसाइट : www.nhai.gov.in



National Highways Authority of India

(Ministry of Road Transport & Highways, Govt. of India)

Regional Office - Nagpur : "Narang Towers", 3rd Floor, Opp. to Office of Dy. Commissioner of Police Traffic (Nagpur City), Palm Road, Civil Lines, Nagpur- 440 001 Maharashtra. Tel. 0712-2520091, 2980554
e-mail : ronagpur@nhai.org website : www.nhai.gov.in

NHAI/RO/NAG/UT-342/NH-53/MSEDCL/2024-25/ 40

Date: 02.04.2024

Invitation of Public Comments

Sub: Improvement, Operation and Maintenance including strengthening and widening and existing 2 lane carriageway to 4/6 lane divided carriageway configuration for Kondhali-Talegaon section (50.000 to 100.000) of NH-53 in the State of Maharashtra on BoT basis - Laying of 11 KV underground HT cable across NH-53 at km 87.320 in Mouza Parola, Ta. Karanja, Dist. Wardha-Reg.

Ref.:

1. PD, PIU-Amravati letter no. 2796 dated 15.03.2024.
2. Executive Engineer, O&M Div. MSEDCL, Arvi letter no. 582 dated 28.02.2024.

It is to inform all concern that M/s MSEDCL. letter under reference (2) has submitted a proposal for the subjected work and PD, PIU, Amravati has recommended the above proposal vide letter under reference (1) for approval of the Competent Authority / Highway Administrator.

2. The alignment proposed by that M/s MSEDCL is across Kondhali-Talegaon Section of NH-53 (old NH-6) in the State of Maharashtra is as follows:

- Crossing at km 87.320 on Kondhali-Talegaon section of NH-53 (old NH-6).

3. As per Para-4 of Ministry's Circular No.RW/NH-33044/29/2015/S&R(R), dated 22.11.2016, the Highway Administration shall be put out in the public domain for 30 days for seeking claims and objections (on grounds of public inconvenience, safety and general public interest).

4. In view of the above, the comments / objections of affected public is hereby invited with reference to the Ministry's circular dated 28.01.2016 due to above transmission line on the subjected stretch. The objections / comments may be addressed to the below mentioned address within 30 days from issuance of public comments, beyond due date, no comments/ objections will be accepted.

The Regional Officer,
Regional Office - Nagpur
National Highways Authority of India,
"Narang Towers", 3rd Floor,
Opp.to Office of Dy. Commissioner of Police Traffic (Nagpur City),
Palm Road, Civil Lines, Nagpur-440 001, Maharashtra
Tel : 0712-2520091 Email : ronagpur@nhai.org

N. Wadeth
03.04.24

(Naresh Y. Wadethwar)
General Manager (Tech.)
NHAI, RO, Nagpur

Copy to: (i) Web Admn., NHAI, HQ, New Delhi - for uploading in NHAI's website

[web-admin@nhai.org]

(ii) Director, NIC, New Delhi

[mansoor@nic.in]

- for uploading in Ministry's website