

भारतीय राष्ट्रीय राजमार्ग प्राधिकरण

(सड़क परिवहन एवं राजमार्ग मंत्रालय, भारत सरकार)

National Highways Authority of India

(Ministry of Road Transport and Highways, Government of India) क्षेत्रीय कार्यालय-पश्चिम उ०प्र0, लखनऊ Regional Office - West UP, Lucknow.

3/248, विशाल खण्ड, गोमती नगर, लखनऊ-226010 (उ.प्र.) 3/248, Vishal Khand, Gomti Nagar, Lucknow-226010 (UP)

दूरभाष / Phone : 0522-4960291, टेलीफैक्स / Fax : 0522-4950680 ई-मेल / E-mail : rowestup@nhai.org, rowestup@gmail.com



Dated: 27.02.2024

19001/1/RO-W-UP/NH-30/12"Dia-UG/NOC/2671

Invitation of Public Comments

Regarding Permission for laying of Right Side 12" dia (300mm) Carbon steel Pipeline with OFC along the NH-30 from Bareilly More to Sethiya Oil Industry Sub: approx. length 84.515 Km. in 3 location in the state of Uttar Pradesh.

This office has received proposal for permission for laying of 12" dia (300mm) Carbon steel Pipeline with OFC along and across NH-30 (Bareilly More to Sethiya Oil Industry), Right Side, length 84.515Km in 3 locations of Uttar Pradesh.

- As per the guidelines, issued by the Ministry vide OM No.RW/NH-33044/29/ 2015/ S&R(R) dated 22.11.2016, the application shall be put out in the public domain for 30 days for seeking claims and objections (on grounds of public inconvenience, safety and general public interest).
- In view of the above, comments of the public on the above application is invited to the below mentioned address, which should reach by this office within 30 days from the date of publication beyond which no comments shall be entertained.

The General Manager cum Regional Officer, National Highways Authority of India Regional Office, UP-West, Lucknow 3/248, Vishal Khand, Gomti Nagar Lucknow-226 010

This issue with the approval of RO-West (UP).

Encl: As above.

(Mohd. Zaid) Manager (T) For RO-West, UP

Copy to:

1. Web Admin, NHAI-HQ- with request for uploading on the NHAI website.

2. The Technical Director, NIC, Transport Bhawan, New Delhi- with request for uploading on the Ministry's website.

3. The PD, PIU-Bareilly for information.

प्रधान कार्यालय : जी-5 एवं 6, सेक्टर-10, द्वारका, नई दिल्ली - 110 075 ● दूरभाष : 91-11-25074100, 200 ● वेबसाइट : www.nhai.gov.in Corporate Office: G-5 & 6, Sector - 10, Dwarka, New Delhi - 110 075 • Phone: 91-11-25074100/200 • Website: www.nhai.gov.in

CHECK-LIST


Guidelines for Project Directors for processing the proposal for laying of Natural Gas CS pipeline in the land along National Highway No-30

Relevant Circulars

- 1. Ministry Circular No. NH-41 (58)/68 dated 31.01.1969
- 2. Ministry Circular No. NH-III/P66/76 dated 18/19.11.1976
- 3. Ministry Circular No. RW/NH-IIIP/66/76 dated 11.05.1985
- 4. Ministry Circular No. RW/NH-11037/86/DOI (ii) dated 28.07.1993
- 5. Ministry Circular No. RW/NH-11037/86/DOI dated 19.01.1995
- 6. Ministry Circular No. RW/NH-34066/2/95/S&R dated 25.10.1999
- 7. Ministry Circular No. RW/NH-330231/19/99-DOM-III dated 17.10.2003
- 8. Ministry Circular No. RW/NH-33044/29/2015/S&R® dated 22.11.2016

Check list for getting approval for Laying of Natural Gas CS pipeline in the land Along National Highway No-30

Sr.No	Item	Information/ Status	Remarks
1	General Information		
1.1	Name and Address of the Applicant / Agency	M/s Bharat Petroleum Corporation Limited, camp office UPSICIDCO Building TC/46V, 5 th Floor Vibhuti Bhawan Gomati Nagar Lucknow-226010	
1.2	National Highway Number	NH- 30	
41.3	State	UTTAR PRADESH	
51.4	Location	Shah Jahanpur to Sita pur	
1.5	(Chainage in km)	AlongNH-30 1. Right Side km Ch. (325+600 to Ch. 331+787) 2. Right Side km Ch.(336+540 to 389+2 2 8)	
		3. Right side km. Ch.(395+800 to 407+174)	
		4.Left Side km. Ch.(407+174 to 419+590) & across from Right to left side Ch. (351+940),(373+300), (389+288) &(407+174)	







1.6	Length in Meters	Right side Along NH-30 58.935 km & Left Side Along NH-30 23.390 km. & across length 0.240km.
1.7	Width of available ROW in both side	yes
	(a) Right side from center line towards increasing chainage/km direction	22.5-30
	(b) Left side from center line towards increasing chainage/km direction	22.5-30
1.8	Proposal to lay underground Natural CS & MDPE pipeline	NHAI
	(a) Right side from center line towards increasing chainage/km direction	22.5-30
	(b) Left side from center line towards increasing chainage/km direction	22.5-30
1.9	Proposal of acquire land	
	(a) Right side of center line	N.A.
	(b) Left side of center line	N.A.
1.10	Whether proposal in the same side where land is not to be acquired	NO acquisition of land required
	If not then where to lay the pipeline	Along & across the National Highway
1.11	Details of already laid services, if any, along the proposed route	
1.12	No of lanes (2/4/6/8) existing	4 Lane
1.13	Proposed Number of lane (2 lanes with paved shoulder 4/6/8 lanes)	
1.14	Service road existing or not	
	If yes then which side	Yes
	(a) Left side from center line	Yes
	(b) Right side from center line	Yes
1.15	Proposed service road	
	(a)Left side from center line	
	(b) Right side from center line	
1.16	Whether proposal to lay gas pipeline is after the service road or between the service road main carriageway	After the service road
ml	Bharat Petroleum U	erritory Manager (Gas) tharat Petryleum Corporation Limited ttar Present-3 itapur (प्रि)

प्रबन्धक तकंठ भारतीय राष्ट्रीय राजमार्ग प्राधिकरण परियोजना कार्याच्यन इकाई, बरेली (उठ्यः) Team Ader
Theme Engineering Advisor Pvt.Ltd.
Bareilly-Silepur NH-24

परियोजना निदेशक भारतीय राष्ट्रीय राजमार्ग प्राधिक (%) परियोजना कार्वान्वयन इकाई, बरेली (उ०००)

1.17	The Permission for laying of Gas pipeline shall be considered for approval / rejection based on the Ministry Circular mentioned as above.	
	(a) Carrying of Gas pipeline on Highway bridges shall not be permitted as gases pipes can accelerate the process of corrosion or may cause explosions, thus, being much more injurious than leakage of gas	N.A.
	(b) Carrying of gas pipelines on bridges shall also discouraged however if the gas supply authorities seem to have no other viable alternative and approach the highway authority well in time before the design of the bridge in finalized they may be permitted to carry the pipeline on independent super structure supported on extended portion of piers and abutments in such a manner that in the final arrangement enough free spade around the super structure of the bridge remains available for inspection and repairs etc.	N.A.
	(c) Cost of required extension of the substructure as well as that of the supporting super structure shall be borne by the agency-in-charge of the utilities.	N.A.
	(d) Services are not being allowed indiscriminately on the parapet /any part of the bridges, safety of the bridge has to be kept in view while permitting various services along bridge. Approvals to be accorded in this regard with the concurrence of the Ministry 's Projects Chief Engineers Only	N.A.
1.18	If Crossing of the road involved	YES







प्रबन्धक तक० भारतीय राष्ट्रीय राजमार्ग प्राधिकरण परियोजना कार्यान्वयन इकाई, बरेली (उठ्या०)

If yes, it shall be either encased in	YES
pipes or through structure or	1.20
conduits specially built for that	
purpose at the expensed of the	
agency owing the line	
a) Existing drainage structures	YES .
shall not be allowed to carry	
the lines	
b) Is it on a line normal to NH	YES
c) Crossings shall not be too near	YES
the existing structures on the	
national highway, the	
minimum distance being 15	
meter. What is the distance	
from the existing structures	
d) The casing pipe (or Conduit	YES
pipe in the case of electric	
/OFC cable) carrying the utility	
line shall be of steel, case iron,	
or reinforced cement concrete	
and have adequate strength	
and be large enough to permit	
ready withdrawal of the	
carrier pipe/cable.	· ma
e) Ends of the casing/conduit	YES
pipe shall be sealed form the	
outside, so that it does not act	
as drainage path.	VDO
f) The casing /conduit pipe	YES
should, as minimum extend	
from drain to drain in cuts and	
toe of slope toe of slope in the	
fills	VEC
g) The top of the casing /conduit	YES
pipe should be at least 1.2	
meter below the surface of the	
road subject to being at least	
0.3 m below the drain inverts.	VEC
h) Crossing shall be by boring	YES
method (HDD) especially	
where the existing road	
pavement is of cement	
concrete or dense bituminous	
concrete type	





प्रबन्धक तक० भारतीय राष्ट्रीय राजमार्ग प्राधिकरण क्रिकेनन कार्यान्वक इकाई, बरेली (उल्प्र०) परियोजना निदेशक भारतीय राष्ट्रीय राजमार्ग प्राधिकरण गरियोजना कार्यान्वयन इकाई, बरेती (उकार)

	 i) The casing /conduit pipe shall be installed with an even bewaring throughout its length and in such a manner as to prevent the formation of a waterway along it. 	YES
2	Document /Drawings enclosed with the proposal	YES
2.1	Cross section showing the size of trench for open trenching method (Is it normal size of 1.2 m deep x 0.3 wide)	N.A.
	I. Should be greater than 60Cm wider than outer diameter of the pipe	N.A.
	II. Located as close to the extreme edge of the right-of way as possible but not less than 15 meter from the centre-lines of the nearest carriageway.	N.A
	III. Shall not be permitted to run along the national Highways when the road formation is situated in double cutting. Nor shall these be laid over the existing culverts and bridges.	N.A.
	IV. These should be so laid that their top is least 0.6 meter below the ground level so as not to obstruct drainage of the road land.	N.A.
2.2	Cross section showing the size of pit and location of pipe for HDD method	Attached
2.3	Strips plan/Route Plan showing Gas Pipe line, Chain age, width of ROW, distance of proposed, cable from the edge of ROW, important mile stone, Intersections, cross drainage work etc.	Incorporated in the drawing
2.4	Methodology for laying of showing Gas pipe line	HDD
2.4.1	Open Trenching method. (May be	N.A.

Team Leader
Theme Engineering Sylvees Pvt.Ltd

Bareilly-Sita ur NH-24

N.A.

Territory Manager (Gas)
Bharat Petereum Corporation Limited
Uttar Prodesh-3
Sitapur (UP)

भारतीय राष्ट्रीय राजमार्ग प्राधिकरण परियोजना कार्यान्वयन इकाई, बरेली (उठा०)

परियोजना निदेशक भारतीय राष्ट्रीय राजमार्ग प्राधिक ा नियोजन कार्यान्यन इकाई, बरेडी (১০১०)

11 1: (11)		
allowed in utility corridor only where		
pavement is neither cement concrete		
nor dense bituminous concrete type.		
If yes, Methodology of refilling of		
trench.		
a. The trench width should be at	N.A	
least 30 cm, but not more than		
60 cm wider than the outer		
diameter of the pipe.		
b. For filling of the trench,	N.A.	
Bedding shall be to a depth of		
not less than 30 cm. it shall		
consists of granular material		
free of lumps, clods and		
cobbles and graded to yield a		
firm surface without sudden		
change in the bearing value		
unsuitable soil and rock edged		
should be excavated and		
replaced by selected material.		
c. The backfill shall be completed	N.A.	
in two stages (i) side fill to the		
level of the top to the pipes		
and (ii) overfill to the bottom		
of the road crust.		
d. The side fill shall consist of	N.A.	
granular material laid in 15 cm		
layers each consolidated by		
mechanical tampering and		
controlled addition of moisture		
to 95% of the Proctor's		
Density. Over fill shall be		
compacted to the same density		
as the material that had been		
removed. Consolidation by		
saturation or pending will not		
be permitted	N.A.	
e. The road crust shall be built to	N.A.	
the same strength as the		
existing crust on either side of		
the trench; care shall be taken		
to avoid the formation of a dip		
at the trench.		
f. The Excavation shall be	N.A.	
protected by flagman, sings		

प्रवन्धक तकः रतीय राष्ट्रीय राजमार्ग प्राधिकरण योजना कार्यान्वयन इकाई, बरेली (उ०४०) Team Leader
Theme Engineering Services Pvt.Ltd
Bare Ny Signature 24



परियोजना निदेशक भारतीय राष्ट्रीय राजमार्ग प्राधिक एव परियोजना कार्यान्वयन इकाई, बरेती (उटा)

two witness			
g. If required, a diversion shall be constructed at the expensed of agency owing the utility line 2.4.2 Horizontal Directional drilling (HDD) Method 2.4.3 Laying of Gas Supply Pipe Line through CD works and method of laying a. On approaches, the water mains/cable shall be carried along a line as close to the edge of the right-of way as possible up-to a distance of 30 m from the bridge and subject to all other stipulation contained in this Ministry's guidelines issued with letter No. NH-HI/P66/76 dated 19.11.1976 3 Draft License Agreement signed by two witness 4 Performance bank Guarantee in favor of NHAI has to be obtained @Rs100/per running meter (parallel to NH) and Rs100000/per crossing of NH, for a period of one year initially (extendable if required till satisfactory completion of work) as security for ensuring /making good the excavated trench for laying the cables /ducts by proper filling and compaction, clearing Debris /loose earth produced due to execution of trenching at least 50 m away from the edge of the right of way. No payment shall be payable by the NHAI to the licensee for clearing debris /loose earth. 4.1 Performance BG as per above is to be obtained as per NHAI Guidelines		•	
2.4.3 Laying of Gas Supply Pipe Line through CD works and method of laying a. On approaches, the water mains/cable shall be carried along a line as close to the edge of the right-of way as possible up-to a distance of 30 m from the bridge and subject to all other stipulation contained in this Ministry's guidelines issued with letter No. NH-HI/P66/76 dated 19.11.1976 3 Draft License Agreement signed by two witness 4 Performance bank Guarantee in favor of NHAI has to be obtained @Rs100/-per running meter (parallel to NH) and Rs100000/-per crossing of NH, for a period of one year initially (extendable if required till satisfactory completion of work) as security for ensuring /making good the excavated trench for laying the cables /ducts by proper filling and compaction, clearing Debris /loose earth produced due to execution of trenching at least 50 m away from the edge of the right of way. No payment shall be payable by the NHAI to the licensee for clearing debris /loose earth. 4.1 Performance BG as per above is to be obtained as per NHAI Guidelines		g. If required, a diversion shall be constructed at the expensed of	N.A.
through CD works and method of laying a. On approaches, the water mains/cable shall be carried along a line as close to the edge of the right-of way as possible up-to a distance of 30 m from the bridge and subject to all other stipulation contained in this Ministry's guidelines issued with letter No. NH-HI/P66/76 dated 19.11.1976 3 Draft License Agreement signed by two witness 4 Performance bank Guarantee in favor of NHAI has to be obtained @Rs100/per running meter (parallel to NH) and Rs100000/per crossing of NH, for a period of one year initially (extendable if required till satisfactory completion of work) as security for ensuring /making good the excavated trench for laying the cables /ducts by proper filling and compaction, clearing Debris /loose earth produced due to execution of trenching at least 50 m away from the edge of the right of way. No payment shall be payable by the NHAI to the licensee for clearing debris /loose earth. 4.1 Performance BG as per above is to be obtained as per NHAI Guidelines	2.4.2		YES
a. On approaches, the water mains/cable shall be carried along a line as close to the edge of the right-of way as possible up-to a distance of 30 m from the bridge and subject to all other stipulation contained in this Ministry's guidelines issued with letter No. NH-HI/P66/76 dated 19.11.1976 3 Draft License Agreement signed by two witness 4 Performance bank Guarantee in favor of NHAl has to be obtained @Rs100/-per running meter (parallel to NH) and Rs100000/-per crossing of NH, for a period of one year initially (extendable if required till satisfactory completion of work) as security for ensuring /making good the excavated trench for laying the cables /ducts by proper filling and compaction, clearing Debris /loose earth produced due to execution of trenching at least 50 m away from the edge of the right of way. No payment shall be payable by the NHAl to the licensee for clearing debris /loose earth. 4.1 Performance BG as per above is to be obtained as per NHAl Guidelines	2.4.3	through CD works and method of	YES
two witness 4 Performance bank Guarantee in favor of NHAI has to be obtained @Rs100/-per running meter (parallel to NH) and Rs100000/-per crossing of NH, for a period of one year initially (extendable if required till satisfactory completion of work) as security for ensuring /making good the excavated trench for laying the cables /ducts by proper filling and compaction, clearing Debris /loose earth produced due to execution of trenching at least 50 m away from the edge of the right of way. No payment shall be payable by the NHAI to the licensee for clearing debris /loose earth. 4.1 Performance BG as per above is to be obtained 4.2 Confirmation of BG has been obtained as per NHAI Guidelines		a. On approaches, the water mains/cable shall be carried along a line as close to the edge of the right-of way as possible up-to a distance of 30 m from the bridge and subject to all other stipulation contained in this Ministry's guidelines issued with letter No. NH-HI/P66/76	YES
4 Performance bank Guarantee in favor of NHAI has to be obtained @Rs100/-per running meter (parallel to NH) and Rs100000/-per crossing of NH, for a period of one year initially (extendable if required till satisfactory completion of work) as security for ensuring /making good the excavated trench for laying the cables /ducts by proper filling and compaction, clearing Debris /loose earth produced due to execution of trenching at least 50 m away from the edge of the right of way. No payment shall be payable by the NHAI to the licensee for clearing debris /loose earth. 4.1 Performance BG as per above is to be obtained 4.2 Confirmation of BG has been obtained as per NHAI Guidelines	3	Draft License Agreement signed by	YES
obtained 4.2 Confirmation of BG has been obtained as per NHAI Guidelines	4	Performance bank Guarantee in favor of NHAI has to be obtained @Rs100/per running meter (parallel to NH) and Rs100000/-per crossing of NH, for a period of one year initially (extendable if required till satisfactory completion of work) as security for ensuring /making good the excavated trench for laying the cables /ducts by proper filling and compaction, clearing Debris /loose earth produced due to execution of trenching at least 50 m away from the edge of the right of way. No payment shall be payable by the NHAI to the licensee for clearing debris /loose earth.	
as per NHAI Guidelines	4.1		
, VCC	4.2	Confirmation of BG has been obtained as per NHAI Guidelines	
	5	Affidavit/undertaking from the	YES


प्रबन्धक तकः । प्रबन्धक तकः । रतीय राष्ट्रीय राजमार्ग प्राधिकरः । रयोजना कार्योन्दयन इकाई, बरेली (३०)० Team Leader
Theme Engineering Services Pvt.Ltd
Bareilly Glader NH-24



परियोजना निदेशक परियोजना निदेशक मारतीय राष्ट्रीय राजमार्ग प्राधिकः 'भिजेजना कार्यान्यम इकाई, बरेती (उ०ग्र.)

	application		
5.1	Not to Damage to other utility, If damaged then pay the losses either to NHAI or to the concerned agency	YES	
5.2	Renewal of Bank Guarantee		
5.3	Confirming all standard condition of NHAI'S guideline	YES	
5.4	Shifting of Gas Supply pipe line as and when required by NHAI at their own cost	YES	
5.5	Shifting due to 4 lining/widening of NH	YES	
5.6	Indemnity against all damages and claims clause (xxiv)	YES	
5.7	Traffic movement during laying of Gas supply pipe line to be managed by the applicant	YES	
5.8	If any claim is raised by the Concessionaire then the same has to be paid by the applicant	YES	
5.9	Prior approval of the NHAI shall be obtained before undertaking any work if installation, shifting or repairs, or alteration to the showing Gas Supply pipe line located in the National Highway right –or-ways.	YES	
5.10	Expenditure, if any, incurred by NHAI for repairing any damage caused to the National Highway by the laying, maintenance or shifting of the Gas supply pipe line will be borne by the agency owing the line.	YES	
5.11	If the NHAI considers it necessary in future to move the utility line for any work of improvement or repairs to the road, it will be carried out as desired by the NHAI at the cost of the agency owing the utility line within a reasonable time (not exceeding 60 days) of the intimation given.	YES	
5.12	Certificate from the application in the following format	YES	
	i) Laying of Gas supply pipe line will not have any deleterious	120	

प्रबन्धक तकः । भारतीय राष्ट्रीय राजमार्ग प्राधिकरण परियोजना कार्यान्वयन इकाई, बरेली (उठ्य०)



Bharat Petroleum Corporation Limited Uttar Predesh-3

परियोजना निदेशक भारतीय राष्ट्रीय राजमार्ग प्राधिकर । परियोजना कार्यान्वयन इकाई, बरेती (उठ्य

	effects on any of the bridge components and road way safety for traffic.	
	For 4- lining "We do undertake that I will relocate service road/approach road /utilities at my own cost notwithstanding the permission granted with such time as will be stipulated by NHAI " for future six-lining or any other development."	YES
6	Who will sign the agreement on behalf of gas supply pipe line agency?	Territory Manager BPCL
7	Certificate from the Project Director	
7.1	1. Certificate for confirming of all standard condition issued vide Ministry circular no NH-41 (58)/68 dated 31.01.1969, Ministry circular no. RW/NH-III/P/66/76 dated 18/19.11.1976, Ministry Circular NO.RW/NH-1103/1/86-DOI (ii) Dated 28.07.1993. Ministry circular No. RW/NH-34066/2/9 S&R dated 25.10.1999 and Ministry Circular No. RW/NH-330231/19/99 dated 17.10.2003. Ministry Circular No.RW/NH-33044/29/2015/S&R® dated 22.11.2016	Attached

प्रबन्धक तकः । भारतीय राष्ट्रीय राजमार्ग प्राधिकरण गरियोजना कार्यान्वयन इकाई, बरेली (उठा०)

Theme Engine

Leader rivig Services Pvt.Ltd tapur NH-24

Territory Manager (Gas)
Bharat Petroleum Corporation Limited
Uttal Predesh-3
Sitatur (UP)

परियोजना निदेशक भारतीय राष्ट्रीय राजमार्ग प्राधिकरण भ्योजना कार्यान्वयन इकाई, बरेली (उ०प्र०) The above particular along with the drawing and documents has been verified and certified as correct as per prevailing site conditions.

Territory Manager (Gas)

Bharat Petroleum Corporation Limited

Uttar Predesh-3

Name designations & Signature of the representative of applicant

Name designations & Signature of the Authorized concerned field authority of NHAI

Theme Engineer Bareitly

ui NH-24

प्रबन्धक तक० भारतीय राष्ट्रीय राजमार्ग प्राधिकरण गरियोजना कार्यान्वयन इकाई, बरेली (उ०००) परियोजना निदेशक पारतीय राष्ट्रीय राजमार्ग प्राधिकरण नेयोजना कार्यान्वयन इकाई, बरेली (उ०प्र०)