

सन्दर्भः

भारतीय राष्ट्रीय राजमार्ग प्राधिकरण

(सड़क परिवहन और राजमार्ग मंत्रालय, भारत सरकार)

National Highways Authority of India

(Ministry of Road Transport & Highways, Govt. of India) क्षेत्रीय कार्यालय : एफ-120, जनपथ, श्याम नगर, जयप्र-302019

Regional Office : F-120, Janpath, Shyam Nagar, Jaipur-302019

Tel. (O) / फोन : (ऑ.) 0141-2292056, 2292049

E-mail / ई-मेल : rojaipur@nhai.org Web. / वेब : www.nhai.gov.in



क्रमांक:NHAI/18013/1/2021-ROJ/Permission-Laying-125mm dia Gas Pipeline/Torrent/296/NH-48, km 110.90 to 11.80/2235 दिनांक: 06.11.2023

INVITATION OF PUBLIC COMMENTS

বিষয়: Proposal for grant of permission for laying 125mm dia PE Gas Pipeline from Km. 110.900 to 111.800 (RHS) of total length 900m on Delhi-Jaipur section of NH-48 at Shahjhanpur, Distt-Jaipur in the state of Rajasthan by M/s. Torrent Gas Jaipur Pvt. Ltd. – reg.

(i) M/s Torrent Gas Jaipur Pvt. Ltd letter no. TGJPL/CGD/22.23/MDPE-08 dt. 09.08.2023.

(ii) PD, PIU-Jaipur letter no. NHAI/JPR/NOC/Torrent Gas/Km 110.900 - 111.800/2023/1730 dated 16.10.2023 (received on 23.10.2023).

Sir,

It is to inform all concern that M/s. Torrent Gas Jaipur Pvt. Ltd., Jaipur vide letter cited under ref.

(i) above has submitted a proposal for the subjected work and PD, NHAI, PIU, Jaipur has submitted the above proposal vide letter under reference (ii) for approval of the Competent Authority, Highway Administration.

2. The proposal is for grant of permission for laying of 125mm dia PE Gas Pipeline from Km. 110.900 to 111.800 (RHS) of total length 900m on Delhi-Jaipur section of NH-48 at Shahjhanpur, Distt-Jaipur in the state of Rajasthan by M/s. Torrent Gas Jaipur Pvt. Ltd.

3. As per Para-4 of Ministry's Circular No. RW/NH-33044/29/2015S&R(R) dated 22.11.2016, the Highway Administration shall be put out in the public domain for 30 days for seeking claims and objections (on grounds of public inconvenience, safety and general public interest).

4. In view of the above, before approval of the competent authority, the comments/objections of affected public is hereby invited with reference to the Ministry's circular dated 22.11.2016 due to laying 125mm dia Gas Pipeline across the subjected project stretch. The objections/comments may be addressed to the below mentioned address upto 05.12.2023, beyond due date, no comments/objections will be

accepted.

The Regional Officer, Regional Office - Jaipur National Highways Authority of India, F-120, Janpath, Shyam Nagar, Jaipur (Raj.)-302019, Tel: 0141-2292049, 2292054 Email: rojaipur@nhai.org

This is issued with the approval of the Regional Officer, NHAI, RO, Jaipur (Rajasthan).

(मनोज खीड़ा) प्रबन्धक (तकनीकी)

Copy to:

(i) Web Admn., NHAI, HQ, New Delhi - for uploading in NHAI's website [web-admin@nhai.org]

(ii) Director, NIC, New Delhi - for uploading in Ministry's website. [mansoor@nic.in]

(iii) PD, PIU-Jaipur: for information.

(iv) M/s. Torrent Gas Jaipur Pvt. Ltd., Jaipur: for information.



भारतीय राष्ट्रीय राजमार्ग प्राधिकरण

(सडक परिवहन और राजमार्ग मंत्रालय, भारत सरकार)

National Highways Authority of India

(Ministry of Road Transport & Highways, Government Of India) परियोजना कार्यान्वयन इकाई, जयपुर/ Project Implementation Unit, Jaipur

डी–148, आर. एस.ई.बी. सब-स्टेशन के पीछे, वैशाली नगर, जयपुर–302021 D-148, Behind RSEB Sub-Satation, Vaishali Nagar, Jaipur-302021 दूरभाष / Phone : 91-141 - 4026465, ई-मेल /E-mail : jai@nhai.org



MM-mr

प्राप्त

Receipt No.

d Date: 16.10.2023

No. NHAI/JPR/NOC/Torrent Gas/KM.110.900-111.800/2023/| 7

Regional Officer

National Highways Authority of India` Regional Office, F-120, Janpath Shyam Nagar, Jaipur-302019

Sub.: Permission for laying of 125mm dia PE gas pipe line from km. 116.900 to km. 111.800 (RHS) of total length 900m on NH-8(New NH-48) at Shahjhanpur on Delhi-Jaipur highway in the state of Rajasthan-reg.

Ref.: 1. M/s Torrent Gas Jaipur Pvt. Ltd. Letter no. TGJPL/CGD/22.23/MDPE-08 dated 09.08.2023

2. This office letter no. 1292 dated 24.08.2023

3. M/s Torrent Gas Jaipur Pvt. Ltd. Letter no. TGJPL/Raj./NH/23-24/10102023 dated 10.10.2023

Sir,

This has reference to M/s Torrent Gas Jaipur Pvt. Ltd. above referred letter dated 09.08.2023 vide which said proposal has submitted to this office for laying of 125mm dia PE gas pipe line from km. 110.900 to km. 111.800 (RHS) of total length 900m on NH-8(New NH-48) at Shahjhanpur on Delhi-Jaipur highway in the state of Rajasthan on Gurgaon-Kotputli-Jaipur section of NH-8.

- 2. The said proposal has been examined in consultation with IE of the project highway. Further, this office vide above referred letter dated 24.08.2023 has requested to applicant to deposit the requisite License Fee and Performance Bank Guarantee. M/s Torrent Gas Jaipur Pvt. Ltd. vide letter dated 10.10.2023 has submitted the proof of deposition of License Fee amounting to Rs. 6,26,081/- in Bharat Kosh vide Receipt No. 1509230024235 dated 15.09.2023 and Performance Security in the form Bank Guarantee no. 006GT02232650005 dated 22.09.2023 of Rs. 90,000/- of HDFC Bank Ltd. and valid upto 20.09.2028, the same also confirmed by Canara Bank, Vaishali Nagar Branch.
- 3. In view of the above, the said proposal has been examined in this office and seems to be found in order as per MoRTH/NHAI Guidelines.
- 4. Duly signed checklist & documents is enclosed with the proposal and recommended to grant permission for laying of 125mm dia PE gas pipe line from km. 110.900 to km. 111.800 (RHS) of total length 900m on NH-8(New NH-48) at Shahjhanpur on Delhi-Jaipur highway in the state of Rajasthan.

Encl.: As above

Yours faithfully,

Project Director

Web: www.nhai.org

CHECK-LIST

Guidelines for processing the proposal for laying of utility line in the land across National Highways vested with NHAI/PWD BRO.

Ministry circular No-RW/NH 330044/29/2015/S&R(R) Dated 22/11/2016.

Sr.No.	Item	Information/Status	Remarks
	General Information	(Rajasthan)	
1	Name and Address of the Applicant / Agency	Torrent Gas Jaipur Private Limited Samanvay, 600 Tapovan, Ambawadi, Ahmedabad, Gujarat-380015).	
2	National Highway Number	New NH-48 (OLD NH-08)	
3	State	Rajasthan	
4	Location	Delhi to Jaipur Road	
5	(Chainage in km)	110.900 to 111.800	
6	Length in Meters	900m	
7	Width of available ROW in both side	31.05m	
8	Side of NH (left or right side of NH towards increasing change /KM/ direction)	Right Side	
9	Name of Highways Authority of NHAI/PWD/BRO	NHAI-PIU-JAIPUR	
10	Highway Administration Address	National Highway Authority of India, Regional Office, Jaipur F-120, Jan Path, Shyam Nagar, Jaipur, Rajasthan 302019	

Antofuma Fai

Project Director NHAI PIU JAIPUR

(2M

Sr.	ltem	Measurement observation as per site condition	MORT&H Norms	Whether complying with MORT&H Norms
1	Details of already laid utility service in any	No	Enclosed	N/A
2	Whether up gradation of the stretch in near future is proposed or not	Yes		N/A
	If yes provision of utility adversely affect the plan of up gradation	No	No affect plan of up gradation	N/A
3	Laying of the utility service along the National Highways	Yes		
3.1	Location of proposed utility service along the stretch	Along the NH from 110.900 to 111.800 RHS	Utility duct / beyond the toe line of the embankment and drains , enclose to the extreme edge of the ROW	
3.2	Depth of the utility service from Ground level	1.65m By HDD	At least 1.2m below the top	Complying
3.3	Mechanism for crossing for water channel	N/A	Through utility duct (if provision exist) or beneath the bed of water channel	N/A
3.4	Whether is ROW restricted in the stretch?	No		N/A
3.4.1	If yes whether provision of land acquisition is required to lay utility	N/A	,	N/A
	a. If yes whether undertaking for land acquisition along with relevant L.A detail has been furnished	N/A		N/A
3.4,2	With if concrete duct , in utility service are proposed to be laid in concrete ducts	N/A	Not less than one lane	N/A
4	Laying of utility Service across the NH			
4.1	Whether existing drainage structures is allow to carry the utility lines.	No	Not to be allowed	N/A
4.2	Proposed crossing of utility service	NA	Perpendicular to NH	NA
4.3	Type of casing pipe/conduit carrying the utility line	N/A	Steel , cast iron , or RCC and have adequate strength	N/A

Period 1

Arus Kumar Rons

4.4	Whether ends of the casing /conduit pipe are sealed from the outside	N/A	Sealed	N/A
4.5	Length of Casing /conduit pipe crossing NH	NA	Extend from drain to drain in cuts and toe to toe of slope in the fills	NA
4.6	Depth of top of the casing /conduit pipe	1.65m	At least 1.2m below the top of subgrade	Complying
4.7	Crossing method in case of CC pavement	HDD	Only boring method (HDD)	Complying
4.8	Horizontal and vertical clearances in case utilities are allowed overhead	N/A (Underground only)	In accordance with IRC codes.	N/A
5	Document/drawing enclosed with the proposal	Yes Enclosed		YES
5.1	Cross section showing in the site of trench for open trenching method	N/A (HDD)	Enclosed, if applicable	N/A
5.	a. Trench width	N/A	More than 30cm and less than 60 cm wider than the outer diameters of the utility pipe	N/A
	b. Filling of trench	N/A	As per Ministry circular No- RW/NH 30044/29/2015/S&R(R) Dated 22/11/2016.	N/A
	c. Location of trench	N/A	Extreme edge of the ROW	N/A
5.2	Cross section showing the size of pit and location of conduit for HDD method	Yes enclosed	Enclosed , if applicable	Complying
5.3	Strip plan / Route plan showing utility line , chainage, width of ROW , distance of proposed utility from the edge of ROW , important mile stone , intersection , cross drainage works etc.	Yes Enclosed	Enclosed	Complying
5.4	Plan and profile drawing of stretch showing cross section of road at 20m distance along with ROW and proposed utility	Yes enclosed	Enclosed	Complying
6	Methodology for laying of utility line	HDD, Yes enclosed	Enclosed	Complying
7	Draft license agreement is as per Ministry circular No-RW/NH30044/29/2015/S&R(R) Dated 22/11/2016.and	Yes enclosed	Enclosed	Complying
	Red ZZZZI ZO 10. and	Anul	Cumarter	

	signed by two witness			
3	License fee in favour of MORT&H RPAO Jaipur	Yes	As per Ministry circular No- RW/NH330044/29/2015/S&R(R) Dated 22/11/2016.	Complying
9	Whether bank guarantee has been obtained	Yes	As per Ministry circular No- RW/NH 30044/29/2015/S&R(R) Dated 22/11/2016.	Yes
	a. If yes, whether confirmation of BG has been obtained as per MORT&H / NHAI guidelines	Shall be obtained		
10.	Affidavit /Undertaking from the applicant for			
10.1	Undertaking for not to damage other existing utility, if damaged then to pay the losses to either to MORT&H / NHAI to the cornered agency	Enclosed	Enclosed	Complying
10.2	Undertaking for renewal of bank guarantee and when asked by NHAI/MORT&H	Enclosed	Enclosed	Complying
10.3	Undertaking for conforming all standard condition of MORT&H/ NHAI guidelines	Enclosed	Enclosed	Complying
10.4	Undertaking for shifting of utility as and when asked by MORT&H /NHAI within a month at their own cost	Enclosed	Enclosed	Complying
10.5	Undertaking for indemnity against all damages and claim	Enclosed	Enclosed	Complying
10.6	Undertaking for management of traffic moment during laying of utility line without hampering the traffic.	Enclosed	Enclosed	Complying
10.7	Undertaking that if any claim is raised by the concessionaire/ contractor than the same has to be paid by the applicant	Enclosed	Enclosed	Complying
10.8	Undertaking that the applicant has obtained various safety clearances from the representative	Enclosed	Enclosed	Complying

Reflered

Amt Cumarker

authorities such as	-
directorate of electricity,	
chief controller of explosive	
safety of directorate, state	
/ central pollution control	
board and any other	
statutory clearances	
applicable before applying	
to Highway Administration	

The ROW of the National Highway available at the proposed location from the central line of divided carriageway is 31.05m from central of ROW edge of ROW towards proposed utility in rural section 31.05m from central of ROW edge of ROW towards proposed utility in urban section.

The above particular along with the drawing and documents has been verified and certified as correct as per prevailing site conditions.

Name designations & Signature of the Authorized representative of applicant

Name designations & Signature of the concerned field authority of NHAI /PIU

02W