



भारतीय राष्ट्रीय राजमार्ग प्राधिकरण

(सड़क परिवहन एवं राजमार्ग मंत्रालय, भारत सरकार)

National Highways Authority of India

(Ministry of Road Transport & Highways, Govt. of India)

क्षेत्रीय कार्यालय : "नारंग टावर", पहली मंजिल, उपआयुक्त यातायात पुलिस (नागपुर शहर) कार्यालय के सामने, पाम रोड, सिविल लाईन्स नागपुर-440 001 महाराष्ट्र
Regional Office : "Narang Towers", 1st Floor, Opp. to Office of Dy. Commissioner of Police Traffic (Nagpur City), Palm Road, Civil Lines, Nagpur-440 001 Maharashtra
Tel/Fax : 0712-2520091, 0712-2980554 ई-मेल/ Email : ronagpur@nhai.org



भारतमाला
प्रगति के पथ पर अग्रसर

NHAI/RO-NAG/WSL/T-A/Gurudev Nagar-Km.122-1-119.8/AID/2020/ 3060

Date : 10.02.2020

Invitation of Public Comments

Sub: Proposal for laying / crossing of Water Supply utility at Km.122.100 and Km.119.800 at village Gurudev Nagar, Tq. Tiosa, Dist. Amravati on Talegaon – Amravati Section of NH-53 in the State of Maharashtra by the Executive Engineer, Amravati Irrigation Division -Reg.

Ref.: (i) PD, PIU, Amravati Lr.No.NHAI/PIU/AMT/AT/Irrigation Div.Amt/NOC/2020/1909, dtd.30.01.2020
(ii) Amravati Irrigation Division Letter dated 24.12.2019

It is to inform all concern that the Executive Engineer, Amravati Irrigation Division vide letter under reference (ii) has submitted a proposal for the subjected work and PD, NHAI, PIU, Amravati has recommended the above proposal vide letter under reference (i) for approval of the Competent Authority / Highway Administrator.

2. The alignment proposed by Executive Engineer, Amravati Irrigation Division for laying of Water Supply utility from Km.122.100 to Km.119.800 at village Gurudev Nagar, Tq. Tiosa, Dist. Amravati on Talegaon – Amravati Section of NH-53 in the State of Maharashtra is as detailed below:

- Two crossings at Km.122.100 and Km.119.800 near Gurudev Nagar, Tq. Tiosa, Dist. Amravati
- It is proposed to cross 560mm water supply pipeline using HDD method and without causing any damages to highway assets.

3. As per Para-4 of Ministry's Circular No.RW/NH-33044/29/2015/S&R(R), dated 22.11.2016, the Highway Administration shall be put out in the public domain for 30 days for seeking claims and objections (on grounds of public inconvenience, safety and general public interest).


- Contd...2

df

4. In view of the above, the comments / objections of affected public is hereby invited with reference to the Ministry's circular dated 22.11.2016 due to shifting / crossing of above water supply pipelines on the subjected stretch. The objections / comments may be addressed to the below mentioned address upto 09.03.2020, beyond due date, no comments/ objections will be accepted.

The Regional Officer,
Regional Office - Nagpur
National Highways Authority of India,
"Narang Towers", 3rd Floor,
Opp.to Office of Dy. Commissioner of Police Traffic (Nagpur City),
Palm Road, Civil Lines, Nagpur-440 001, Maharashtra
Tel : 0712-2520091
Email : ronagpur@nhai.org

This is issued with the approval of the Regional Officer, RO, Nagpur


(Arun P. Sarodaya)
Dy. General Manager (Tech.)
NHAI, RO, Nagpur

Copy to : (i) Web Admn., NHAI, HQ, New Delhi - for uploading in NHAI's website
[web-admin@nhai.org]

(ii) Director, NIC, New Delhi - for uploading in Ministry's website
[mansoor@nic.in]