



# भारतीय राष्ट्रीय राजमार्ग प्राधिकरण

(सड़क परिवहन एवं राजमार्ग मंत्रालय, भारत सरकार)

क्षेत्रीय कार्यालय - नागपुर : "नारंग टावर", तिसरी मंजिल, उपआयुक्त यातायात पुलिस (नागपुर शहर)  
कार्यालय के सामने, पाम रोड, सिविल लाईन्स नागपुर-440 001 महाराष्ट्र टेलि. 0712-2520091, 2980554  
ई-मेल : ronagpur@nhai.org वेबसाइट : www.nhai.gov.in



## National Highways Authority of India

(Ministry of Road Transport & Highways, Govt. of India)

Regional Office - Nagpur : "Narang Towers", 3<sup>rd</sup> Floor, Opp. to Office of Dy. Commissioner of Police Traffic (Nagpur City), Palm Road, Civil Lines, Nagpur-440 001 Maharashtra. Tel. 0712-2520091, 2980554  
e-mail : ronagpur@nhai.org website : www.nhai.gov.in

NHAI/RO-NAG/Ut.-118/NH-52/OFC/2022-23/ 307

Date: 26.04.2022

### Invitation of Public Comments

**Sub:** Request for granting of permission for laying of Mild Steel Water supply pipeline along / across Old NH-211 from Ch. Km 301.700 to Ch. km 306.350 of District Aurangabad- Reg.

**Ref.:**

1. PD, PIU Aurangabad letter no. 787 dated 12.04.2022
2. EE, MJP Div. Aurangabad letter no EEMJPDn.A'BAD/TB-2/475/2021 dated 17.03.2021

It is to inform all concern that Executive Engineer, MJP Div. Aurangabad vide letter under reference (ii) has submitted a proposal for the subjected work and PD, has recommended the above proposal vide letter under reference (i) for approval of the Competent Authority / Highway Administrator.

2. The alignment proposed by that MJP Division, Aurangabad along on Aurangabad-Karodi Section of NH-52 (Old NH-211) in the State of Maharashtra is as follows:

- Laying of (1500mm dia. on RHS & 2000mm dia. on LHS M.S. Pipe) pipeline along Highway from Ch. 301.700 to Ch. km 306.350 at the extreme edge of RoW using open trench method at 1.2m below ground level.
- Crossing at Ch. 301.700 & Ch. 305.944 through HDD method.

3. As per Para-4 of Ministry's Circular No.RW/NH-33044/29/2015/S&R(R), dated 22.11.2016, the Highway Administration shall be put out in the public domain for 30 days for seeking claims and objections (on grounds of public inconvenience, safety and general public interest).

4. In view of the above, the comments / objections of affected public is hereby invited with reference to the Ministry's circular dated 22.11.2016 due to above underground line on the subjected stretch. The objections / comments may be addressed to the below mentioned address within 30 days from issuance of public comments, beyond due date, no comments/ objections will be accepted.

**The Regional Officer,**

Regional Office - Nagpur

National Highways Authority of India,

"Narang Towers", 3<sup>rd</sup> Floor,

Opp.to Office of Dy. Commissioner of Police Traffic (Nagpur City),

Palm Road, Civil Lines, Nagpur-440 001, Maharashtra

Tel : 0712-2520091, Email : ronagpur@nhai.org

*N. Wadethwar*  
26.04-22

(Naresh Y. Wadethwar)

General Manager (Tech.)

NHAI, RO, Nagpur

Copy to: (i) Web Admn., NHAI, HQ, New Delhi - for uploading in NHAI's website

[web-admin@nhai.org]

(ii) Director, NIC, New Delhi-for uploading in Ministry's website [mansoor@nic.in]

मुख्यालय : जी-5 एवं 6, सेक्टर-10, द्वारका, नई दिल्ली - 110 075

Head Office : G-5 & 6, Sector-10, Dwarka, New Delhi - 110 075