

# भारतीय राष्ट्रीय राजमार्ग प्राधिकरण

(सडक परिवहन एवं राजमार्ग मंत्रालय)

National Highways Authority of India

(Ministry of Road Transport & Highways) क्षेत्रीय कार्यालय (राजस्थान) /Regional Office (Rajasthan)

एफ-120, जनपथ, श्याम नगर, जयपुर-302019 F-120, Janpath, Shyam Nagar, Jaipur-302019

No: NHAI/18013/1/2020-ROJ/Permission-Laying Gas Pipeline/54/NH-27 km 695.531/3262

दूरभाष /Tel .: 0141-2292049

: 0141-2292054

फैक्स /Fax: 0141-2292049

Date: 29.12.2020

ईमेल /Eail : rojaipur@nhai.org

# INVITATION OF PUBLIC COMMENTS

Gas Distribution network for Sirohi & Jalore GA in Rajasthan State (Pindwara Spuerline-Alternate Route): Proposal for Laying 8" dia steel natural Gas pipeline parallel to NH-27 across to National Highway -27 (Pindwara-Udaipur) from NH- Ch. 695/531 Km. to 692/521 Km. (L=3/010 Km.) near village Kantal along the pipeline route in Sirohi District by M/s. Gujarat Gas Ltd. in the state of Rajasthan - reg.

(i) M/s. Gujarat Gas Ltd. letter no. GGL/Sirohi & Jalore GA/Pindwara Alternate/NH-27/Pay & Ref.: Agree/2020 dated 03.10.2020

(ii) RO MoRTH, Jaipur letter no. RW/JAI/RAJ/PS/Utility/2020/396/306 dated 20.01.2020.

(iii) PD, PIU-Udaipur letter no. NHAI/UDA/P-U/Gas Pipeline/2020/1461 dt. 04.12.2020.

Sir,

It is to inform all concern that M/s. Gujarat Gas Ltd., Ahmedabad (Guj.) vide letter under reference (i) has submitted a proposal to RO, MoRTH, Jaipur for the subjected work and PD, NHAI, PIU, Udaipur has forwarded the above proposal t this office vide letter under reference (iii) for approval of the Competent Authority, Highway Administrator.

The proposal is regarding permission for laying 8" dia steel natural Gas pipeline parallel to NH-27 across to National Highway -27 (Pindwara-Udaipur) from NH- Ch. 695/531 Km. to 692/521 Km. (L=3/010 Km.) near village Kantal along the pipeline route in Sirohi District by M/s. Gujarat Gas Ltd. in the state of Rajasthan.

As per Para-4 of Ministry's Circular No. RW/NH-33044/29/2015S&R(R) dated 22.11.2016, the Highway Administration shall be put out in the public domain for 30 days for seeking claims and objections (on grounds of public inconvenience, safety and general public interest).

In view of the above, the comments/objections of affected public is hereby invited with reference to the Ministry's circular dated 22.11 .2016 due to overhead crossing of 132KV S/C transmission line on the subjected stretch. The objections/comments may be addressed to the below mentioned address upto 28.01.2021, beyond due date, no comments/objections will be accepted.

The Regional Officer, Regional Office - Jaipur National Highways Authority of India, F-120, Janpath, Shyam Nagar, Jaipur (Raj.)-302019, Tel: 0141-2292049, 2292054 Email: rojaipur@nhai.org

This is issued with the approval of the Regional Officer, NHAI, RO, Jaipur (Rajasthan).

Yours faithfully,

(Pradeep Mudgal) GM (Tech.)

Copy to: (i) Web Admn., NHAI, HQ, New Delhi - for uploading in NHAI's website [web-admin@nhai.org]

(ii) Director, NIC, New Delhi - for uploading in Ministry's website. [mansoor@nic.in]

(iii) PD, PIU-Udaipur: for information.

(iv) M/s. Gujarat Gas Ltd., 9th Floor, Avdesh House, Opp. Shri Govind Gurudwara, S.G. Highway, Ahmedabad (Guj.)-380054: for information.

# राष्ट्रीय राजमार्ग प्राधिकरण

(सडक परिवहन और राजमार्ग मंत्रालय)

# National Highways Authority of India

(Ministry of Road Transport & Highways)

परियोजना कार्यान्वयन इकाई, उदयपर, प्लाट नं.465, सरस डेयरी के पास, गोवर्द्धन विलास, उदयपर (राज.) 313001 Project Implementation Unit, Udaipur, Plot No. 465, Near Saras Dairy, Goverdhan Villas, Udaipur (Raj.) 313001

दुरभाष/Phone :(0294) 2980801, 2980802 ई-मेल/Email: uda@nhai.org





04.12.2020

HAI/UDA/P-U/Gas Pipeline/2020//461

The CGM (T) cum Regional Officer, National Highways Authority of India, Regional Office. F-120 - Janpath, Shyam Nagar

JAIPUR - 302019

Gas Distribution network for Sirohi & Jalore GA in Rajasthan State (Pindwara Spuerline-Alternate Route): Laying 8" dia steel natural Gas pipeline parallel to NH-27across to National Highway - 27 (Pindwara-Udaipur) from NH Ch. 695/531 Km to 692/521 Km. (L=3/010 Km), near village Kantal along the pipeline route in Sirohi District.

(i) MoRTH Letter No. RW/JAI/RAJ/PS/UTILITY/2020/396/306 dated 20.01.2020 Ref:

- (ii) This office letter No. NHAI/UDR/NH-27/Gas Pipe line/2020/2348 dt. 10.02.2020
- (iii) M/s. S.A. Infra letter No. SA/SC/O&M/Udai/2019-20/43 dated 10.07.2020
- (iv) This office letter No. NHAI/UDR/NH-27/ P-U/2020/764 dt. 22.08.2020
- (v) M/s. Gujarat Gas Ltd letter No. GGL/Sirohi & Jalore GA/Pindwara\_Alternate/NH-27/ Pay&Agree/2020 dated 03.10.2020

Sir.

With reference to the subject cited above, it is to submit that as per NHAI HQ circular dated 06.01.2020, the Project Director is the 'proposing Authority' for "Grant of Right to Access to the Highway, private properties, Rest Area complexes and such other facilities" and 'Competent Authority' is Regional Officers of NHAL.

In the instant case, the subjected proposal of M/s. Gujarat Gas Ltd was received in this office through MoRTH, Regional Office, Jaipur vide letter cited (i) above. The proposal has been examined by Supervision Consultant M/s. S.A. Infrastructure and submitted the report vide letter No. SA/SC/O&M/Udai/2019-20/43 dated 10.07.2020 along with lease rent calculation.

Accordingly, this office vide letter cited (iv) above (copy enclosed) has requested to the applicant for Depositing lease amount of Rs. 57,531/- through Bharatkosh Portal (www.Bharatkosh.gov.in) and submit performance Bank Guarantee amounting to Rs. 3,01,000/- (3100 m x Rs. 100/-) valid for a period of one year in favour of Project Director, NHAI, Udaipur.

Subsequently, M/s. Gujarat Gas Ltd has submitted the following:

- Licensee fee: Proof of deposition of lease amount of Rs. 57,531/- through Bharatkosh.gov.in a) vide transaction Ref. No. 0709200005074 dated 07.09.2020.
- Bank Guarantee: Original Bank Guarantee No. 0810IGP200023134 dated 28.09.2020 b) amounting to Rs. 3,01,000/- vilid upto 27.09.2022 issued by Kotak Mahindra Bank Ltd, Ahmedabad towards execution of subjected Gas pipeline in a length of 3.010 Km in favour of Project Director, NHAI, Udaipur (copy enclosed). The confirmation has been received from their Mumbai branch vide letter dated 28.09.2020 (received on email dt. 3.11.2020).

The proposal has been examined by Supervision Consultant as well as this office in line with MoRTH Circular No. RW/NH-33044/29/2015/S&R (R) dated 22.11.2016 and MoRTH RO letter No. RW/JAI/RJ/PS/2017/UTILITY/GENL dated 16.03.2017 and found in order.

In view of the above, it is recommended to accord necessary permission to M/s. Gujarat Gas Ltd against their aforementioned proposal.

> (Lokesh Singh Purchit) General Manager (Tech.)

Project Director

Yours faithfully,

two copies of proposal & copy of BG. Encl:



# भारतीय राष्ट्रीय राजमार्ग प्राधिकरण

(सड़क परिवहन और राजमार्ग मंत्रालय)

# **National Highways Authority of India**

(Ministry of Road Transport & Highways)

परियोजना कार्यान्वयन इकाई, उदयपुर, प्लाट नं.465, सरस डेबरी के पास, गोवर्द्धन विलास, उदयपुर (राज.) 313001 Project Implementation Unit, Udalpur, Plot No. 465, Near Saras Dairy, Goverdhan Villas, Udalpur (Raj.) 313001 दरभाष/Phone :(0294) 2980801, 2980802 ई-मेल/Email: uda@nhai.org

भारतमाला प्रगति के पथ पर अप्रसर

एक कदम स्वच्छता की ओर

# CERTIFICATE

- Sub: Gas Distribution network for Sirohi & Jalore GA in Rajasthan State (Pindwara Spuerline-Alternate Route): Laying 8" dia steel natural Gas pipeline parallel to NH-27 across to National Highway 27 (Pindwara-Udaipur) from NH Ch. 695/531 Km to 692/521 Km. (L=3/010 Km), near village Kantal along the pipeline route in Sirohi District.
- (i) Undersigned has examined the proposal of the applicant for Laying 8" dia steel natural Gas pipeline parallel to NH-27across to National Highway 27 (Pindwara-Udaipur) from NH Ch. 695/531 Km to 692/521 Km. (L=3/010 Km), near village Kantal along the pipeline route in Sirohi District and confirm that the standard conditions issued vide Ministry Circular No. RW/NH-33044/29/2015/S&R (R) dated 22.11.2016 has been followed.
- (ii) It is certified that any other location of utility line would be extremely difficult and unreasonable costly and installation of utility line within ROW will not adversely affect the design, stability & traffic safety of the highway nor the likely future improvement such as widening of the carriageway, easing of curve etc.
- (iii) I will ensure supervision of the work of laying of utility and ensure that the defects in road portion after laying of utility are corrected.
- (iv) I will notify/forfeit the BG for claims for damages done/disruption in working, if any.
- (v) I will ensure that proposed permission in entered the register of records.
- (vi) The record of previous approval, if any has been considered and copy of same is enclosed with the proposal.

(Lokesh Singh Rajpurohit)
General Manager (Tech.)

Project Director

## iCHECK - LIST

Guidelines for Project Directors for processing the proposal for laying of Gas Pipe Line in the land along National Highway vested with NHAI.

• Relevant circulars of Ministry of Road Transport and Highways

Circular No. NH-III/P/66/76 dated 18/19.11.1976

Circular No. RW/NH-III/P/66/76 dated 11.5.1982

Circular No. RW/NH-11037/1/86-DOI (ii)dated 28.7.1993

Circular No. RW/NH-11037/1/86/DOI dated 19.1.1995

Circular No. RW/NH-34066/2/95/ S&R dated 25.10.1999

Circular No. RW/NH-34066/7/2003 S&R (B) dated 17.9.2003

Circular No. RW/NH-34044/29/2015/S&R (R) dated 22.11.2016

Check list for getting approval for laying of Gas Pipe Line on NH land (To be filled by the PIU)

The permission for laying of Gas Pipe Line shall be considered for approval / rejection based on the Ministry Circulars mentioned as above,

Carrying of sewage/gas pipelines on highway Bridges shall not be permitted as Furmes/gases pipes can accelerate the process of corrosion or may cause explosions, thus, being much more injurious than leakage of water.

Services are not being allowed indiscriminately on the parapet/any part of the bridges, Safety of the bridges has to be kept in view while permitting various services along bridge.

Sr. No.	Item	Information / Status	Remarks
1	General Information	Laying pipeline parallel to NH-27 (Pindwara - Udaipur)	~~
1.1	Name and Address of the Applicant/Agency	Gujarat Gas Limited 9th Floor, Avdhesh House, Opp. Shri Govind Gurudwara, S.G. Highway, Ahmedabad – 380054	
1.2	National Highway Number	NH-27 (Old NH-14)	ok
1.3	State	Rajasthan	OK
1.4	Location	Near village Kantal	
1.5	(Chainage in km)	From NH Ch. 695/531 Km to Ch. 692/521 Km	OK
1.6	Length in Meters	L= 3/010 Km	OK
1.7	Width of available ROW	60 m	Yes
	(a) Left side from center line towards increasing chainage/ km direction	30 m	Yes
	(b) Right side from center line towards increasing chainage/km direction	30 m	11
1.8	Proposal to lay underground electrical cable		A -

Cosse

1					
	1	è			
			9		
	*				ģ

	(a) Left side from center line towards increasing chainage/km direction	NA	_
	(b) Right side from center line towards	NA	_
	increasing chainage/km direction		
1.9	Proposal to acquire land		
	(a) Left side from center line	NA	NA
	(b) Right side from center line	NA	MA
1.10	Whether proposal is in the same side	NA	
1.10	where land is not to be acquired	7. 47 7.	NA
	If not then where to lay the cable	NA	MA
1 11	Details of already laid services, if any,	U/G OFC	N. I
1.11	along the proposed route	U/G OFC	Yes .
1.12	Number of existing lanes (2/4 / 6/8	4	yes
1,14	lanes).		yes
1.13	Proposed Number of lanes (2 lane		40
4 4 4	with paved shoulders/4 / 6/8 lanes)	NT. L	
1.14	Service road existing or not	Not	HO
	If yes then which side		_
	(a) Left side from center line	au .	
	(b) Right side from center line	-	-
1.15	Proposed Service road	No	HO
	(a) Left side from center line		_
	(b) Right side from center line	-	
	Whether proposal to lay Gas Pipe line is	Proposal Gas Pipeline	745
1.16	after the service road or between the	will parallel to the	Billion
	service road and main carriageway	National Highway	
	Whether carrying of sewage / gas pipeline		
1.17	has been Proposed on highway Bridges. If	No	No
	yes, then mention the methodology		
	proposed for the same.		
	Whether carrying of sewage/gas pipeline		
1.18	has been proposed on the parapet/any	No	NO
	part of the bridges. If yes, then mention the		
	methodology proposed for the Same.		
	If crossings of the road involved		
4.40	If Yes, it shall be either encased in pipes or	NT A	NA
1.18	through structure or conduits specially	N.A	100
	built for that purpose at the expenses of		
	the agency owning the line		
	(a) Whether existing drainage structures	N.A	NA
	are allowed to carry sewage / gas pipeline	NT A	
	(b) Is it on a line normal to NH	N.A	N.A.
	(c) What is the distance of crossing the		
	sewage/gas pipelines from the existing		N.A.
	structures? Crossings shall not be too near	N.A	
	the existing structures on the National		GAS
	Highway, the minimum distance being 15		(STORESTONE)
	meter.		3 44 6
	(d) The casing pipe (or conduit pipe in the	N.A	O STUARAT GAS
	case of electric cable) carrying the utility	8	

Core

WEUP

	line shall be of steel, cast iron, or		
	reinforced cement concrete and have		
	adequate strength and be large enough to		
	permit ready withdrawal of the carrier		
	pipe/cable. Mention type of casing.		
	(e) Ends of the casing/conduit pipe shall		
	be sealed from the outside, so that it does	N.A	
	not act as a drainage path.		
	(f) The casing/conduit pipe should, as		
	minimum extend from drain to drain in	N.A	*
	cuts and toe of slope in the fills.		
	(g) The top of the casing/conduit pipe		
	should be at least 1.2 meter below the		
	surface of the road subject to being at least	N.A	
	0.3 m below the drain inverts. Mention the	2 111 2	
	proposed details.		
	(h) Mention the methodology proposed		
	for crossing of road for the proposed		
	Sewage/ gas pipe line, Crossing shall be		
	by boring method (HDD) [Trench-less	N.A	
		IN.A	
	Technology], specially, where the existing		
	road pavement is of cement concrete or		
	dense bituminous concrete type.		
	(i) The casing/conduit pipe shall be		
	installed with an even bearing throughout	N.A	
	its length and in such a manner as to	IN,A	
	prevent the formation of a waterway along it		
2	Document / Drawings to be enclosed with		· · · · ·
	the proposal.		yes
	Cross section showing the size of trench		
	for open trenching method		
	(Is it normal size of 1.2m deep X 0.3m		
	wide) (i) Should not be greater than 60 Cm		
	wider than the outer diameter of the pipe		
	(ii) Located as close to the extreme edge of		
	the right-of-way as possible but not less		
	than 15 meter from the centre-lines of the		
	nearest carriageway (iii) Shall not be		
2.1	permitted to run along the National	N.A	
	Highways when the road formation is		
	situated in double cutting. Nor shall these		
	be laid over the existing culverts and		
	bridges (iv) These should be so laid that their ton is		
	(iv) These should be so laid that their top is		
	at least 0.6 meter below the ground		
	level so as not to obstruct drainage of the road land.		
2.2	Cross section showing the size of pit and	N.A STGA	
2.2	location of cable for HDD method	IN.A	12
	my	GUJARA	19

One

Scrip plant, Route Plan showing Gas pipe line, Chairage, width of ROW. distance of proposed Gas pipe line from the edge of ROW. important mile stone, intersections, cross drainage works etc.  2.4 Methodology for laying of Gas pipe line.  Open trenching method. (May be allowed in utility corridor only where pavement is neither cement concrete nor dense bituminous concrete type. If yes, what is the Methodology of refilling of trench  (a) The trench width should be at least 30 cm, but not more than 60 cm wider than the outer diameter of the pipe.  (b) For filling of the trench, Bedding shall be to a depth of not less than 30 cm. It shall consist of granular material, free of lumps, clods and cobbles and graded to yield a firm surface without sudden change in the bearing value. Unsuitable soil and rock edged should be \(\tau\) excavated and replaced by selected material.  (c) The backfill shall be completed in two stages (i) side - fill to the level of the top of the pipe and (ii) overfill to the bottom of the road crust.  (d) The side-fill shall consist of granular material laid in 15 cm layers each consolidated by mechanical tampering and controlled addition of moisture to 95% of the Proctor's Density. Overfill shall be compacted to fine same density as the material that had been removed. Consolidation by saturation or pending will not be Permitted.  (e) The road crust shall be built to the same strongth as the existing crust on either side of the trench. Care shall be taken to avoid the formation of a dip at the trench.  (f) The excavation shall be protected by flagman, signs and barricades, and red lights during night hours.  (g) If required, a diversion shall be constructed at the expense of agency owning the utility line.  Horizontal Directional Drilling (HDD)  Methodology for laying of Gas Pipe Line through CD works and method of laying, in cases where the carrying of gas pipe line				
Open trenching method. (May be allowed in utility corridor only where pavement is nither cement concrete nor dense bituminous concrete type. If yes, what is the Methodology of refilling of trench  (a) The trench width should be at least 30 cm, but not more than 60 cm wider than the outer diameter of the pipe.  (b) For filling of the trench, Bedding shall be to a depth of not less than 30 cm. It shall consist of granular material, free of lumps, clods and cobbles and graded to yield a firm surface without sudden change in the bearing value. Unsuitable soil and rock edged should be \ excavated and replaced by selected material.  (c) The backfill shall be completed in two stages (i) side - fill to the level of the top of the pipe and (ii) overfill to the bottom of the road crust.  (d) The side-fill shall consist of granular material laid in 15 cm layers each consolidated by mechanical tampering and controlled addition of moisture to 95% of the Proctor's Density. Overfill shall be compacted to the same density as the material that had been removed. Consolidation by saturation or pending will not be Permitted.  (e) The road crust shall be built to the same strength as the existing crust on either side of the trench. Care shall be taken to avoid the formation of a dip at the trench.  (f) The excavation shall be protected by flagman, signs and barricades, and red lights during night hours.  (g) If required, a diversion shall be constructed at the expense of agency owning the utility line.  7. As per guideline	2.3	line, Chainage, width of ROW, distance of proposed Gas pipe line from the edge of ROW, important mile stone, intersections,		yes
Open trenching method. (May be allowed in utility corridor only where pavement is nither cement concrete nor dense bituminous concrete type. If yes, what is the Methodology of refilling of trench  (a) The trench width should be at least 30 cm, but not more than 60 cm wider than the outer diameter of the pipe.  (b) For filling of the trench, Bedding shall be to a depth of not less than 30 cm. It shall consist of granular material, free of lumps, clods and cobbles and graded to yield a firm surface without sudden change in the bearing value. Unsuitable soil and rock edged should be \ excavated and replaced by selected material.  (c) The backfill shall be completed in two stages (i) side - fill to the level of the top of the pipe and (ii) overfill to the bottom of the road crust.  (d) The side-fill shall consist of granular material laid in 15 cm layers each consolidated by mechanical tampering and controlled addition of moisture to 95% of the Proctor's Density. Overfill shall be compacted to the same density as the material that had been removed. Consolidation by saturation or pending will not be Permitted.  (e) The road crust shall be built to the same strength as the existing crust on either side of the trench. Care shall be taken to avoid the formation of a dip at the trench.  (f) The excavation shall be protected by flagman, signs and barricades, and red lights during night hours.  (g) If required, a diversion shall be constructed at the expense of agency owning the utility line.  7. As per guideline	2.4	Methodology for laying of Gas pipe line.	Enclosed	ves
cm, but not more than 60 cm wider than the outer diameter of the pipe.  (b) For filling of the trench, Bedding shall be to a depth of not less than 30 cm. It shall consist of granular material, free of lumps, clods and cobbles and graded to yield a firm surface without sudden change in the bearing value. Unsuitable soil and rock edged should be \( \) excavated and replaced by selected material.  (c) The backfill shall be completed in two stages (i) side - fill to the level of the top of the pipe and (ii) overfill to the bottom of the road crust.  (d) The side-fill shall consist of granular material laid in 15 cm layers each consolidated by mechanical tampering and controlled addition of moisture to 95% of the Proctor's Density. Overfill shall be compacted to the same density as the material that had been removed.  Consolidation by saturation or pending will not be Permitted.  (e) The road crust shall be built to the same strength as the existing crust on either side of the trench. Care shall be taken to avoid the formation of a dip at the trench.  (f) The excavation shall be protected by flagman, signs and barricades, and red lights during night hours.  (g) If required, a diversion shall be constructed at the expense of agency owning the utility line.  As per guideline	2.4.1	Open trenching method. (May be allowed in utility corridor only where pavement is neither cement concrete nor dense bituminous concrete type. If yes, what is the Methodology of refilling of trench		_
be to a depth of not less than 30 cm. It shall consist of granular material, free of lumps, clods and cobbles and graded to yield a firm surface without sudden change in the bearing value. Unsuitable soil and rock edged should be \ excavated and replaced by selected material.  (c) The backfill shall be completed in two stages (i) side - fill to the level of the top of the pipe and (ii) overfill to the bottom of the road crust.  (d) The side-fill shall consist of granular material laid in 15 cm layers each consolidated by mechanical tampering and controlled addition of moisture to 95% of the Proctor's Density. Overfill shall be compacted to the same density as the material that had been removed.  Consolidation by saturation or pending will not be Permitted.  (e) The road crust shall be built to the same strength as the existing crust on either side of the trench. Care shall be taken to avoid the formation of a dip at the trench.  (f) The excavation shall be protected by flagman, signs and barricades, and red lights during night hours.  (g) If required, a diversion shall be constructed at the expense of agency owning the utility line.  Horizontal Directional Drilling (HDD)  Method  Methodology for laying of Gas Pipe Line through CD works and method of laying.		cm, but not more than 60 cm wider	As per guideline	-
stages (i) side - fill to the level of the top of the pipe and (ii) overfill to the bottom of the road crust.  (d) The side-fill shall consist of granular material laid in 15 cm layers each consolidated by mechanical tampering and controlled addition of moisture to 95% of the Proctor's Density. Overfill shall be compacted to the same density as the material that had been removed. Consolidation by saturation or pending will not be Permitted.  (e) The road crust shall be built to the same strength as the existing crust on either side of the trench. Care shall be taken to avoid the formation of a dip at the trench.  (f) The excavation shall be protected by flagman, signs and barricades, and red lights during night hours.  (g) If required, a diversion shall be constructed at the expense of agency owning the utility line.  2.4.2 Horizontal Directional Drilling (HDD)  Method  Methodology for laying of Gas Pipe Line through CD works and method of laying.		be to a depth of not less than 30 cm. It shall consist of granular material, free of lumps, clods and cobbles and graded to yield a firm surface without sudden change in the bearing value. Unsuitable soil and rock edged should be \ excavated	As per guideline	
material laid in 15 cm layers each consolidated by mechanical tampering and controlled addition of moisture to 95% of the Proctor's Density. Overfill shall be compacted to the same density as the material that had been removed.  Consolidation by saturation or pending will not be Permitted.  (e) The road crust shall be built to the same strength as the existing crust on either side of the trench. Care shall be taken to avoid the formation of a dip at the trench.  (f) The excavation shall be protected by flagman, signs and barricades, and red lights during night hours.  (g) If required, a diversion shall be constructed at the expense of agency owning the utility line.  2.4.2 Horizontal Directional Drilling (HDD) Method  Methodology for laying of Gas Pipe Line through CD works and method of laying.		stages (i) side - fill to the level of the top of the pipe and (ii) overfill to the bottom of	As per guideline	and the same of th
same strength as the existing crust on either side of the trench. Care shall be taken to avoid the formation of a dip at the trench.  (f) The excavation shall be protected by flagman, signs and barricades, and red lights during night hours.  (g) If required, a diversion shall be constructed at the expense of agency owning the utility line.  2.4.2 Horizontal Directional Drilling (HDD) Method  Methodology for laying of Gas Pipe Line through CD works and method of laying.  N.A  As per guideline  As per guideline  As per guideline  No  No  No  No  No  No  No  No  No  N		material laid in 15 cm layers each consolidated by mechanical tampering and controlled addition of moisture to 95% of the Proctor's Density. Overfill shall be compacted to the same density as the material that had been removed.  Consolidation by saturation or pending	As per guideline	-7
flagman, signs and barricades, and red lights during night hours.  (g) If required, a diversion shall be constructed at the expense of agency owning the utility line.  2.4.2 Horizontal Directional Drilling (HDD) No No Method  Methodology for laying of Gas Pipe Line through CD works and method of laying.  N.A As per guideline  As per guideline  As per guideline  As per guideline  No N		(e) The road crust shall be built to the same strength as the existing crust on either side of the trench. Care shall be taken to avoid the formation of a dip at the	As per guideline	-
constructed at the expense of agency owning the utility line.  2.4.2 Horizontal Directional Drilling (HDD) Method  Methodology for laying of Gas Pipe Line through CD works and method of laying.  No  No  No  No  No  No  No  No  No  N		flagman, signs and barricades, and red	As per guideline	1
Method  Methodology for laying of Gas Pipe Line  2.4.3 through CD works and method of laying.  N.A		constructed at the expense of agency	As per guideline	
2.4.3 through CD works and method of laying. N.A	2.4.2	0 , .	No	NO
	2.4.3	through CD works and method of laying.	N.A	AS E

Ouse

Con Ded



	on the bridge becomes inescapable.		
3	Draft License Agreement signed by two witnesses	Enclosed	Not signed by witnesses C page 22)
4	Performance Bank Guarantee in favour of NHAI has to be obtained @ Rs 50/- per running meter (parallel to NH) and Rs. 1,00,000/- per crossing of NH, for a period of one year initially (extendable if required till satisfactory completion of work) as a security for ensuring/making good the excavated trench for laying the Gas pipe line/ducts by proper filling and compaction, clearing debris/loose earth produced due to execution of trenching at least 50m away from the edge of the right of way. No payment shall be payable by the NHAI to the licensee for clearing debris/loose earth. Performance BG as per above is to be obtained.	Bank Guarantee will be submitted as an when intimated by NHAI	
4.1	Confirmation of BG has been obtained or not as per NHAI guidelines	N.A	-
5.	Affidavit / Undertaking from the Applicant for the following is to be furnished		
5.1	Not to Damage to other utility, if damaged then to pay the losses either to NHAI or to the concerned agency.	Enclosed	Yes
5.2	For Renewal of Bank Guarantee.	Enclosed	ves
5.3	For Confirming all standard condition of Ministry Circulars and NHAI's guideline.	Enclosed	yes
5.4	For Shifting of Gas pipe line as and when required by NHAI at their own cost.	Enclosed	Yes
5.5	For Shifting of Gas pipe line due to 6 lanning / widening of NH	Enclosed	YES
5.6	For Indemnity against all damages and claims	Enclosed	Yes
5.7	For Traffic movement during laying of Gas pipe line to be managed by the applicant.	Enclosed	Yes Yes Hot Encrosed
5.8	If any claim is raised by the Concessionaire then the same has to be paid by the applicant.	Enclosed	458
5.9	Prior approval of the NHAI shall be obtained before undertaking any work of installation, shifting or repairs, or alterations to the Gas pipe line/any other utility located in the National highway right-of-ways.	Enclosed	Yes
5.10	Expenditure, if any, incurred by NHAI for repairing any damage caused to the National Highway by the laying, maintenance or shifting of the Gas pipe	Enclosed	T GAS YES

Out

(me)



	Te.		
	line will be borne by the applicant agency owning the line.		
5.11	If the NHAI considers it necessary in future to move the utility line for any work of improvement or repairs to the road, it will be carried out as desired by the NHAI at the cost of the agency owning the utility line within a reasonable time (not exceeding 60 days) of the intimation given.	Enclosed	yes
5.12	Certificate from the applicant in the following format (i) Laying of Gas pipe line will not have any deleterious effects on any of the bridge components and roadway safety for traffic (ii) "We do undertake that I/we will relocate service	Enclosed	yes
	road /approach road/utilities at my/our own cost notwithstanding the permission granted within such time as will be stipulated by NHAI for future six-lanning or any other development"	Enclosed	yes
6.	Who will sign the agreement on behalf of	Sr. Vice President	
	Gas pipe line agency?	(Operations III)	
	Power of Attorney to sign the agreement is available or not	Enclosed	YES To be Enclosed
7	The Project Director, will submit the following Certificates		To be Enclosed
7.1	Certificate for proposal for confirming of all standard condition issued vide Ministry of Road Transport and Highways Circular No.NH-III/P/66/76 dated 18/19.11.1976, RW/NH-III/P/66/76 dated 11.5.1982,RW/NH-11037/1/86 -DOI (ii) dated 28.7.1993. RW/NH-11037/1/86/DOI dated 19.1.1995, RW/NH-34066/2/95/ S&R dated 25.10.1999 and Circular No. RW/NH-34066/7/2003 S&R (B) dated 17.9.2003	Enclosed/ Not enclosed	4
7.2	Certificate from PD in the following format  (i) "It is certified that any other location of the Gas pipe line would be extremely difficult and unreasonable costly and the installation of Gas pipe line within ROW will not adversely affect the design, stability & traffic safety of the highway nor the likely future improvement	Enclosed/Not Enclosed	11
	such as widening of the carriageway, easing of curve etc".	Enclosed/Not Enclosed	SOT GAS
	200	2	134 (31)

Ouse

males

SUPERAT GAS



	<ul> <li>(ii) for 6 -lanning</li> <li>(a) Where feasibility is available</li> <li>"/ do certify that there will be no hindrance to proposed six-laning based on the feasibility report considering proposed structures at the said location".</li> <li>(b) In case feasibility report is not available</li> <li>"I do certify that sufficient ROW is available at site for accommodating proposed six-laning".</li> </ul>	Enclosed/Not Enclosed	To be Enclosed
8	If NH section proposed to be taken up by NHAI on BOT basis - a clause is to be inserted in the agreement. "The permitted Highway on which Licensee has been granted the right to lay Gas Pipeline/duct has also been granted as a right of way to the concessionaire under the concession agreement for up-gradation of [	Inserted	
9	Gas pipe line		
	(a) On behalf of the Applicant	Sr. Vice President (Operations III)	-
	(b) On behalf of NHAI	Project Director	
10	Who will ensure that the defects in road portion after laying of Gas pipe line are corrected and if not corrected then what action will be taken.		
	(a) On behalf of the Applicant	Sr. Vice President (Operations III)	
	(b) On behalf of NHAI	Project Director	-
11	Who will pay the claims for damages done/disruption in working of Concessionaire if asked by the Concessionaire?	Gujarat Gas Limited	
	On behalf of the Applicant		
12	A certificate from PD that he will enter the proposed permission in the register of records of the permissions in the prescribed Performa (copy enclosed).	Enclosed/Not Enclosed	To be Endosed
13	If any previous approval is accorded for laying of underground Gas Pipe line then Photocopy of register of records of permissions accorded as maintained by		GASZIA
	PD then copy be enclosed	6_	S CAN ITT

age

Consol

**Project Director** 



No.: GGL/Sirohi & Jalore GA/Pindwara \_Alternate/ NH-27/Pay&Agree/2020

Date: 03.10.2020

To,
The General Manager (Tech.) Project Director
National Highway Authority of India
Project Implementation Unit,
Udaipur Plot No. 465, Near Saras Dairy,
Goverdhan Villas,
Udaipur (Raj.) 313001

Dear Sir,

Sub.: Gas Distribution Network for Sirohi & Jalore GA in Rajasthan State — (Pindwara Spurline - Alternate Route) — Laying of 8"dia natural gas pipeline parallel to National Highway-27 (Pindwara - Udaipur) from NH Ch. 695/531 Km to 692/521 Km (L=3/010 Km) near Village Kantal along the pipeline route in Sirohi District—Submission of Bank Guarantee, License fee & Agreement.

Ref.: 1) Proposal letter No.: GGL/Sirohi & Jalore GA/ Pindwara\_Alternate/ NHAI/Crs/Per/2019 dt. 21.11.2019

2) Highway Administration-cum-Regional Officer, MORTH, Jaipur Letter No.: RW/ JAI/ RAJ/ PS/ Utility/ 2020/ 396/ 306 Dt. 20.01.2020

3) PD, NHAI, PIU, Udaipur demand letter No.: NHAI/UDR/NH-27/P-U/2020/764 dt. 22.08.2020

With reference to the above said subject matter & further intimated by your good office vide letter under reference (3), regarding submission of licensee fee (through online portal for NTRP collection i.e. through BHARATKOSH as per Ministry Circular no. RW/NH-33044/29/2018-S&R(R) dt. 22.11.2016.

Further, we wish to inform that payment of Rs. 57,531/- (Rupees Fifty Seven Thousand Five Hundred Thirty One Only) has been transferred online through NTRP portal (<a href="https://bharatkosh.gov.in">https://bharatkosh.gov.in</a>) vide transaction reference no.0709200005074 dt. 07.09.2020 towards License fees and also find enclosed herewith Bank Guarantee issued from Kotak Mahindra Bank having B.G. No. 0810IGP200023134 dt. 28.09.2020 of Rs. 3,01,000/- (Rupees Three Lakhs One Thousand Only) in favour of National Highway Authority of India, PIU Udaipur against laying pipeline parallel to NH-27 (Pindwara - Udaipur) near Kantal village in Sirohi Distict. The payment receipt is attached herewith for your reference. The details of Licensee fee and Bank Guarantee is attached herewith as Annexure-A.

We are also submitting Agreement in duplicate duly signed for your approval and signature.

We therefore request you to kindly accept the above said BG and payment receipt and process our case for further grant final NOC and provide us a copy of signed agreement for our record and reference.

Thanking you

Dy. Manager (ROU)

For Gujarat Gas Limited GAS

Anish Parikh

GUJARAT GAS AMOREO (A GSPC Group Company – Government of Gujarat Undertaking) (Formerly known as GSPC Distribution Networks Limited)

Corporate Office: 2, Shanti Sadan Society, Near Parimal Garden, Ellisbridge, Ahmedabad - 380 006, Gujarat, India.

Tel.: +91-79-26462980, 26460095 Fax: +91-79-26466249

Registered Office: Gujarat Gas CNG Station, Sector 5/C, Gandhinagar - 382 006, Gujarat, India. Tel.: +91-79-23264777, 23264999

Website: www.gujaratgas.com, www.gspcgroup.com CIN: L40200GJ2012SGC069118

Statement showing the for details of Bank Guarantee & License Fee for laying pipeline parallel to National Highway-27 (Pindwara - Udaipur) by Gujarat Gas Limited, Ahmedabad in Pindwara Spurline (Alternate Route) in District Sirohi.

License Fee for 5 years in advance in Rs.	57,531.00	57,531.00
Bank Guarantee @ Rs.100/- per running mtr. for 3010 mtr. length	3,01,000.00	3,01,000.00
NH-27 Chainage in Km	Ch. 695/531 Km to 692/521 Km (L= 3/010 Km)	
GGL P/L Chainage & Length in (Km)	Ch.1/038 Km to 4/050 Km (L= 3/010 Km)	Total amount in Rs.
GGL Pipeline Connectivity	Pindwara Spurline (Alternate Route) 8" dia Steel	Total amo
Name of Road	Pipeline laying parallel to NH-27 (Pindwara - Udaipur)	
Sr. No.	<del>.</del>	

Note: - i) License Fee for 5 years - Payment of Rs. 57,531/- (Rupees Fifty Seven Thousand Five Hundred Thirty One Only) has been transferred online through NTRP Portal (i.e. through http://bharatkosh.gov.in) vide transaction reference No. 0709200005074 on dated 07.09.2020. ii) Bank Guarantee - Kotak Mahindra Bank BG No. 0810IGP200023134 dtd. 28.09.2020 of Rs. 3,01,000/- (Rupees Three Lakhs One Thousand Only) in favour of Project Director, NHAI, PIU - Udaipur.





# oharatkosh, gov.in

Government of India Receipt Portal

# RECEIPT

Transaction Ref. No. 0709200005074

Dated: Sep 7 2020 3:51PM

M/S. GUJARAT GAS LIMITED Received from

with Transaction Ref.No.

0709200005074

Dated Sep 7 2020 3:51PM the sum of INR 57531 (Fifty-Seven Thousand Five Hundred Thirty-One Only ) through Internet based Online payment in the account of

License fee for laying of utility services, , NHAI/UDR/NH-27/P-U-2020/764DT.22.08.20NHCH.695/531TO692/521K Disclaimer:- This is a system generated electronic receipt, hence no physical signature is required for the purpose of authentication Printed On: 14-09-2020 04:50:45





# Kotake Mahindra Bank

To, National Highway Authority of India, PIU-Udaipur, Plot No. 465, Near Saras Dairy, Goverdhan Villas, Udaipur - 313001 (Rajasthan).

Dear Sir,

# Bank Guarantee No. 0810IGP200023134 Dated 28-Sep-2020

We are forwarding herewith our BG No. 08101GP200023134 dated 28-Sep-2020 for ₹ 3,01,000 /- (Rupees Three Lakh One Thousand Only) issued on behalf of the applicant GUJARAT GAS LIMITED

We confirm that the signatories to the Bank Guarantee are authorized to do so on behalf of the bank. Please note that all the correspondence related to this Bank Guarantee should be addressed to:

Branch Manager, Kotak Mahindra Bank Ltd. 9th Floor, Venus Amadeus, Jodhpur Cross Road, Satellite Ahmedabad 380015, Gujarat

Please note that confirmation message has transmitted through SFMS to CANARA BANK (IFSC Code CNRB0000169), you are requested to take confirmation of bank guarantee CANARA BANK (IFSC Code CNRB0000169) and issuing bank confirmation can be obtained through below mentioned E-Mail ID.

Trade Finance – CPC Trade,
Bank Guarantee Dept.
Tel no -66056757/66056731/66056734 and Fax no. 022-66466541
E-mail address: BGCONFIRMATIONDL@KOTAK.COM

Claims if any, under this guarantee should be made in writing and reach in original at the branch address and a copy of the same to be sent to Bank Guarantee Dept., Corporate Banking Operations (CPC), 6th Floor, Kotak Infiniti, Zone 4, Building No. 21, Infinity Park, Off Western Express Highway, Goregaon Mulund Link Road, Malad (E), Mumbai – 400 097 on or before 27-Sep-2022 (Inclusive of claim period) after that date all your rights under this guarantee will cease and we will be released and discharged of our liability forever.

Thanking you, Yours faithfully,

For Kotak Mahindra Bank Ltd

Authorised Signatory Bank Stamp

> JIYA BHATT B-147303

Emp. Code . A-93224

Mind

Deputy Manager

Kotak Mahindra Bank Ltd. CIN; L65110MH1985PLC038137 KOTAK MAHINDRA BANK LTD., MITHAKHALI SIX ROADS, AHMEDABAD. GUJISOSIAUTHIAVI 190 /2007



This franking/stamping forms an Integral part of bank Guarantee.

**BG** Number

Issuance/Amendment Date

Amount

: Rs

## BANK GUARANTEE

BG No: 0810IGP200023134 Date of Issue: 28-Sep-2020

To National Highway Authority of India, PIU-Udaipur, Plot No. 465, Near Saras Dairy, Goverdian Villas, Udaipur - 313001 (Rajasthan) (Hereinafter called Licensor)

Whereas Gujarat Gas Ltd. having its office at 9th floor, Avdhesh House, Opp. Shri Govind Gurudwara, SG Highway, Ahmedabad-380054 hereinafter called "the licensee" has undertaken to execute parallel to National Highway- 27 (Pindwara-Udaipur) from NH Chainage 695/531 Km to 692/521 Km for a length of 3010 Mtr. to set up gas distribution network in Pindwara City & Surrounding Area near village Pindwara of Taluka Pindwara District Sirohi (Pindwara Spurline).

And whereas it has been stipulated by you in the said parallel permission letter that the licenses shall furnish you with a Bank Guarantee by Scheduled Bank of India for the sum specified therein as security for compliance with his obligation in accordance with the parallel to National Highway-27 (Pindwara - Udaipur) from NH Chainage 695/531 Km to 695/521 Km by 8" dia Steel Natural Gas Pipeline.

And whereas, M/s. Gujarat Gas Ltd., have agreed to give the licensor such as Bank Guarantee.

Now, thereof we Kotak Mahindra Bank Ltd., a banking company incorporated and registered under

JIYA BHATT B-147303 To the state of th

ASHINA SUBRAMANI Emp. Code: A-93224 Deputy Manager



Sr. No.: BG 449665





(2)

# Bank Guarantee No. 08101GP200023134 Dated 28-Sep-2020

Companies Act 1956 and having license to carry on banking business under the Banking Regulation Act, 1949 having its registered office at 27 BKC, C 27, G Block, Bandra Kurla Complex, Bandra (E), Mumbai, Maharashtra - 400051 and its one of branch office at 9th Floor, Venus Amadeus, Jodhpur Cross Road, Satellite Ahmedabad 380015, Gujarat hereby affirm that we are the guarantor and responsible to you behalf of the licensee, upto a total of ₹ 3,01,000 /-(Rupees Three Lakh One Thousand Only) Such sum being payable in the types and proportions of currencies in which the parallel to NH price is payable and we undertake to pay you, upon your first written demand and without cavil or argument, any sums within the limits of ₹ 3,01,000 /-(Rupees Three Lakh One Thousand Only) as aforesaid without your needing to prove or to show grounds reasons for your demand for the sum specified therein.

We hereby waive the necessity of your demanding the said debt from their licenses before presenting us with the demand.

We, further agree that no change or addition to or other modification of the terms of the works to be performed there under or of any of the parallel documents, which may be made between you and the licensee shall in anyway release us from my liability under this guarantee and we hereby waive notice of any such change, addition or modification.

FURTHER, the notwithstanding anything contained in the foregoing; the liability of the Bank hereunder is limited to ₹ 3,01,000 /-(Rupees Three Lakh One Thous and Only) and also for a period of one year from the date of commencement of this guarantee, i.e. from 28-Sep-2020 at our branch at 9th Floor, Venus Amadeus, Jodhpur Cross Road, Satellite Ahmedabad 380015, Gujarat, this guarantee shall lapse and we shall be discharged from all our liabilities hereunder.

Notwithstanding anything to the contrary contained herein -

- i. Our liability under this Guarantee shall not exceed ₹ 3,01,000/-(Rupees Three Lakh One Thousand Only)
- ii. This Guarantee shall be valid up to 27-Sep-2021 (being the date of expiry date of the Guarantee)
- iii. The beneficiary's right as well the Bank's liability under this Guarantee shall stand extinguished unless a written claim or demand is made under this Guarantee on or before completion of one year from expiry date i.e. 27-Sep-2022

Executed this 28th day of Sep, 2020 at Ahmedabad

FOR KOTAK MAHINDRA BANK LTD.

AUTHORIZED SIGNATORIES

Bank SeaN

JIYA BHATT B-147303 ASHINA SUBRAMANI

Manager



# भारतीय राष्ट्रीय राजमार्ग प्राधिकरण

(सड़क परिवहन और राजमार्ग मंत्रालय)

National Highways Authority of India

(Ministry of Road Transport & Highways)

परियोजना कार्यान्वयन इकाई, उदयपुर, प्लाट न.465, सरस डेयरी के पास, गोवर्द्धन विलास, उदयपुर (राज.) 313001 Project Implementation Unit, Udalpur, Plot No. 455, Near Saras Dairy, Goverdhan Villas, Udalpur (Ral.) 313001

द्रभाष/Phone :(0294) 2980801, 2980802 ई-मेल/Email: uda@nhal.org





NHAI/UDR/NH-27/ P-U/2020/ 764

22.08.2020

M/s. Gujarat Gas Limited 9h Floor, Avdhesh House, Opp. Shri Govind Gurudware S.G. Highway, AHMEDABAD - 380054

Gas Distribution network for Sirohi & Jalore GA in Rajasthan State (Pindwara Spuerline-Alternate Route): Request for granting permission for laying 8" dia steel natural Gas. pipeline to supply natural gas to Pindwara City & its surrounding area in Rajasthan State - Pipeline laying parallel to National Highway-27across to National Highway -27 (Pindwara-Udaipur) from NH Ch. 695/531 Km to 692/521 Km. (L=3/010 Km), near village Kantal along the pipleline route in Sirohi District.

Ref:

- (i) MoRTH Letter No. RW/JAI/RAJ/PS/UTILITY/2020/396/306 dated 20.01.2020
- (ii) This office letter No. NHAI/UDR/NH-27/Gas Pipe line/2020/2348 dt. 10.02.2020

(iii) M/s. S.A. Infra letter No. SA/SC/O&M/Udai/2019-20/43 dated 10.07.2020

Sir.

This is with reference to the letter cited above, vide which MoRTH, RO, Jaipur had forwarded the Proposal for grant of permission for laying pipeline parallel to National Highway-27across to National Highway - 27 (Pindwara-Udaipur) from NH Ch. 695/531 Km to 692/521 Km. (L=3/010 Km), near village Kantal along the pipleline route in Sirohi District as per enclosed route diagram attached.

In the above letter, MoRTH has directed to collect the License Fee/Lease rentals applicable as per Ministry guideline No. RW/NH-33044/29/2015/S&R (R) dated 22.11.2016. The IE vide its letter No. SA/SC/O&m/Uda/2019-20/43 dated 10.07.2020 has submitted the report along with calculation details of rental fee payable for 3.010 Km length, where utility corridor is available for laying Water pipe line, which comes to Rs. 57,531/-.

It is therefore, requested to deposit lease amount of Rs. 57,531/- through Bharatkosh Portal (www.Bharatkosh.gov.in) in the name of RPAO (Regional Pay account Officer) MoRTH, Jaipur as per MoRTH Circular dated 09.08.2018 and provide copy of the receipt as per calculation sheet attached so that the proposal can be forwarded to Ministry for further action in the matter.

Further, you are also requested to submit performance Bank Guarantee @ Rs. 100/- per route meter as per Ministry's Circular No. RW/NH-33044/29/ 2015/S&R (R) dated 22,11.2016 amounting to Rs. 3,01,000/- (3100 m x Rs. 100/-) valid for a period of one year in favour of Project Director, NHAI, Udaipur.

Yours faithfully,

22/10/10 (Lokesh Singh Rajpurchit) General Manager (Tech.)

Project Director

Encl: as above.

Copy to : Shri Navin Kumar Nirala, STA, Ministry of Road Transport & Highways Regional Office (Civil), DCM, Ajmer Road, Jaipur - 302 019 - for Information please.

प्रधान कार्यालय : प्लॉट सं. जी-5 एवं 6, सेक्टर-10, द्वारका, नई दिल्ली - 110075 वेवसाईट : http://www.nhai.gov.in Corporate Office : Plot No. G-5 & 6, Sector - 10, Dwarka, New Delhi - 110075 Website : http://www.nhal.gov.in

License Deed Amount of 5	Years (F*12*5)	9	57531		
me llength in Mus Duct Diath Rate in per Area in Mr. Total Amount per Amount	Total*33%	1.	65.6		
Total (C*D)/(10*12)	LIP		888		
Rate in per Area in Mr. sqm. [A*8]	Q		3010.00		
Rate in per sqm.	U		115.839		
Duct Dialin Mus	g)		.=!		
Village Name Hength ha Mus	ĸ	G. C.		3010	
VIIIage Na	KANTAL NH-76	PAR ROAD -SIMA SE 130	MITER TAK. IRRIGATED	Total	The Market of the Control of the Con
S. No.					

Converting CAL Rate

OLC Rate Hectore

अधीया.

115.830

19900

) III	III Calculatin		With Annual Property	Guarantee		TO TO ME	The state of the s
No.	Category of Utility	Chainage of GAs Pape U along/Across the WH-27A	Chainage of GAs Pape Une flong/Across the NH-27/New OH.	Length in.	Rate in per Route M	BG amount on per route Mtrs	Chainage of GAs Papo Line  **Along/Across the NH-27/New Length in Rate in per BG amount on Remarks  **Route Mt/s**  **Route Mt/s**  **Remarks**
· view	Public Utility	692.521	695.533				Rate Taken as per Ministry's
		0.521 (Old CH)   3.531(Old CH)	3.531(Old or)	3010	100	301000	Guidelines letter No. RW/NH. 33044/29/2015/5&R (R 1 dated
A			Total	No.			22.11.2016
				Alexander of the second		301000	The state of the s
		The state of the s					
			Grand Total			301000	ſ.



The Akis Bank and the desired the second of the second of

We Axis Bank Ltd., further agree that the guarantee herein contained studies make that and that effect during the period would be taken for the period mance of said agreement and that continued to be entorceable till all the dues of the principal or by virtue at the said agree we been to be add and its claims solisted or abcharged or till the principal, certify that the add conditions of the said agreement have been tolly and properly carried out by the said conditions of the said agreement have been tolly and properly carried out by the said conditions at the said agreement have been tolly and properly carried out by the said conditions at the said agreement have been tolly and properly carried out by the said conditions at the said agreement have been tolly and properly carried out by the said conditions at the said agreement in a said agreement in a said agreement in a said agreement and a said agreement agreement in a said agreement and a said agreement agreement and agreement agreement

The pugrantee withol be discharged due to the change in the constitution of the Con-

The Special and Special probabilities of the State of the

	A SECURE OF THE PROPERTY OF TH
F5. No Pariscolari - 4 - 5	Colols - Colors
11 Pame of Sensitations	Project Director, NHAI Udolpur
12 Nome of Sank	Self-Concrete Bank Vicional
Advant Account to Market 1999	- 0159201103054 W
14 FESCICODE	CHR80000169
T. S. Steiner & Francis Co.	Select 3- Selat Ki Sea Madhuban, Udelper 313001

The process of the control of the process of the state of

the true was applying acceptance the existence of the property and the coming its currency except

Green Carolina N. Dell

S BABY LID

Home Fixed Deposits

Loans

Calculators

Canara Bank Udalpur

Senich

Bank Losettons, Branch Namo, Address, amali, phone

Showing 1 to 6 of 6 results

Ban	The second second	da	Address	
Canar			Branch: UDAIPUR	
Bank	CNRB0000169 MICR Code: 313015002 Branch Code: 000169		Land Table at the supplemental bridge at	
			7, SETHJIKI BARI MADHUBAN, UDAIPUR 313001	
			City: UDAIPUR District: UDAIPUR State: RAJASTHAN	
			Gentacti 0294 - 2525642	
Canara Bank	CNRB0002982		Branch: SUBHASH NAGAR, UDAIPUR	
			16 PATHON KI MAGRI SUBHASH NAGAR UDAIPUR - 13001	
		- 10	City: UDAIRUR Vistrict: UDAIRUR Viate: RAJASTHAN	
		G	ontact:	
Canara	IFSC Code:	P.	294-2415499	
Bank	CNRB0008477	L.	ranch: ST. GREGORIOUS SR SEC SCHOOL, UDAIPUR	
	MICR Code: 313015 Branch Code: 00847	004   51	T GREGORIOUS SR SEC SCHOOL KHARA KUA, NEW HUPAL PURA UDAIPUR RAJASTHAN 313001	
		Dis	ty: UDAIPUR strict: UDAIPUR ate: RAJASTHAN	
- 1	*	130		
anara II	SC Code:	029	ntact: 94-2410315	
ank C	NRB0003484		nch: UDAIPUR	
IN.	IICR Code: 79901520 ranch Code: 003484		NARA BANK NEW TOWN ROAD , P.O - R K PUR , DIST RIPURA(SOUTH), TRIPURA - 799120	
		Dist	: UDAIPUR rict: SOUTH TRIPURA e: TRIPURA	
		Con		
ara IFS	G Code:	0382	1 222246	
k CN	RRODONIES	Bran	ch: UDAIPUR SME	
	OR Code: 313015006 nch Code: 004162	CAN	ARA BANK STAR HEETAWALA BLDG NEAR BRIDGE PUR	
		Distri	UDAIPUR ct: UDAIPUR	
		Conta	RAJASTHAN	
ra IFSC	Code:	CB416	2@CANARABANK.COM	
CNR	B0005802	branc	h: UDAIPUR SECTOR 14	
	R Code: 313015007 CANAL		RA BANK GORDHAN VILAS 12RHB COLONY DR 14 UDAIPUR UDAIPUR RAJASTHAN 313031	
		City: U	DAIPUR L'UDAIPUR	
		otate: F	RAJASTHAN	
		Contact 2378835	tr.	

# (/NTRPHome/ChangeLanguage?lang=en)



# Non-Tax Receipt Portal (/NTRPHome/Index) Government of India

Controller General of Accounts
Dept. of Expenditure, Ministry of Finance

	1480		Non-Tax Re	celpt P
Payment Purpose	2 Depositor's Details	Gonfirm Into	4 Pay	
	and the second of the second o	regularity and the second seco	traditional theory contains and public conference and transportation and the specific section of the state of	har an symmethian as an apagaing
Depositor's category:	The second se	and a sharp and the first of the state of th	ger ger vers eine Verdergen des der vers ein der vers ein der der der der geleiche Verder von Verder von Verde	an an a Billion at American and American at American and American at American
Individual		He spile in the same of the sa		· ·
Purpose:				
License fee for laying of	utility services	of the tourner over a fine and a fine a		E 40 0 1
Ministry:				
ROAD TRANSPORT & HIGH	WAYS			
P*				
Function Head:				
105400800010000 - NATIO	NAL HIGHWAYS PERMAN	ENT BRIDGES FEE RULE	S	
Pay & Account Office (PAO	):			
034975 - PAO(NH), Jaipur	Control of the contro	miles the second of the second		
magazini in an		and the same of th	The second secon	
Drawing & Disbursing Office	e(DDO);			
234977 - SE, Civil		The second secon	The second secon	~
imount:			and the second of the second o	v
INR	<b>∨</b> 0	Contract Con	· · · · · · · · · · · · · · · · · · ·	
the plane is a long or the state of the Special Research of the state	and the second s			

Remarks:

Add

Home (/) About Us (/NTRPHome/AboutUs) Contact Us (/NTRPHome/ContactUs)
Privacy Policy (/NTRPHome/PrivacyPolicy) Disclaimer (/NTRPHome/Disclaimer)
Sitemap (/NTRPHome/SiteMap) Terms & Conditions (/NTRPHome/TermsandConditions)

©2015 Controller General of Accounts. All Rights Reserved.

Powered by Public Financial Management System
(https://pfms.nic.in/Users/LoginDetails/NewLayoutLogin.aspx)

REIG