



भारतीय राष्ट्रीय राजमार्ग प्राधिकरण

(सड़क परिवहन एवं राजमार्ग मंत्रालय, भारत सरकार)

क्षेत्रीय कार्यालय - नागपुर : "नारंग टावर", तिसरी मंजिल, उपआयुक्त यातायात पुलिस (नागपुर शहर)
कार्यालय के सामने, पाम रोड, सिविल लाईन्स नागपुर-440 001 महाराष्ट्र टेलि. 0712-2520091, 2980554
ई-मेल : ronagpur@nhai.org वेबसाइट : www.nhai.gov.in

National Highways Authority of India

(Ministry of Road Transport & Highways, Govt. of India)

Regional Office - Nagpur : "Narang Towers", 3rd Floor, Opp. to Office of Dy. Commissioner of Police Traffic (Nagpur City), Palm Road, Civil Lines, Nagpur- 440 001 Maharashtra. Tel. 0712-2520091, 2980554
e-mail : ronagpur@nhai.org website : www.nhai.gov.in



NHAI/RO/NAG/NH-930/UT-96/2021-22/ 3294

Date: 30.12.2021

31

Invitation of Public Comments

Sub: 4-laning of Warora- Wani section of NH-930 from km 313+850 to km 332+160 in the state of Maharashtra on EPC mode- **Permission for proposed Warora-Warangal and Chilakpuripeta - Hyderabad Kurnool 765kV EHV line crossing the project highway NH-930 at km 328+740 near Village Naigaon, Tah. Wani, Dlst. Yavatmal- Reg.**

Ref:

1. PD, PIU-Chandrapur letter no. 875 dated 24.12.2021
2. M/s Warora - Kurnool Transmission Ltd. letter no. WKT/HYD/2021/136 dated 25.10.2021

It is to inform all concern that M M/s Warora - Kurnool Transmission Ltd. letter under reference (2) has submitted a proposal for the subjected work and PD, NHAI, PIU, Chandrapur has recommended the above proposal vide letter under reference (1) for approval of the Competent Authority / Highway Administrator.

2. The alignment proposed by M/s Warora - Kurnool Transmission Ltd. across Wani - Warora Section of NH-930 in the State of Maharashtra is as follows:

- Crossing of overhead 765 KV EHV line at km 328/740 at village Naigaon (Kh), Taluka Wani, Dist Yavatmal.


3. As per Para-4 of Ministry's Circular No.RW/NH-33044/29/2015/S&R(R), dated 22.11.2016, the Highway Administration shall be put out in the public domain for 30 days for seeking claims and objections (on grounds of public inconvenience, safety and general public interest).

4. In view of the above, the comments / objections of affected public is hereby invited with reference to the Ministry's circular dated 28.01.2016 due to above transmission line on the subjected stretch. The objections / comments may be addressed to the below mentioned address within 30 days from issuance of public comments, beyond due date, no comments/ objections will be accepted.

मुख्यालय : जी-5 एवं 6, सेक्टर-10, द्वारका, नई दिल्ली - 110 075
Head Office : G-5 & 6, Sector-10, Dwarka, New Delhi - 110 075

Handwritten signature and date 30/12

The Regional Officer,
Regional Office - Nagpur
National Highways Authority of India,
"Narang Towers", 3rd Floor,
Opp.to Office of Dy. Commissioner of Police Traffic (Nagpur City),
Palm Road, Civil Lines, Nagpur-440 001, Maharashtra
Tel : 0712-2520091
Email : ronagpur@nhai.org



(N.L. Yeotkar)
General Manager (Tech.)
NHAI, RO, Nagpur

Copy to: (i) Web Admn., NHAI, HQ, New Delhi - for uploading in NHAI's website
[web-admin@nhai.org]

(ii) Director, NIC, New Delhi - for uploading in Ministry's website
[mansoor@nic.in]