



भारतीय राष्ट्रीय राजमार्ग प्राधिकरण

(सड़क परिवहन एवं राजमार्ग मंत्रालय, भारत सरकार)

National Highways Authority of India

(Ministry of Road Transport and Highways, Govt. of India)

क्षेत्रीय कार्यालय : एफ-120, जनपथ, श्याम नगर, जयपुर-302019

Regional Office : F-120, Janpath, Shyam Nagar, Jaipur-302019

Tel. (O.)/ फोन : (ऑ.) 0141-2292056, 2292049

E-mail / ई-मेल : rojaipur@nhai.org Web. / वेब : www.nhai.gov.in



No.: NHAI/18013/1/2021-ROJ/Permission-Gas Pipeline/Torrent/131/NH-48, km 110.50 to 118.50/3341 Date: 22.02.2022

INVITATION OF PUBLIC COMMENTS

Sub.: Proposal for grant of permission for laying 12" Carbon Steel Natural Gas Pipeline from Km. 110+500 (Ghiloth RIICO Gate, near Ayur Herbal) to Km. 118+500 (Neemrana RIICO) along NH-48 and one no. crossing at Km 111+100 at Shahjahanpur, Distt-Alwar in the state of Rajasthan by M/s. Torrent Gas Pvt. Ltd. - reg.

Ref.: 1. Asst. General Manager TORRENT Gas Pvt. Ltd letter no. 02 dated 18.05.2021 and even no. 043 dated 07.01.2022.
2. PD, PIU-Jaipur letter no. NHAI/JPR/Torrent Gas/2021/OFC/2121/2183 dt. 04.02.2022.

Sir,

It is to inform all concern that the M/s. Torrent Gas Pvt. Ltd. Jaipur vide letter under reference (1) has submitted a proposal for the subjected work and PD, NHAI, PIU, Jaipur has submitted the above proposal vide letter under reference (2) for approval of the Competent Authority, Highway Administration.

2. The proposal is regarding permission for laying 12" Carbon Steel Natural Gas Pipeline from Km. 110+500 (Ghiloth RIICO Gate, near Ayur Herbal) to Km. 118+500 (Neemrana RIICO) along NH-48 and one no. crossing at Km 111+100 at Shahjahanpur, Distt-Alwar in the state of Rajasthan by M/s. Torrent Gas Pvt. Ltd.

3. As per Para-4 of Ministry's Circular No. RW/NH-33044/29/2015S&R(R) dated 22.11.2016, the Highway Administration shall be put out in the public domain for 30 days for seeking claims and objections (on grounds of public inconvenience, safety and general public interest).

4. In view of the above, before approval of the competent authority, the comments/objections of affected public is hereby invited with reference to the Ministry's circular dated 22.11.2016 due to laying of Gas Pipeline along and across on the subjected stretch. The objections/comments may be addressed to the below mentioned address upto 21.03.2022, beyond due date, no comments/objections will be accepted.

The Regional Officer, Regional Office - Jaipur

National Highways Authority of India,

F-120, Janpath, Shyam Nagar, Jaipur (Raj.)-302019,

Tel : 0141-2292049, 2292054 Email : rojaipur@nhai.org

This is issued with the approval of the Regional Officer, NHAI, RO, Jaipur (Rajasthan).

Yours faithfully,

(K R Chouhan)

Dy. General Manager (I)

- Copy to: (i) Web Admn., NHAI, HQ, New Delhi - for uploading in NHAI's website [web-admin@nhai.org]
(ii) Director, NIC, New Delhi - for uploading in Ministry's website. [mansoor@nic.in]
(iii) PD, PIU-Jaipur: for information.
(iv) M/s. Torrent Gas Pvt. Ltd. 101-105, 1st Floor, Signature Tower, DC-2, Opp. Nehru Bal Udhvan, Near Appex Bank, Lalkothi, Tonk Road, Jaipur (Raj.)-302015: for information.



भारतीय राष्ट्रीय राजमार्ग प्राधिकरण

(सड़क परिवहन और राजमार्ग मंत्रालय, भारत सरकार)

National Highways Authority of India

(Ministry of Road Transport & Highways, Government Of India)

परियोजना कार्यान्वयन इकाई, जयपुर/ Project Implementation Unit, Jaipur

डी-148, आर. एस.ई.बी. सब-स्टेशन के पीछे, वैशाली नगर, जयपुर-302021

D-148, Behind RSEB Sub-Station, Vaishali Nagar, Jaipur-302021

दूरभाष / Phone : 91-141 - 4026465, ई-मेल / E-mail : jai@nhai.org



2

No. NHAI/JPR/Torrent Gas/2021/OFC/ 2183

Highway Administration cum Regional Officer
Regional Office

National Highways Authority of India

Regional Office, F-120, Janpath,

Shyam Nagar, Jaipur-302019



Date: 04.02.2022

Sh. K/R
DGM (T)
07/2/22
M/R
L/R
S/R

Sub.: **Permission for laying 12" Carbon Steel Natural Gas Pipeline from NH Chainage Km 110+500 (Ghiloth RIICO Gate, Near Ayur Herbal) to NH Chainage Km 118+500 Km (Neemrana RIICO) along NH-48 and one no. of crossing at NH-48 Ch. 111+100 at Shahjahanpur, Alwar District Rajasthan - reg.**

- Ref.:1) Asst. General Manager TORRENT Gas Pvt. Ltd letter no. 02 dated 18.05.2021.
2) This office letter no. 320 dated 14.06.2021
3) M/s. URS Scott Wilson India Pvt. Ltd. letter no. 518 dt. 22.09.2021.
4) This office letter no. 1448 dated 08.10.2021.
5) Asst. General Manager TORRENT Gas Pvt. Ltd letter no. 038 dated 20.10.2021.
6) This office letter no. 1664 dated 02.11.2021 addressed to Bank
7) This office letter no. 1948 dated 23.12.2021 addressed to applicant
8) This office letter no.1947 dated 23.12.2021 addressed to IE.
9) Asst. General Manager TORRENT Gas Pvt. Ltd letter no. 043 dated 07.01.2022
10) IE M/s CEG Ltd. letter no. 12 dated 12.01.2022

Sir,

Reference is invited Asst. General Manager TORRENT Gas Pvt. Ltd letter dated 18.05.2021 vide which said proposal has submitted to this office for laying 12" Carbon Steel Natural Gas Pipeline from NH Chainage Km 110+500 (Ghiloth RIICO Gate, Near Ayur Herbal) to NH Chainage Km 118+500 Km (Neemrana RIICO) along NH-48 and one no. of crossing at NH-48 Ch. 111+100 at Shahjahanpur, Alwar District Rajasthan

2. The said proposal has been examined in Consultation with Independent Engineer of the Project Gurgaon-Kotputli-Jaipur section of NH-8, M/s. URS Scott Wilson India Pvt. Ltd. IE vide their letter dated 22.09.2021 has recommended for according approval for laying 12" Carbon Steel Natural Gas Pipeline from NH Chainage Km 110+500 (Ghiloth RIICO Gate, Near Ayur Herbal) to NH Chainage Km 118+500 Km (Neemrana RIICO) along NH-48 and one no. of crossing at NH-48 Ch. 111+100 at Shahjahanpur, Alwar District Rajasthan.

3. IE M/s. URS Scott Wilson India Pvt. Ltd. vide their letter dated 22.09.2021 submitted that :

The IE's representative has inspected the proposed site on 25.06.2021 for laying 12" Carbon Steel Natural Gas Pipeline from NH Chainage Km 110+500 (Ghiloth RIICO Gate, Near Ayur Herbal) to NH Chainage Km 118+500 Km (Neemrana RIICO) along NH-48 and

one no. of crossing at NH-48 Ch. 111+100 at Shahjahanpur, Alwar District Rajasthan and our comments are given below.

In this regard, NHAI has requested to examine the checklist, drawings & other documents of the proposal in the accordance with MoRTH/NHAI guidelines & as per site condition & submit the clear-cut recommendation along with Site Inspection Certificate to NHAI for taking further action.

In accordance with sub clause 43.1 of CA, the Concessionaire shall have right to the use of the site as sole licensee subject to and in accordance with the Concession Agreement, and to this end, it may regulate the entry and use of the Project Highways by third parties in accordance with and subject to the provisions of CA.

In view of the above, the Concessionaire was intimated vide 2nd cited to go through the contents of said proposal for premission for laying 12" Carbon Steel Natural Gas Pipeline from NH Chainage Km 110+500 (Ghiloth RIICO Gate, Near Ayur Herbal) to NH Chainage Km 118+500 Km (Neemrana RIICO) along NH-48 and one no. of crossing at NH-48 Ch. 111+100 at Shahjahanpur, Alwar District Rajasthan. and submit your comments / inspection report with respect to Ministry of Road Transport & Highways Circular no. RW/NH-33044/29/2015/S&R(R) dated 22.11.2016 & Ministry letter no. RW/JAI/RJ/PS/2017/UTILITY/GENL/1161-1189 dated 16.03.2017 for your review and comments.

It has also requested that comments on this matter shall clearly mention that whether the location of the proposed gas pipeline is in urban/rural area and other points which are not covered in Ministry Checklist but are necessary having regard to road safety.

The concessionaire's had replied vide letter no. 099 dated 22.06.2021 and given comments as per CA and there is no objection by them against this proposal.

We had gone through the contents of said proposal and examined the checklist, drawings & other documents of the proposal as per site condition. Our comments on this proposal are also given below.

Upon examination of the submitted documents, it has been noted that the applicant has submitted the checklist, drawings & other documents in accordance with Ministry's Guidelines issued vide letter no. RW/NH-33044/29/2015/ S&R (R) dated 22.11.2016 & Ministry letter no. RW/JAI/RJ/PS/2017/UTILITY/GENL/1161-1189 dated 16.03.2017.

IE has inspected the site along with M/s Torrent Gas Private Limited representative to check the physical availability of utility corridor at the desired stretch of project highway for the proposed laying of gas pipeline, it has been observed that, the proposed Gas Pipeline from NH Chainage Km 110+500 (Ghiloth RIICO Gate, Near Ayur Herbal) to NH Chainage Km 118+500 Km (Neemrana RIICO) along NH-48 and one no. of crossing at NH-48 Ch. 111+100 at Shahjahanpur, Alwar District Rajasthan. Therefore, the above said proposal has been considered from Km. 110+500 to Km. 111+100 RHS and Km. 111+100 to Km. 118+500 LHS, One crossing at Km. 111+100 (62.1m) at Shahjahanpur on NH- 8 (New NH-48) (Delhi to Jaipur Road) (total length is 8456m) for granting the permission

under the jurisdiction of NHAI PIU Jaipur. Accordingly, the corrected drawings & checklist has been received from the applicant.

It has also been observed that some of the project facilities like Bus Bay, Entry/Exit ramp and Junction Improvisent have not yet been completed where the said gas pipeline has been proposed to be laid in the utility corridor of project highway.

After examining the subject proposal in accordance with MORT&H/NHAI guidelines and our observations/comments are as given below:

- a) The service road in this section has already been completed on both sides of project highway.
- b) The ROW width is 62.10 meter in this section.
- c) The Pipeline is proposed moreover on LHS side of project highway except a small length of 600 meter on RHS side.
- d) The Toll Plaza is fully functional at Km 115+400 at Shahjahanpur.
- e) The flyover has been constructed & functional for crossing of traffic at Km 113+200 & 119+485.
- f) The project facilities are as under.
 - i. Bus bay at 113+350, 118+480 on LHS.
 - ii. Entry at Km 109+100 & Km 114+500 on LHS.
 - iii. Exit ramp at Km 110+100, Km 112+500 & Km 120+680 on LHS.
- g) The pipeline shall be laid within utility corridor at the extreme edge of ROW limit. The depth of at least 1.5 meters below ground level should be ensured by the vendor.
- h) The crossing of pipeline at 111+100 as requested should be done by HDD method. The depth may be considered at least 3 meter below road surface. While crossing through project facilities it should be ensured that the depth should not be less than 3 meter.
- i) The pipeline should follow the extreme edge of row with 1.5 meter depth at all project facilities locations.
- j) M/s Torrent Gas Private Limited shall be completely responsible to follow MORT&H & NHAI guidelines and relevant policy circulars during execution of above proposals.
- K) The land acquired & reserved for project facilities & ROW corridor on the LHS & RHS side should not be occupied by M/s Torrent Gas Private Limited during & after execution of proposal.
- k) M/s Torrent Gas Private Limited shall be responsible to restore the project highway completely in its original position after completion their works.
- l) M/s Torrent Gas Private Limited is responsible to ensure that no interruption or disturbance is caused to smooth movement of traffic on main carriageway & service road during works.
- m) It is to be ensured M/s Torrent Gas Private Limited shall not damage any part of highway, service road and its facilities during execution of their proposal. If any damage observed, the NHAI/Concessionaire has the right to recover complete repair cost including penalties from M/s Torrent Gas Pvt. Ltd.
- n) The agency will be responsible for any accident/incident including fatal accident, if occurred due to their negligence at work site. It will adopt all safety measures to ensure smooth and safe passage of commuters.

- o) The complete desired stretch of the submitted proposal are falling under the Rural section from Km. 110+500 to Km. 118+500 (Length 8000m), One crossing at Km. 111+100 at Shahjahanpur on NH-48.

We have also worked out the license fee and performance bank guarantee in favour of NHAI which are required to be obtain from the applicant M/s Torrent Gas Pvt. Ltd, Jaipur (Rajasthan) The amount for license for laying of 8063m Pipe Line along and across NH-8 section has been worked to Rs. 17,53,010/- based on the prevailing circle rates for the particular area as made available by the applicant duly considering under the category of public utilities for this case as per the guidelines of MoRTH.

It is calculated at the rate of ₹100/- per route meter for pipe of size ≥ 300 mm dia/width total length of 8063 m in NH-8 (New NH-48) for Rs. 8,06,300/- on NH-8 (New NH-48) initially for a period of Ten years (extendable if required till satisfactory completion of work) as a security to comply with the requirements of conditions as per MORT&H circulars in this regard. The amount of the deposited for payment of Performance bank guarantee is ₹8,06,300/- in this regard. The detailed calculation sheet for working the amount for License fee and performance bank guarantee is attached herewith.

Keeping in view of the aforesaid points and present status of works in the site, it is recommended that permission for the laying of gas pipeline of M/s Torrent Gas Private Limited may be accorded in favour of the Applicant except the facility locations mentioned above and the laying of gas pipeline in the balance locations can be carried out in the utility corridor portion of project highway and after completion of said project facilities by the Concessionaire in the said facility locations.

Hence, we are submitting herewith duly signed and sealed copies of checklist & drawings along with Inspection Certificate as requested by the Authority for taking further action as deemed fit in this regard.

4. Accordingly, the proposal has been examine in this office and vide above referred letter dated 08.10.2021 has requested to M/s Torrent, Jaipur to submit the License Fees of Rs. 17,53,010/- and Bank Guarantee of Rs. 8,06,300/- and desired documents as per Ministry Circular dated 22.11.2016. M/s Torrent vide above referred letter dated 20.10.2021 has submitted proof of deposition of License Fee of amounting of Rs. 17,53,010/- in Bharat Kosh vide Receipt No. 1210210011098 dated 12.10.2021 and Bank Guarantee No. OGT0009210059342 dated 18.10.2021 of Rs. 8,06,300/- of Indusind Bank Ltd. valid upto 17.10.2026 for the Performance Security of the said proposal. Copy of BG confirmation is also enclosed. The license deed amount has been calculated duly considering DLC rate of agricultural land near national highway of respective village (copy of certified DLC rate and its calculation are also enclosed) and assumed it a public utility provider. M/s Torrent has also submitted an additional undertaking for the said proposal vide their letter dated 20.10.2021 for any kind of additional license deed amount as when as it was demanded by NHAI/MoRTH within 07 days of receipt of notice.

5. Further, this office vide above letter dated 23.12.2021 has requested to submit the balance License Fees of Rs. 66,440/- and Bank Guarantee of Rs. 39,290/-. Applicant

vide letter dated 05.01.2022 has submitted the proof of deposition of balance License Fee amounting to Rs. 66,440/- in Bharat Kosh vide Receipt No. 3112210011746 dated 31.12.2021 and amendmend in earlier submitted Bank Guarantee No. OGT0009210059342 dated 18.10.2021 to Rs. 8,45,590/- of Indusind Bank Ltd. valid upto 17.10.2026. The same is confirmed by Canara Bank on dated 03.02.2022.

6. Further, this office vide above letter dated 23.12.2021 has forwarded the said proposal to new IE M/s CEG Ltd. for re-examination the said proposal as per MoRTH guidelines. M/s CEG vide above letter dated 12.01.2022 has submitted that *the said proposal duly signed check list and drawings with recommendation for issuing permission.*

7. In view of the above, the said proposal is seems to be found in order as per the prevailing site conditions. Duly signed checklist & drawings by undersigned is enclosed with the proposal and recommended to grant permission for laying 12" Carbon Steel Natural Gas Pipeline from NH Chainage Km 110+500 (Ghilothe RIICO Gate, Near Ayur Herbal) to NH Chainage Km 118+500 Km (Neemrana RIICO) along NH-48 and one no. of crossing at NH-48 Ch. 111+100 at Shahjahanpur, Alwar District Rajasthan.

The proposal is recommended for approval of Competent Authority.

Encl. : As above.

Yours faithfully,



**Project Director
NHAI, PIU Jaipur**

CERTIFICATE

Sub.: **Permission for laying 12" Carbon Steel Natural Gas Pipeline from NH Chainage Km 110+500 (Ghiloth RIICO Gate, Near Ayur Herbal) to NH Chainage Km 118+500 Km (Neemrana RIICO) along NH-48 and one no. of crossing at NH-48 Ch. 111+100 at Shahjahanpur, Alwar District Rajasthan -reg.**

1. We have examined the proposal of the applicant for laying of gas pipeline from km. **110+500 (Ghiloth RIICO Gate, Near Ayur Herbal) to NH Chainage Km 118+500 Km (Neemrana RIICO) along NH-48** and confirm that the all standard conditions issued vide Ministry Circular No. RW/NH-33044/29/2015/S&R dated 22.11.2016 has been followed.
2. It is certified that any other location of Utility line (gas pipeline) would be extremely difficult and unreasonable costly and installation of utility line within ROW will not adversely affect the design stability & traffic safety of the highway not the likely future improvement such as widening of the carriageway, casing of curve etc.
3. We will ensure supervision of the work of laying of utility (gas pipeline) and ensure that the defects in road portion after laying of utility are corrected.
4. We will notify/forfeit the BG for claims for damages done/disruption in working, if any.
5. We will ensure that proposed permission in entered the register of records.
6. The record of previous approval, if any has been considered and copy of same is enclosed with the approval.


Project Director
NHAI, PIU Jaipur

परियोजना निदेशक / Project Director
प्रबन्धक निदेशक, प.का.प. NHAI PIU, Jaipur
Manager (Tech.)
पाररात्रा. पकाई, जयपुर
NHAI PIU JAIPUR

CHECK- LIST

Guidelines for processing the proposal for laying of Utility line in the land along/across National Highways vested with NHAI/PWD/BRO.

Ministry Circular No-RW/NH 330044/29/2015/S&R(R) Dated 22/11/2016.

General Information

Sr. No.	Description	Information /Status
1	Name and Address of the Applicant/Agency	Torrent Gas Pvt. Ltd. Jaipur Office: 101-105, 1 st floor, Signature Tower, DC-2, Near Apex bank, Lalkothi, Tonk Road, Jaipur, Rajasthan – 302015. Corporate Office – “Samanvay”, 600, Tapovan, Ambawadi, Ahmedabad – 380015.
2	National Highway Number	NH-48
3	State	Rajasthan
4	Location	Alwar
5	Chainage in KM	NH-48 Ch. 110.500 KM to 118.500 KM
6	Length in Meters	8000 + 456 mtr. = 8456 M
7	Width of available ROW in both side	31.05 mtr & 31.05 mtr
8	Side of NH (left or right side of NH towards increasing chainage/KM direction)	1. RHS from NH Ch. 110+500 KM to 111+100 (0.6 KM) 2. LHS from NH Ch. 111+100 KM to 118+500 KM (7.86 KM)
9	Name of Highway Authority of NHAI/PWD/BRO	National Highways Authority of India (NHAI), D-148, Behind RSEB Sub-station, RVVNL, Vaishali Nagar, Jaipur, Rajasthan-302021.
10	Highway Administration address	NHAI, RO, Jaipur



4
Manager (Tech.
बाराबास, जयपुर
NHAI PIU JAIPUR

Ch. Vinod Sharma
R & E




Am
Kantish

S.No	Item	Measurement. Observations as per site conditions		MORTH Norms	Whether complying with MORTH Norms
1	Details of already laid utility service, if any	N/A		Enclosed	
2	Whether up gradation of the stretch in near future is proposed or not	No			N/A
	(a) If yes, provision of utility adversely affects the plan of up-gradation	No		Not affect plan of up-gradation	N/A
3	Laying of the utility service along the National Highways.				
3.1.	Location of proposed utility service along the stretch	LHS (Ch. KM)	RHS (Ch. KM)	Utility Duct/ beyond the toe line of the embankment and drains, and close to the extreme edge of the ROW.	
		NH Ch. 111+100 KM to 118+500 KM (7.86 KM)	NH Ch. 110+500 KM to 111+100 (0.6 KM)		
3.2	Depth of top of utility service from ground level	Minimum 1.2 M		0.6 meter	complying
3.3	Mechanism for crossing water channel	Beneath the bed of Water Channel		Through utility duct (if provision exists) or beneath the bed of water channel	Complying
3.4	Whether ROW is restricted in this stretch?	No			N/A
3.4.1	If yes, whether provision of land acquisition is required to lay utility	N/A			N/A
	(a) If yes, whether undertaking for land acquisition along with relevant L.A. details has been furnished	N/A			N/A
3.4.2	Width of concrete duct, if utility services are proposed to be laid in concrete ducts	N/A		Not less than one lane	N/A
4	Laying of utility services across the NH				
4.1	Whether Existing drainage structures is allowed to carry the utility lines.	No		Not to be allowed	N/A
4.2	Proposed crossing of utility service	NH Ch. 111.100 KM		Perpendicular to NH	Complying
4.3	Type of casing pipe/conduit carrying the	Steel Casing		Steel, cast iron,	Complying



प्रियोजना निदेशक / Project Director
ता. प.का.ई. / NHAI PIU, Jaipur
Kartik



Manager (Tech.)
ता.प.का.ई. प.का.ई. जयपुर
PIU, JAIPUR

	utility line.		or reinforced cement concrete and have adequate strength	
4.4	Whether ends of the casing/conduit pipe are sealed from the outside	SEALED	Sealed	Complying
4.5	Length of casing/conduit pipe crossing NH.	62.10 meter/Each	Extend from drain to drain in cuts and toe to toe of slope in the fills	Complying
4.6	Depth of top of the casing/conduit pipe.	Minimum 2.0 M	At least 1.2 m below the top of subgrade	Complying
	Crossing method in case of CC pavement.	HDD/Boring	Only boring method (HDD)	Complying
4.8	Horizontal and vertical clearances in case utilities are allowed overhead,	N/A (Underground Only)	In accordance with IRC codes.	N/A
5	Document / Drawings enclosed with the proposal			
5.1	Cross-Section showing the size of trench for open trenching method		Enclosed, if applicable	
	(a) Trench width	800-1000 MM	More than 30 cm and less than 60 Cm wider than the outer diameter of the utility pipe	
	(b) Filling of trench	As per Ministry Guideline.	as per Ministry guidelines vide letter No. RW/NH-34044/29/2015/S&R (R) dated 22.11.2016	
	(c) location of trench	Extreme edge of available ROW Space.	Extreme edge of the ROW	
5.2	Cross section showing the size of pit and location of conduit for HDD method	Yes Enclosed	Enclosed, if applicable	Complying
5.3	Strip plan/ Route plan showing utility line, chainage, width of ROW, distance of proposed utility from the edge of ROW, important milestone, intersections, cross drainage works etc.	Yes Enclosed	Enclosed	Complying



Routin



Manager (Tech.)
शराराम, पकाई, जयपुर
JHAI PIU JAIPUR

Project Director
पकाई, JHAI PIU Jaipur

5.4	Plan and profile drawing of stretch showing cross section of road at 20m distance along with ROW and proposed utility	Yes Enclosed	Enclosed	Complying
6	Methodology for laying of utility line	Yes Enclosed	Enclosed	Complying
7	Draft License Agreement is as per Ministry guidelines vide letter No. RW/NH-34044/29/2015/S&R (R) dated 22.11.2016 and signed by two witnesses	Yes Enclosed	Enclosed	Complying
8	License fees in Favor of MoRTH RPAO Jaipur	Shall be submitted as per the Ministry Circular	As per Ministry vide circular no. RE/NH-33044/29/2015/S &(R)dated 22.11.2016	
9	Whether Bank Guarantee has been obtained	Shall be submitted as per the Ministry Circular	As per Ministry vide circular no. RE/NH-33044/29/2015/S &(R)dated 22.11.2016	
	(a) If yes, whether Confirmation of BG has been obtained as per MoRTH/NHAI guidelines	Shall be obtained		
10	Affidavit / Undertaking from the Applicant for			
10.1	Undertaking for not to damage other existing utility, if damaged then to pay the losses to either to MoRTH/NHAI or to the concerned agency.	Enclosed	Enclosed	Complying
10.2	Undertaking for renewal of Bank Guarantees and when asked by NHAI/ MoRTH	Enclosed	Enclosed	Complying
10.3	Undertaking for confirming all standard condition of MoRTH/NHAI guidelines.	Enclosed	Enclosed	Complying
10.4	Undertaking for shifting of utility as and when asked by MoRTH/NHAI within a month at their own cost.	Enclosed	Enclosed	Complying
10.5	Undertaking for indemnity against all damages and claims.	Enclosed	Enclosed	Complying
10.6	Undertaking for management of traffic movement during laying of utility line without hampering the traffic.	Enclosed	Enclosed	Complying
10.7	Undertaking that If any claim is raised by the Concessionaire/contractor then	Enclosed	Enclosed	Complying



निदेशक / Project Director
प.का.ई. / NHAI PIU, Jaipur
Kant




प्रबन्धक (तक.);
Manager (Tech.)
प.का.ई. जयपुर

	the same has to be paid by the applicant			
10.8	Undertaking that the applicant has obtained various safety clearances from the representative authorities such as directorate of Electricity, Chief controller of Explosives, Petroleum and Explosive Safety Organization, Oil Industry Safety Directorate, State/Central Pollution Control Board and any other statutory clearances applicable, before applying to Highway Administration	Enclosed	Enclosed	Complying

☐ The Right of the Way (ROW) of the National Highway available at the proposed location from the center line of divided carriageway is 31.05 m from center of ROW to edge of either side of ROW towards proposed utility).


The above particulars along with the drawings and documents have been verified and certified as correct as per prevailing site conditions.


PALLAV KUMAR  **MANAGER**
 Name designations & Signature of the
 Authorized representative of applicant

 **RESIDENT ENGINEER**
 Name designations & Signature of the
 Concerned field authority of NHAI PWD/BRO




Manager (Tech.)
 भारराणा, प.का.ई., जयपुर
 NHAI PIU JAIPUR


परियोजना निदेशक / Project Director
 भारराणा, प.का.ई. / NHAI PIU, Jaipur