



भारतीय राष्ट्रीय राजमार्ग प्राधिकरण

(सड़क परिवहन और राजमार्ग मंत्रालय, भारत सरकार)

National Highways Authority of India

(Ministry of Road Transport & Highways, Govt. of India)

क्षेत्रीय कार्यालय : एफ-120, जनपथ, श्याम नगर, जयपुर-302019

Regional Office : F-120, Janpath, Shyam Nagar, Jaipur-302019

Tel. (O) / फोन : (ऑ.) 0141-2292056, 2292049

E-mail / ई-मेल : rojaipur@nhai.org Web. / वेब : www.nhai.gov.in



No.:NHAI/18013/1/2021-ROJ/Permission- Laying OFC-Telesonic Network/141/NH-48, km 300.500/344 Date: 29.04.2022

INVITATION OF PUBLIC COMMENTS

Sub.: Proposal for grant of permission for laying OFC road crossing at location Km. 300.500 on Jaipur-Kishangarh section of NH-8 (New NH-48) by M/s. Telesonic Network Ltd. Jaipur - reg.

Ref.: 1. M/s. Telesonic Network Ltd., Jaipur letter dated 02.07.2021, letter dt. 23.11.2021 and letter dt. 10.02.2022.

2. PD, PIU-Jaipur letter no.NHAI/JPR/NOC/OFC/J-K/Airtel/300.500/18 dt. 01.04.2022

Sir,

It is to inform all concern that M/s. Telesonic Network Ltd., Jaipur vide letter under reference (1) has submitted a proposal for the subjected work and PD, NHAI, PIU, Jaipur has submitted the above proposal vide letter under reference (2) for approval of the Competent Authority, Highway Administration.

2. The proposal is for grant of permission for laying OFC road crossing at location Km. 300.500 on Jaipur-Kishangarh section of NH-8 (New NH-48) by M/s. Telesonic Network Ltd. Jaipur.

3. As per Para-4 of Ministry's Circular No. RW/NH-33044/29/2015S&R(R) dated 22.11.2016, the Highway Administration shall be put out in the public domain for 30 days for seeking claims and objections (on grounds of public inconvenience, safety and general public interest).

4. In view of the above, before approval of the competent authority, the comments/objections of affected public is hereby invited with reference to the Ministry's circular dated 22.11.2016 due to road crossing of OFC by M/s. Telesonic Network Ltd. on the subjected stretch. The objections/comments may be addressed to the below mentioned address upto 28.05.2022, beyond due date, no comments/objections will be accepted.

The Regional Officer, Regional Office - Jaipur

National Highways Authority of India,

F-120, Janpath, Shyam Nagar, Jaipur (Raj.)-302019,

Tel : 0141-2292049, 2292054 Email : rojaipur@nhai.org

This is issued with the approval of the Regional Officer, NHAI, RO, Jaipur (Rajasthan).

Yours faithfully,


(K R Chouhan)

Dy. General Manager (T)

- Copy to: (i) Web Admn., NHAI, HQ, New Delhi - for uploading in NHAI's website [web-admin@nhai.org]
(ii) Director, NIC, New Delhi - for uploading in Ministry's website. [mansoor@nic.in]
(iii) PD, PIU-Jaipur: for information.
(iv) M/s. Telesonic Network Ltd., Jaipur: for information and with the request to deposit requisite license fee and BG within 30 days period.



भारतीय राष्ट्रीय राजमार्ग प्राधिकरण

(सड़क परिवहन और राजमार्ग मंत्रालय, भारत सरकार)

National Highways Authority of India

(Ministry of Road Transport & Highways, Government Of India)

परियोजना कार्यान्वयन इकाई, जयपुर/ Project Implementation Unit, Jaipur

डी-148, आर. एस.ई.बी. सब-स्टेशन के पीछे, वैशाली नगर, जयपुर-302021

D-148, Behind RSEB Sub-Station, Vaishali Nagar, Jaipur-302021

दूरभाष / Phone : 91-141 - 4026465, ई-मेल / E-mail : jai@nhai.org



No. NHAI/JPR/NOC/OFC/J-K/Airtel/300.500/ 18

Date 29.03.2022

Highway Administrator cum Regional Officer

National Highways Authority of India

Regional Office, F-120, Janpath,

Shyam Nagar, Jaipur-302019



01.04

② 7/4/22

MLR
13/04

Sub.: **ROW Permission for laying Optical Fiber Cable at Location Km 300.500 (Road cross) on Jaipur Kishangarh section of NH-8.**

- Ref.: i) Authorized Signatory, M/s. Telesonic Network Limited, Jaipur letter dated 02.07.2021.
- ii) This office letter no. 658 dated 12.07.2021 addressed to IE.
- iii) Independent Engineer M/s. LEA Associates South Asia Pvt. Ltd. letter no. 2357 dated 18.08.2021.
- iv) This office letter no. 1439 dated 07.10.2021.
- v) Authorized Signatory, M/s. Telesonic Network Limited, Jaipur letter dated 23.11.2021.
- vi) This office letter no. 1844 dated 07.12.2021.
- vi) Independent Engineer M/s. LEA Associates South Asia Pvt. Ltd. letter no. 2531 dated 20.12.2021.
- vii) This office letter no. 1982 dated 30.12.2021
- viii) Authorized Signatory, M/s. Telesonic Network Limited, Jaipur letter dated 10.02.2022.
- ix) Independent Engineer M/s. LEA Associates South Asia Pvt. Ltd. letter no. 2634 dated 02.03.2022.

Sir,

Reference is invited Authorized Signatory, M/s. Telesonic Network Limited, Jaipur letter No. 02.07.2021 (**Annex-1**) vide which said proposal has submitted to this office for laying Optical Fiber Cable at Location Km 300.500 (Road cross) on Jaipur Kishangarh section of NH-8.

2. The said proposal has been examined in Consultation with Independent Engineer of the Project Jaipur-Kishangarh section of NH-8, M/s. LEA Associates South Asia Pvt. Ltd. IE vide their letter dated 02.03.2022 (**Annex-2**) has recommended for laying Optical Fiber Cable at Location Km 300.500 (Road cross) on Jaipur Kishangarh section of NH-8.

3. Further, Team Leader vide their letter dated 02.03.2022 has submitted comments as under :-

The PIU vide its letter dated 30.12.2021 cited above returned the proposal to applicant and requested to submit compliance of the following observations raised by M/s. LEA Associates South Asia Pvt. Ltd.

- The proof of online application with identification of the said proposal has not been enclosed.*
- During site visit of NHA representative along with Team Leader M/s. LEA Associates South Asia Pvt. Ltd, it observed that one B.T. road is also exist on RHS side of Project Highway. Whereas as per proposal there is not clarity about distance between two proposal pits on Project Highway.*

The applicant has resubmitted the proposal vide his letter dated 10.02.2022 cited above, we have reexamined the proposal in light of observations made by the PIU and submit our comments as under.

The applicant has submitted the proof of online application

- i) The applicant has shown the cross road on RHS and distance between the two pits in the drawing.*
- ii) The proposal satisfies the MoRTH guidelines and is recommended for provisional permission.*

4. In view of the above, the said proposal has been examined in this office and seems to be found in order. Duly signed checklist & drawings by undersigned is enclosed with the proposal and recommended to grant permission for laying Optical Fiber Cable at Location Km 300.500 (Road cross) on Jaipur Kishangarh section of NH-8. Further, it may be submitted that the calculated license fee & BG will be received from the applicant after approval of Competent Authority.

Encl. : As above (2 files).

Yours faithfully,



(Ajay Arya)
Project Director

CHECK- LIST

Guidelines for processing the proposal for laying of Utility line in the land along National Highways vested with NHAI/PWD/BRO.

General Information

1. Name and Address of the Applicant/Agency : **Telesonic Networks Limited**
2. National Highway No. : **NH-8**
3. State : **Rajasthan**
4. Location : **Jaipur – Ajmer Road (NH-8)**
5. Chainage in km : **Road Crossing At Km 300.500**
6. Length in Mtr : **60 Mtr**
7. Width of available ROW in both side : **60 Mtr (30 Mtr Each Side)**
8. Side of NH : **1 Nos Road Crossing**
9. (left or right side of NH towards increasing chainage/Km direction)
10. Name of Highway Authority of NHAI/PWD/BRO : **NHAI,PD PIU Jaipur**
11. Highway Administration address : **Regional Officer (MORTH JAIPUR)**





For Telesonic Networks Limited

Putinder
Authorized Signatory

प्रबन्धक (तक.)
Manager (Tech.)
भारतसम्राट्, पकड़ाई, जयपुर
NHAI PIU JAIPUR

परियोजना निदेशक / **Project Director**
भारतसम्राट्, पकड़ाई / **NHAI PIU, Jaipur**

S.No	Item	Measurement. Observations as per site conditions	MORTH Norms	Whether complying with MORTH Norms
1	Details of already laid utility service, if any	NA	Enclosed	
2	Whether up gradation of the stretch in near future is proposed or not	NA R		
	(a) If yes, provision of utility adversely affect the plan of up-gradation	NO NA R	Not affect plan of up-gradation	NA
3	Laying of the utility service along the National Highways.	YES NA R		
3.1.	Location of proposed utility service along the stretch	NA	Utility Duct/ beyond the toe line of the embankment and drains, and close to the extreme edge of the RoW.	YES
3.2	Depth of top of utility service from ground level	1.65 M	0.6 meter	YES
3.3	Mechanism for crossing water channel	NA	Through utility duct(if provision exists) or beneath the bed of water channel	NA
3.4	Whether ROW is restricted in this stretch?	NO		NO
3.4.1	If yes, whether provision of land acquisition is required to lay utility	NA R		
	(a) If yes, whether undertaking for land acquisition along with relevant L.A. details has been furnished	NA R		
3.4.2	Width of concrete duct, if utility services are proposed to be laid in concrete ducts	NA	Not less than one lane	YES
4	Laying of utility services across the NH	BY HDD	HDD	YES
4.1	Whether Existing drainage structures is allowed to carry the utility lines.	NA	Not to be allowed	YES
4.2	Proposed crossing of utility service	Perpendicular	Perpendicular to NH	YES(Underground)
4.3	Type of casing pipe/conduit carrying the utility line.	2 Nos HDPE Duct Dia 40mm Each	Steel, cast iron, or reinforced cement concrete and have adequate strength	2 Nos HDPE Duct Dia 40mm
4.4	Whether ends of the casing/conduit pipe are sealed from the outside	SEALED	Sealed	YES



4.5	Length of casing/conduit pipe crossing NH.	60	Extend from drain to drain in cuts and toe to toe of slope in the fills	NA
4.6	Depth of top of the casing/conduit pipe.	1.65 M	At least 1.2 m below the top of subgrade	YES
4.7	Crossing method in case of CC pavement.	NA	Only boring method (HDD)	NA
4.8	Horizontal and vertical clearances in case utilities are allowed overhead,	NA	In accordance with IRC codes.	NA
5	Document I Drawings enclosed with the proposal	YES		YES
5.1	Cross-Section showing the size of trench for open trenching method	NA	Enclosed, if applicable	NA
	(a) Trench width	NA	More than 30 cm and less than 60 Cm wider than the outer diameter of the utility pipe	NA
	(b) Filling of trench	NA	as per Ministry guidelines vide letter No.	NA
	(c) location of trench	NA	extreme edge of the ROW	NA
5.2	Cross section showing the size of pit and location of conduit for HDD method	ENCLOSED	Enclosed, if applicable	ENCLOSED
5.3	Strip plan/ Route plan showing utility line, chainage, width of ROW, distance of proposed utility from the edge of ROW, important mile stone, intersections, cross drainage works etc.	ENCLOSED	Enclosed	ENCLOSED
5.4	Plan and profile drawing of stretch showing cross section of road at 200m distance along with ROW and proposed utility	ENCLOSED	Enclosed	ENCLOSED
6	Methodology for laying of utility line	HDD	Enclosed	ENCLOSED
7	Draft License Agreement is as per Ministry guidelines vide letter No. SNo 43 Items 2016	ENCLOSED	Enclosed	ENCLOSED
8	License fees in Favor of MORTH RPAO Jaipur	Will be given when asked		YES
9	Whether Bank Guarantee has been obtained	Do		NA
	(a) If yes, whether Confirmation of BG			ENCLOSED

