



# भारतीय राष्ट्रीय राजमार्ग प्राधिकरण

(सड़क परिवहन एवं राजमार्ग मंत्रालय)

## National Highways Authority of India

(Ministry of Road Transport & Highways)

क्षेत्रीय कार्यालय (राजस्थान) /Regional Office (Rajasthan)

एफ-120, जनपथ, श्याम नगर, जयपुर-302019

F-120, Janpath, Shyam Nagar, Jaipur-302019

दूरभाष./Tel : 0141-2292049

: 0141-2292054

फैक्स /Fax : 0141-2292049

ईमेल/Eail : rojaipur@nhai.org

No: NHAI/18013/1/2021-ROJ/Permission-Laying OFC-BSNL/59/NH-48 km 72.700/3827

Date: 02.02.2021

### INVITATION OF PUBLIC COMMENTS

Sub.: Proposal for grant of permission for lay OFC (only 60m road crossing) on Gurgaon-Kotputli-Jaipur section of NH-8 (48) by Dharuhera Telephone Exchange at Km. 72.700 (LHS) in the State of Rajasthan - reg.

- Ref.: (i) RO, MoRTH, Jaipur letter RW/JAI/RAJ/PS/Utility/2018/256/5306 dt. 27.11.20  
(ii) Divisional Engineer Telecom Project, BSNL Alwar letter no. DETP/ALW/ Bhiwadi TE-Dharuheda TE/18-19 dated 16.12.2020.  
(iii) PD, PIU-Jaipur letter no. NHAI/JPR/NOC/72.700/BSNL/2020/2005 dated 30.12.2020.

Sir,

It is to inform all concern that Divisional Engineer Telecom Project, BSNL Alwar vide letter under reference (ii) has submitted a proposal to PD, PIU-Jaipur for the subjected work and PD, NHAI, PIU, Jaipur has forwarded the above proposal to this office vide letter under reference (iii) for approval of the Competent Authority, Highway Administrator.

2. The proposal is regarding permission for laying OFC (only 60m road crossing) on Gurgaon-Kotputli-Jaipur section of NH-8 (48) by Dharuhera Telephone Exchange at Km. 72.700 (LHS) in the State of Rajasthan by BSNL.

3. As per Para-4 of Ministry's Circular No. RW/NH-33044/29/2015S&R(R) dated 22.11.2016, the Highway Administration shall be put out in the public domain for 30 days for seeking claims and objections (on grounds of public inconvenience, safety and general public interest).

4. In view of the above, the comments/objections of affected public is hereby invited with reference to the Ministry's circular dated 22.11.2016 due to laying OFC (only 60m road crossing) on Gurgaon-Kotputli-Jaipur section of NH-8 (48) by Dharuhera Telephone Exchange at Km. 72.700 (LHS) in the State of Rajasthan by BSNL. The objections/comments may be addressed to the below mentioned address upto 01.03.2021, beyond due date, no comments/objections will be accepted.

**The Regional Officer, Regional Office - Jaipur**

National Highways Authority of India,

F-120, Janpath, Shyam Nagar, Jaipur (Raj.)-302019,

Tel : 0141-2292049, 2292054 Email : rojaipur@nhai.org

This is issued with the approval of the Regional Officer, NHAI, RO, Jaipur (Rajasthan).

Yours faithfully,

  
(Kuldeep Songara)

DGM (Tech.)

- Copy to: (i) Web Admn., NHAI, HQ, New Delhi - for uploading in NHAI's website [web-admin@nhai.org]  
(ii) Director, NIC, New Delhi - for uploading in Ministry's website. [mansoor@nic.in]  
(iii) PD, PIU-Jaipur: for information.  
(iv) Divisional Engineer Telecom Project, BSNL Alwar: for information.



# भारतीय राष्ट्रीय राजमार्ग प्राधिकरण

(सड़क परिवहन और राजमार्ग मंत्रालय)

## National Highways Authority of India

(Ministry of Road Transport & Highways)

परियोजना कार्यान्वयन इकाई, जयपुर

Project Implementation Unit, Jaipur

डी-148, आर. एस.ई.बी. सब-स्टेशन के पीछे, वैशाली नगर, जयपुर-302021

D-148, Behind RSEB Sub-Satation, Vaishali Nagar, Jaipur-302021

No. NHAI/JPR/NOC/Km 72.700/BSNL/2020/ 2005

दूरभाष / Phone : 91-141 - 2351427

फैक्स / Fax : 91-141 - 4026465

ई-मेल / E-mail : jai@nhai.org

Sh. Mangesh Ji  
M 62  
30/12/20

MPC  
Date 26.12.2020  
30


### Chief General Manager (Tech)/Regional Officer

National Highways Authority of India

Regional Office,

F-120, Janpath, Shyam Nagar

Jaipur (Raj.).



Sub.: **Application for grant of permission to lay optical fiber cable (only 60m road crossing) on NH-8 Daruhera Telephone Exchange at Ch. 72.700 Km in the State of Rajasthan-reg**

Ref.:i) Highway Administration cum Regional Office, MoRTH, Jaipur letter No. RW/JAI/RAJ/PS/Utility/2018/256/5306 dated 27.11.2018.

ii) This office letter no. 2593 dated 12.12.2018 addressed to IE.

iii) IE M/s. Aarvee Associates letter no. 8773 dated 23.01.2019.

iv) This office letter no. 3219 dated 26.02.2019 addressed to BSNL.

v) DETP Alwar, BSNL letter no. NTP/DE.TP/ALW/DHD-BHD/18-19 dated 22.03.2019

vi) This office letter no. 366 dated 02.05.2019 addressed to BSNL.

vii) Divisional Engineer, Telecom Project, BSNL, Alwar letter no. DETP/ALW/Bhiwadi TE-DharuhedaTE/18-19 dated 16.12.2020.

Sir,

Office of the Highway Administration -cum-Regional Officer, MoRTH, Jaipur letter dated 27.11.2018 (**Annex-1**) submitted to this office for examination & confirmation w.r.t. Ministry's Guidelines issued vide no. RW/NH-33044/29/2015/S&R(R) dated 22.11.2016 & Ministry letter no. RW/JAI/RJ/PS/2017/UTILITY/GENL/1161-1189 dated 16.03.2017 and to certify the drawings & documents as correct as per the prevailing site conditions.

2. The said proposal has been examined by Independent Engineer of the Project Gurgaon-Kotputli-Jaipur section of NH-8, M/s. Aarvee Associates. IE vide their letter dated 23.01.2020 (**Annex-2**) has recommended for according in approval for the said proposal to this office for grant of permission to lay optical fiber cable (only 60m road crossing) on NH-8 Daruhera Telephone Exchange at Ch. 72.700 Km in the State of Rajasthan. Independent Engineer of the Gurgaon-Kotputli-Jaipur project vide letter dated 23.01.2020 has submitted the following:

- There is only one crossing at Km 72+645 for a length of 60 m in urban location of the project highway and depth of the OFC line to be laid is minimum 2 meter below the Natural ground level.
- There is no Bus Bay and Truck Lay Bye facility at the proposed location.
- The service road has already been completed.
- There is one Box Culvert (as per CA) at Km 72+600, which is more than 15 meters away from the proposed location.
- In view of the above, the IE recommends for permission to be accorded for laying the said OFC line in favour of the applicant.
- The documents (checklist and drawings) have been signed by the IE and same are submitted herewith for taking further action.

3. Accordingly, the proposal has been processed in this office and vide above referred letter dated 26.02.2019 has requested to applicant to submit the desired documents as per Ministry

Circular dated 22.11.2016. M/s BSNL vide above referred letter dated 22.03.2019 has requested to provide the amount of performance security and License Fee as per MoRTH Guideline. This office vide above referred letter dated 02.05.2019 has requested to applicant to submit the desired amount of performance security and License Fee as per MoRTH Guideline.

4. DETP Alwar, BSNL Alwar vide above referred letter dated 16.12.2020 has submitted proof of deposition of License Fee of amounting of Rs. 34,100/- in Bharat Kosh vide Receipt No. 08122000088724 dated 08.12.2020 and Bank Guarantee No. 30780IGL0011120 of Rs. 10,000/-- of Union Bank of India valid upto 10.12.2021 for the Performance Security of the said proposal. Copy of BG confirmation is also enclosed. The license deed amount has been calculated duly considering DLC rate of agricultural land near national highway of respective village (copy of certified DLC rate and its calculation are also enclosed) and assumed it a public utility provider. BSNL, Alwar has also submitted an additional undertaking for the said proposal vide their letter dated 08.02.2020 for any kind of additional license deed amount as when as it was demanded by NHAI/MoRTH within 07 days of receipt of notice.

5. In view of the above, the said proposal is seems to be found in order as per the prevailing site conditions. Duly signed checklist & drawings by undersigned is enclosed with the proposal and recommended to grant permission for crossing of Bharat Sanchar Nigam Ltd.

Encl. : As above (2 files)




  
Project Director  
NHAI PIU Jaipur

### CERTIFICATE

**Sub. : Application for grant of permission to lay optical fiber cable (only 60m road crossing) on NH-8 Daruhera Telephone Exchange at Ch. 72.700 Km in the State of Rajasthan-reg**

1. We have examined the proposal of the applicant for laying of OFC Cable at km. 72.700 on NH-08 and confirm that the all standard conditions issued vide Ministry Circular No. RW/NH-33044/29/2015/S&R dated 22.11.2016 has been followed.
2. It is certified that any other location of Utility line would be extremely difficult and unreasonable costly and installation of utility line within ROW will not adversely affect the design stability & traffic safety of the highway not the likely future improvement such as widening of the carriageway, casing of curve etc.
3. We will ensure supervision of the work of laying of utility (OFC) and ensure that the defects in road portion after laying of utility are corrected.
4. We will notify/forfeit the BG for claims for damages done/disruption in working, if any.
5. We will ensure that proposed permission in entered the register of records.
6. The record of previous approval, if any has been considered and copy of same is enclosed with the approval.

  
प्रबन्धक (तक.)  
Manager (Tech.)  
भाराराप्रा, पकाई, जयपुर  
NHAI, PIU, JAIPUR

  
Project Director  
NHAI, PIU Jaipur  
Project Director  
NHAI, PIU  
Jaipur

Phone: 0141-2354479, 2355763  
Email: cb2793@canbank.co.in

REF: CB/2793/30780IGL0011120/NHAI

DATE: 28.12.2020

From,  
Canara Bank  
Vaishali Nagar  
Jaipur

To,  
NHAI  
Jaipur

DEAR SIR,

SUBJECT: - Confirmation for issuance/Extension of Bank Guarantee Favoring the National Highway Authority of India, Issued by Union Bank of India behalf of Bharat Sanchar Nigam Limited.

Your Ref No; NHAI/JPR/BG/2020-21/1886

DATED; 17.12.2020

With reference to the above, we wish to confirm you that the subject BG has issued by Union Bank of India Connaught Place New Delhi details as we received:


Sl No	BG NO	BG Issue/ Amended on	BG Amount	Valid upto	BG Issuer Bank	BG Issued on Behalf	BG Issued in Favor
1	30780IGL0011120	11.12.2020	Rs. 10,000/-	10.12.2021	Union bank of India New Delhi	Bharat Sanchar Nigam Limited	NHAI


We are enclosing Copy of SFMS for confirmation of Bank Guarantee.

Yours faithfully,  
For CANARA BANK  
अभिषेक / अभिषेक, वाइशाली नगर, जयपुर  
अभिषेक / अभिषेक, वाइशाली नगर, जयपुर

Canara Bank  
Vaishali Nagar  
Jaipur

<b>Transaction</b>		<b>Instance Type and Transmission</b>
Number: 948566		Normal
Priority		
Message Output Reference		
Correspondent Input Reference		XXXXXXXXXXXXXXXXXX
Received Date&Time		11 Dec 2020 13:05
<b>Message Header</b>		
Message Output		760 Guarantee: Format Specifications
Sender		UBIN0530786 [UNION BANK OF INDIA, 14/15-F, CONNAUGHT PLACE, NEW DELHI, PIN - 110 001.]
Receiver		CNRB0002793 [CANARA BANK, JAIPUR, VAISHALINAGAR, SCHEME NO.16, PLOT NO.190, GIRNAR COLONY, GANDHIPATH, VASIHALINAGAR, 302001]
<b>Message Text</b>		
27	Number of a message	1
	Total Number of Messages	1
20	Sender's Reference	30780IGL0011120
23	Code 3	ISSUE
30	Requested Execution Date (YYMMDD)	20201211
40C	Applicable Rules	URDG
77C	Details of Guarantee	BANK GUARANTEE ISSUED ON 11 DEC 2020 IN FAVOR OF PROJECT DIRECTOR NHAI NATIONAL HIGHWAYS AUTHORITY OF INDIA JAIPUR BY BHARAT SANCHAR NIGAM LIMITED AMOUNT RS 10000, EXPIRY DATE 10 DEC 2021 CLAIM EXPIRY DATE 10 DEC 2022
<b>Message Trailer</b>		





**bharatkosh.gov.in**  
Government of India Receipt Portal

## PROVISIONAL RECEIPT FOR NEFT TRANSACTION

Dear Accounts Officer BSNL NCR New Delhi ,

Thank you for making a payment of Rs. 34,100.00 with reference to Transaction Reference Number: 0812200008724 and Challan Number: 23497708122000008695 in favour of Ministry: ROAD TRANSPORT & HIGHWAYS (024), PAO Name: PAO(NH),Jaipur (034975), DDO Name: SE, Civil (234977), for Purpose License fee for laying of utility services and Payment type .

Please note that this is a provisional receipt subject to the validity of the UTR Number 000177715384 entered by you at 08/12/2020. In case of mismatch of the UTR Number the validity of this provisional receipt stands cancelled.

Printed On: 16-12-2020 01:0:41

Courtesy :- Controller General of Accounts



**BHARAT SANCHAR NIGAM LIMITED**  
(A Govt. of India Enterprises)  
**O/o DIVISIONAL ENGINEER**  
**TELECOM PROJECT,**  
**E-10B EXCHANGE,**  
**ALWAR-301001**



No:- DETP/ALW/Bhiwadi TE-DharuhedaTE/18-19

Dated: -16.12.2020

To,

The Project Director  
NHAI PIU D-148 Behind RSEB Sub-Station,  
Vaishali Nagar,  
Jaipur-302021

M(T)  
HSE  
2  
18/12

**Subject:-** Regarding NHAI Road crossing permission to lay OFC ( only 60m road crossing) on NH-8 at Ch. 72.700 km in the state of Rajasthan .

**Ref.** NHAI/JPR/NOC/Km.72.700/BSNL/2018/VK/366

Dated 02.05.2019

With reference to the above cited subject & letter under ref. that a PBG no. 30780IGL0011120 dated 11.12.2020 amounting Rs.10,000/-(Rs. Ten Thousand Only) from Union Bank of India 14/15-F, Connaught Place New Delhi-110001 is being deposited in your goodself office for the NHAI permission to lay OFC ( 60m road crossing ) on NH-8 near Dharuheda Telephone Exchange at Ch. 72.700 km. Also license fee of Rs.34,100/-(Rupees Thirty Four Thousand One Hundred only) has been already deposited through Bharatkosh portal (Copy of the receipt is attached herewith ).

it is requested kindly issue NHAI permission for laying OFC (only 60m road crossing) on NH-8 at Ch. 72.700 km on urgent basis.

With regards,  
Thanks,

Attachment:-

- 1) PBG in original
- 2) Copy of receipt of license fee deposit in Bharatkosh
- 3) Screenshot of online application applied

*Rashu* *16.12.2020*  
Divisional Engineer  
Telecom Project  
Alwar






# INDIA NON JUDICIAL

## Government of National Capital Territory of Delhi

### e-Stamp

सत्यमेव जयते

Certificate No. : IN-DL16141160327766S  
 Certificate Issued Date : 10-Dec-2020 01:15 PM  
 Account Reference : IMPACC (IV)/ dl777403/ DELHI/ DL-DLH  
 Unique Doc. Reference : SUBIN-DL77740336542146174825S  
 Purchased by : DE TP NCR DELHI  
 Description of Document : Article Bank Guarantee  
 Property Description : Not Applicable  
 Consideration Price (Rs.) : 0  
 (Zero)  
 First Party : DE TP NCR DELHI  
 Second Party : Not Applicable  
 Stamp Duty Paid By : DE TP NCR DELHI  
 Stamp Duty Amount(Rs.) : 100  
 (One Hundred only)



### PERFORMANCE BANK GUARANTEE

Please write or type below this line

BANK GUARANTEE NO. 30780IGL0011120

Dated: 11-12-2020

To,

Project Director (NHAI)  
 National Highways Authority Of India,  
 D-148, Behind RSEB Sub-Station, Vaishali Nagar  
 Jaipur-302021



PAN: 30660

को (ने) हमावे वणि निब्यादिहः ZY; % Hkkjr lapkj Hkou] ,p-lh-ekFkqj ysu] tuiFk] ubZ fnYyh&110001  
 Regd. & Corporate Office: Bharat Sanchar Bhawan, H.C.Mathur Lane, Janpath, New Delhi-110001  
 Corporate Identity Number (CIN): U74899DL2000GOI107739  
 www.bsnl.co.in

दस्तावेज का अविभाज्य हिस्सा है।

This Non-Judicial Stamp Paper is a part

and parcel of document 30780IGL0011120

Executed by MoU on 11-12-2020

GURANTEE No. 30780IGL0011120

Date: 11-12-2020

Expiry Date: 10-12-2021

For any dispute or query, please refer to the Corporate Identity Number (CIN) U74899DL2000GOI107739.

1. In consideration of agreement for laying OFC along route Bhiwadi TE – Daruheda TE for around 60 meter road crossing on NH-8 Daruheda Telephone Exchange at KM 72.7 in the state of Rajasthan between **Project Director, NHAI, Project Implementation Unit- Jaipur**, (hereinafter referred to as 'Principal') and **G.M.Telecom Project, Bharat Sanchar Nigam Limited, 4<sup>th</sup> Floor, Amenity Block, P.G.M.T.D., Compound, Opposite G.P.O., M.I.Road, Jaipur-302001** (herein after referred to as 'BSNL'). We, **Union Bank of India(UBI) 14/15-F, Connaught Place, New Delhi-110001**(hereinafter referred to as "the Bank" which expression shall, unless it be repugnant to the subject or context thereof include its successors and assigns) hereby undertake to pay the principal an amount not exceeding **Rs. 10,000/- (Rupees Ten Thousand Only)** against any loss or damage caused to or suffered or would be suffered by the principal, by reasons of any breach by the BSNL of the terms or conditions contained in the said agreement.
2. We, **Union Bank of India(UBI) 14/15-F, Connaught Place, New Delhi-110001**, do hereby undertake to pay the amount due and payable under this guarantee without any demur, merely on a demand from the principal stating that amount claimed is on account of making good and executed trench for laying of underground cable of proper filling and compaction, as to restore the land in the same condition as it was before digging the trench, debris/ loose earth produced due to execution of trenching. However, our liability under this Guarantee shall be restricted to **Rs. 10,000/- (Rupees Ten Thousand Only)**. We undertake to pay to the **Principal** any money so demanded limited to **Rs. 10,000/- (Rupees Ten Thousand Only)** notwithstanding any dispute or disputes raised by **BSNL** in any suit or proceeding pending before any court or tribunal relating there our liability under this present being absolute and unequivocal. The payment so made by us under this bond shall be valid discharged of our liability for payment there under and **BSNL** shall have no claim against us for making such payments.
3. We, the **Union Bank of India(UBI) 14/15-F, Connaught Place, New Delhi-110001** further agree that the Guarantee herein contained shall remain in full force and effect during the period that would be taken for the performance of said Agreement and that shall be continued to be enforceable till all the dues of the **Principal** under or by virtue of the said Agreement have been fully paid and its claim satisfied or discharged or till the **Principal** certify that the terms and conditions of the said Agreement have been fully and properly carried out by the said **BSNL** and accordingly discharges this Guarantee or till 10.12.2021 whichever is earlier, unless a demand or claim under this Guarantee is received by us in writing on or before 10.12.2022 we shall be charged from our liabilities under this Guarantee thereafter.

.....Contd.2/-

GURANTEE No.30780IGL0011120

Date: 11-12-2020  
Expiry Date: 10-12-2021  
Claim Date: 10-12-2022



PA No. 30660

lathd'r ,oafuxferdk;kZy;% HkkjrlapkjHkou] ,p-lh-ekFkqjysu] tuiFk] ubZ fnYyh&110001

Regd. & Corporate Office: Bharat Sanchar Bhawan, H.C.Mathur Lane, Janpath, New Delhi-110001

Corporate Identity Number (CIN): U74899DL2000GO1107739

www.bsnl.co.in

GURANTEE No.30780IGL001120

Date: 11-12-2020  
Expiry Date: 10-12-2021  
Claim Date: 10-12-2022

4. The guarantee will not be discharged due to the change in the constitution of the bank or BSNL.
5. The guarantor/bank hereby confirms that it is on the SFMS (Structured Financial Message Systems) platform and bank details of NHAI are as under:


S.No.	Particulars	Details
1	Name of Beneficiary	Project Director, NHAI PIU Vaishali Nagar, Jaipur-302021
2	Name of Bank	CANARA BANK
3	Account No.	2793201000610
4	IFSC Code	CNRB0002793

6. This Guarantee shall also be operable at our Union Bank of India(UBI) branch MI Road Jaipur Branch City Pearl Plot no B-5/1 Opp Hotel Gangaur Near Pink City Petrol Pump MI Road Jaipur-302001 from whom, confirmation regarding the issue of the guarantee or extension renewal thereof shall be made available on demand. In the contingency of this guarantee being invoked and payment thereunder claimed the said branch shall accept such invocation letter and make payment of amount so demand under the said invocation.
7. We, the Union Bank of India(UBI) 14/15-F, Connaught Place, New Delhi-110001, lastly undertake not to revoke this guarantee during its currency except with the previous consent of the principal in writing.
8. NOTWITHSTANDING anything contained herein:
  - (a) Our liability under the Bank Guarantee shall not exceed **Rs. Rs.10000/- ( Rupees Ten Thousand Only)**.
  - (b) This Bank Guarantee shall be valid up to **10-12-2021**.
  - (c) We are liable to pay the Guarantee amount or any part thereof under this bank guarantee only and only if you serve upon us a written claim or demand on or before **10-12-2022**.
  - (d) At the end of claim period that is on or after **10-12-2022** all your rights under this guarantee shall stand extinguished and we shall be discharged from all our liabilities under this guarantee irrespective of receipt of original Bank Guarantee duly discharged by Bank.

The beneficiary should seek confirmation of issuance of this Guarantee from the controlling office of the issuing Branch which is **Union Bank of India(UBI) 14/15-F, Connaught Place, New Delhi-110001**.

Dated the 11 th day of December 2020

NOTE: THE CONFIRMATION OF B.G. WILL BE SENT ON DEMAND BY OUR E-CONFIRMATION CELL, NEW DELHI  
Email: sec@bsnl.co.in or sec@bsnl.co.in  
Phone: 022-22703227

 **UNION BANK OF INDIA**  
Signature: (Signature)  
Name: (Signature)  
PAN No. 30660

iathd'r ,oafuxferdk;kZy;% HkkjrlapkjHkou] ,p-lh-ekFkqjysu] tuiFk] ubZ fnYyh&110001

Regd. & Corporate Office: Bharat Sanchar Bhawan, H.C.Mathur Lane, Janpath, New Delhi-110001

Corporate Identity Number (CIN): U74899DL2000GOI107739

www.bsnl.co.in



## OCHECK- LIST

Guidelines for processing the proposal for laying of Utility line in the land along National Highways vested with NHAI/PWD/BRO.

### General Information

- |                                                                                      |                                                                                                                 |
|--------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------|
| 1. Name and Address of the Applicant/Agency                                          | : Sh. Babu Khan DE(TP) BSNL<br>1st Floor CSC BSNL, E-10B<br>Telephone Exchange near Atta<br>Mandir Alwar-301001 |
| 2. National Highway No.                                                              | : NH-8                                                                                                          |
| 3. State                                                                             | : Haryana                                                                                                       |
| 4. Location                                                                          | : Dharuhera TE to Bhiwari TE                                                                                    |
| 5. Chainage in km                                                                    | : CH. 72.7 Km<br>645                                                                                            |
| 6. Length in m                                                                       | : 60 Mtr.                                                                                                       |
| 7. Width of available ROW in both side                                               | : As per RoW NHAI Attached                                                                                      |
| 8. Side of NH<br>(left or right side of NH towards increasing chainage/Km direction) | : As per Layout Attached                                                                                        |
| 9. Name of Highway Authority of NHAI/PWD/BRO                                         | : NHAI Jaipur                                                                                                   |
| 10. Highway Administration address                                                   | : Project Director, PIU, Jaipur<br>D-148, Behind RSEB Sub Station<br>Vaishali Nagar Jaipur-302021               |

MORTH (JAIPUR  
RAJ.)


अधीक्षक (तक.)  
Manager (Tech.)  
भारतवाणिज्य, पकाई, जयपुर  
PIU, JAIPUR


Project Director  
NHAI, PIU  
Jaipur

Divisional Engineer  
Telecom Project  
E-10B Telephone Exchange  
Alwar-301001




S.No	Item	Measurement. Observations as per site conditions	MORTH Norms	Whether complying with MORTH Norms
1	Details of already laid utility service, if any	There is no utility of BSNL	Enclosed	
2	Whether up gradation of the stretch in near future is proposed or not	No		
	(a) If yes, provision of utility adversely affect the plan of up-gradation	Not Applicable	Not affect plan of up-gradation	
3	<b>Laying of the utility service along the National Highways.</b>			
3.1.	Location of proposed utility service along the stretch	Not Applicable	Utility Duct/ beyond the toe line of the embankment and drains, and close to the extreme edge of the RoW.	
3.2	Depth of top of utility service from ground level	Not Applicable	2.0 meter	
3.3	Mechanism for crossing water channel	No provision	Through utility duct(if provision exists) or beneath the bed of water channel	
3.4	Whether ROW is restricted in this stretch?	No		
3.4.1	If yes, whether provision of land acquisition is required to lay utility	No		
	(a) If yes, whether undertaking for land acquisition along with relevant L.A. details has been furnished	Not Required		
3.4.2	Width of concrete duct, if utility services are proposed to be laid in concrete ducts	Not Required	Not less than one lane	
4	<b>Laying of utility services across the NH</b>	Km 72+645		
4.1	Whether Existing drainage structures is allowed to carry the utility lines.	Not allowed	Not to be allowed	
4.2	Proposed crossing of utility service	Perpendicular to NH	Perpendicular to NH	

  
 (सक.)  
 (Tech.)  
 जयपुर  
 पकाई, जयपुर  
 NHAI, PIU, JAIPUR  
 Project Director  
 NHAI, PIU  
 Jaipur

  
 Divisional Engineer  
 Telecom Project  
 E-103 Telephone Exchange  
 Alwar-301001



4.3	Type of casing pipe/conduit carrying the utility line.	OF Cable in Permanently Lubricated (PLB) HDPE Duct casing	Steel, cast iron, or reinforced cement concrete and have adequate strength	
4.4	Whether ends of the casing/conduit pipe are sealed from the outside	Sealed	Sealed	
4.5	Length of casing/conduit pipe crossing NH.	60 Meter (one crossing at Ch. 72.7 Km)	Extend from drain to drain in cuts and toe to toe of slope in the fills	
4.6	Depth of top of the casing/conduit pipe.	1.65-2.00 Meter	At least 1.2 m below the top of subgrade	
4.7	Crossing method in case of CC pavement.	Boring method (HDD)	Only boring method (HDD)	
4.8	Horizontal and vertical clearances in case utilities are allowed overhead,	Not Applicable	In accordance with IRC codes.	
5	<b>Document / Drawings enclosed with the proposal</b>			
5.1	Cross-Section showing the size of trench for open trenching method	Not Applicable	Enclosed, if applicable	
	(a) Trench width	Not Applicable	More than 30 cm and less than 60 cm wider than the outer diameter of the utility pipe	
	(b) Filling of trench	Not Applicable	as per Ministry guidelines vide letter No. RW/NH-34044/29/2015/S&R (R) dated 22.11.2016	
	(c) location of trench	Not Applicable	extreme edge of the ROW	
5.2	Cross section showing the size of pit and location of conduit for HDD method	Enclosed	Enclosed, if applicable	
5.3	Strip plan/ Route plan showing utility line, chainage, width of ROW, distance of proposed utility from the edge of ROW, important mile stone, intersections, cross drainage works etc.	Enclosed	Enclosed	
5.4	Plan and profile drawing of stretch showing cross section of road at 20m		Enclosed	


  
 Project Director  
 (Tech.) NHAI, PIU  
 जयपुर NHAI, PIU  
 जयपुर

  
 Divisional Engineer  
 Telecom Project  
 E-10B Telephone Exchange  
 Alwar-301001





	distance along with ROW and proposed utility			
6	Methodology for laying of utility line	Enclosed	Enclosed	
7	Draft License Agreement is as per Ministry guidelines vide letter No. RW/NH-34044/29/2015/S&R (R) dated 22.11.2016 and signed by two witnesses	Enclosed	Enclosed	
8	License fees in Favor of MoRTH RPAO Jaipur	To be submitted as per MORTH rule	As per Ministry vide circular no. RE/NH-33044/29/2015/S&(R)dated 22.11.2016	
9	Whether Bank Guarantee has been obtained	To be submitted as per MORTH rule	As per Ministry vide circular no. RE/NH-33044/29/2015/S&(R)dated 22.11.2016	
	(a) If yes, whether Confirmation of BG has been obtained as per MoRTH/NHAI guidelines			
10	<b>Affidavit / Undertaking from the Applicant for</b>			
10.1	Undertaking for not to damage other existing utility, if damaged then to pay the losses to either to MoRTH/NHAI or to the concerned agency.	Enclosed	Enclosed	
10.2	Undertaking for renewal of Bank Guarantees and when asked by NHAI/ MoRTH	Enclosed	Enclosed	
10.3	Undertaking for confirming all standard condition of MoRTH/NHAI guidelines.	Enclosed	Enclosed	
10.4	Undertaking for shifting of utility as and when asked by MoRTH/ NHAI within a month at their own cost.	Enclosed	Enclosed	
10.5	Undertaking for indemnity against all damages and claims.	Enclosed	Enclosed	

  
 Project Director  
 NHAI, PIU  
 Jaipur

  
 Divisional Engineer  
 Telecom Project  
 E-10B Telephone Exchange  
 Alwar-301001







10.6	Undertaking for management of traffic movement during laying of utility line without hampering the traffic.	Enclosed	Enclosed	
10.7	Undertaking that If any claim is raised by the Concessionaire/contractor then the same has to be paid by the applicant	Enclosed	Enclosed	
10.8	Undertaking that the applicant has obtained various safety clearances from the representative authorities such as directorate of Electricity, Chief controller of Explosives, Petroleum and Explosive Safety Organization, Oil Industry Safety Directorate, State/Central Pollution Control Board and any other statutory clearances applicable, before applying to Highway Administration	Enclosed	Enclosed	


The Right of the Way (ROW) of the National Highway available at the proposed location from the center line of divided carriageway is (26.80) m (from center of ROW to edge of ROW towards proposed utility)

The above particulars along with the drawings and documents have been verified and certified as correct as per prevailing site conditions.


  
**Divisional Engineer**  
 [Name Designation and signature of the authorized representative of applicant]  
 Alwar-301001

[Name Designation and signature of concerned field authority of NHAI/PWD/BRO]

  
**Project Director**  
 प्रबन्धक (तक.)  
 Manager (Tech)  
 भारावा, पकाई, जयपुर NHAI, PIU  
 NHAI, PIU, JAIPUR



# PROPOSED DIAGRAM OF NH-8 CROSSING IN BHIWADI TE-DHARUHEDA TE OFC ROUTE



*Review*

**Divisional Engineer**  
Telecom Project  
E-10B Telephone Exchange  
Alwar-301001

