



भारतीय राष्ट्रीय राजमार्ग प्राधिकरण

(सड़क परिवहन एवं राजमार्ग मंत्रालय, भारत सरकार)

National Highways Authority of India

(Ministry Of Road Transport & Highways, Govt. of India)

परियोजना कार्यान्वयन इकाई, कनहरी हिल रोड, हजारीबाग, झारखण्ड - 825301

Project Implementation Unit, Canary Hill Road, Hazaribagh Jharkhand - 825301

Ph. : 06546-270040, Email : piuhazaribagh@nhai.org/nhaipiuhazaribagh@gmail.com, website: nhai.gov.in



Ref: NHAI/PD/PIU/HZB/DW/250/prop/205

Date: 30-06-2025

Invitation of Public Comments

Sub: 4-laning of Barhi-Koderma section of NH-31 from km. 0+000 to km. 27+500 in the State of Jharkhand under NHDP Phase-IV on EPC mode-चौपारण उत्तरी दक्षिणी एवं बरही भाग ग्रामीण जलापूर्ति योजना में पाईप लाईन बिछाने हेतु अनापति प्रमाण पत्र निर्गत करने के संबंध में-Reg

Project Director, NHAI, PIU-Hazaribagh vide letter no 95 dated 08.05.2025 and letter no 177 dated 12.06.2025 has submitted the proposal for klaying of pipe line in Chouparan (north, South & Barhi Part) Rural Water Supply Scheme (RRWS) from Km 0+000 to Km 27+500 in section of NH-33 (Barhi-koderma) National Highway for further necessary action.

As per Ministry circular issued vide OM no. RW/NH/33044/29/2015/S&R(R) dated 22.11.2016, the Highway Administration shall make available the proposal for granting license for use of National Highway land for laying utility service for public comments for 30 days on ground of public interest.

RO-Ranchi vide letter no-1120 dated 26.06.2025 has directed to invite Comments of general public for subject captioned proposal on "What's New" of NHAI website & Ministry's web site for 30 days from the date of uploading.

In view of the above, comments of general public is hereby invited on subject captioned proposal, which should reach by this office within 30 days from the date of publication, beyond which no comments shall be entertained.

The comments may be submitted at the following address:

Project Director,
Project Implementation Unit- Hazaribagh,
National Highways Authority of India,
Canary Hill Road, Hazaribagh,
Jharkhand, PIN: 825301
Email: piuhazaribagh@nhai.org

(Manoj Kumar Pandey)
GM (Tech)-cum-Project Director

Copy:

(i) Web Admin, NHAI-HQ,- with a request to upload under "what's New" of NHAI website for 30 days from the date of publication.

(ii) The Technical Director, NIC, Transport Bhawan , New Delhi-110001-With a request to upload under "what's New" a ministry's website for 30 days from the date of publication.

(iii) RO-Ranchi, Regional Office, NHAI, Ranchi: for information please.



भारतीय राष्ट्रीय राजमार्ग प्राधिकरण
(सड़क परिवहन और राजमार्ग मंत्रालय, भारत सरकार)
National Highways Authority of India
(Ministry of Road Transport and Highways, Govt. of India)
क्षेत्रीय कार्यालय, सी-129, विद्यालय मार्ग, पथ संख्या 2सी,
अशोक नगर, राँची-834002 (झारखण्ड)
Regional Office - Ranchi, C-129, Vidyalaya Marg, Road No. 2C,
Ashok Nagar, Ranchi - 834002 (Jharkhand)
Ph./Fax : 0651-2244029, 2244030 | e-mail : roranchi@nhai.org
website : www.nhai.gov.in



Ref: NHAI/RO/RNC/JH/US-Water/1120

Date 26-06-2025

To,
Project Director,
National Highways Authority of India,
PIU-Hazaribagh

Sub: 4-laning of Barhi-Koderma section of NH-31 from km. 0+000 to km. 27+500 in the State of Jharkhand under NHDP Phase-IV on EPC mode-चौपारण उत्तरी दक्षिणी एवं बरही भाग ग्रामीण जलापूर्ति योजना में पाईप लाईन बिछाने हेतु अनापति प्रमाण पत्र निर्गत करने के संबंध में।
Reg.

Ref: (i)PD-Hazaribagh letter no. 177 dated 12.06.2025
(ii)PD-Hazaribagh letter no. 95 dated 08.05.2025

Sir,

Please refer to your letter dated 12.06.2025 (ref.i) & letter dated 08.05.2025 (ref.ii) vide which the proposal of Executive Engineer. DWSD, Hazaribagh for laying of pipeline in Chauparan (North, South and Barhi Part) Rural Water Supply Scheme (RRWS) from Ch. Km. 0+000 to Ch. Km. 27+500 in section of NH-33 (Barhi-Hazaribagh) has been submitted after compliance of raised observations with recommendation for approval of 'NOC'.

2. The submitted proposal has been examined as per the instructions contained in the Ministry's Circular No. RW/NH-33023/29/2015/S&R(R) dated 22.11.2016, MORTH Policy Guideline dated 24.04.2023 and following is observed:
 - (i) The Checklist, Details of revised License fee found to be incorrect. The license fee has been corrected based on recommendation by PIU (Copy attached). Correct checklist & duly signed revised calculation details of license fee shall be submitted.
 - (ii) In the submitted utility strip plan water pipeline NH-31 crossing No. 2 at Ch. Km.1+940 & laying from Ch. Km.1+940 to Ch. Km.0+000 (RHS) is mentioned which is not recommended by PIU for approval. Therefore, the duly signed revised utility laying plan required to be submitted showing "only" the water pipeline to be laid along/across the NH on the basis of recommended hindrance free locations by PIU-Hazaribagh. Further, the offsets, Dia. & type of carrier/casing & Ch. Km. of water pipeline shall also be duly mentioned in utility strip plan.
 - (iii) As submitted by you vide letter dated 28.02.2025, Para 8(c) that, the stretch of NH-31 from Ch. Km.1+222 to Ch. Km.4+100 pertains to forest area. Therefore, the


12

'NOC' of forest department for laying of water pipeline in the recommended stretch must be submitted.

3. Also, as per Ministry circular issued vide OM no. RW/NH/33044/29/2015/S&R(R) dated 22.11.2016, the application shall be put out in the public domain for 30 days for seeking claims and objections (on grounds of public inconvenience, safety and general public interest).
4. In view of above you are kindly requested to invite Comments of general public for subject captioned proposal on "What's New" of NHAI website & Ministry's web site for 30 days from the date of uploading. ***"Further, the compliance of observation as brought out in para 2(i, ii, iii) above shall be complied while recommending the proposal for approval of Competent Authority please".***

This issue with the approval of RO-Ranchi

End:

Yours faithfully,

(Subham Modi)
Dy Manager (Tech.)

2/2