



भारतीय राष्ट्रीय राजमार्ग प्राधिकरण

(सडक परिवहन और राजमार्ग मंत्रालय, भारत सरकार)

National Highways Authority of India

(Ministry of Road Transport and Highways, Government of India)

श्रेणीय कार्यालय : 41-29-45A, सर्वे नं: 373/2A, कोदंडरामालयम्, चलासानी नगर,
रानीगारीतोटा, कृष्णालंका, विजयावाडा - 520 013, आन्ध्र प्रदेश

Regional Office : D.No. 41-29-45A, RS.No. : 373/2A, Kodandaramalayam, Chalasani Nagar,
Ranigari Thota, Krishna Lanka, Vijayawada - 520 013, Andhra Pradesh.

फोन / Tel : 0866-2483910, ई-मेल/e-mail: rovijayawada@nhai.org, nhairovja@gmail.com

वेब/ web: www.nhai.gov.in



Lr.No. NHAI/RO-VJA/PIU-VJA/NH-65/N-V/NOC/2025/4327

Dt.14.11.2025

INVITATION OF PUBLIC COMMENTS

Sub: Application from Deputy Executive Engineer, APTIDCO, Vijayawada, submitted proposal for Laying Utility Pipeline across NH-65 at Km.267+440 from RHS to LHS for a length of 32.5m at Gollapudi Village, Ibrahimpatnam Mandal, NTR District on Nandigama -Vijayawada section on NH-65 in the State of Andhra Pradesh - **Public comments - Reg.**

The Project Director, PIU - Vijayawada, submitted a proposal of Deputy Executive Engineer, APTIDCO for providing and laying of Utility Pipeline across NH-65 at Km.267+440 from RHS to LHS at Gollapudi Village, Ibrahimpatnam Mandal, NTR District on Nandigama - Vijayawada section on NH-65 in the State of Andhra Pradesh.

As per MORTH guidelines vide letter No. RW/NH-33044/29/2015/S&R(R) dated 22nd November 2016, the Highway Administration will put out the application in the Ministry's website for 30 days seeking claims and objections (on grounds of public inconvenience, safety and general public interest).

In view of the above, the comments of public, if any, on the above mentioned proposal is invited on below mentioned address.

Regional Officer - Vijayawada,
National Highways Authority of India,
Regional Office, Dr. No.41-29-45A, R. S. No.373/2A
Near Kodandaramalayam, Chalasani Nagar,
Ranigarithota, Krishnalanka, Vijayawada - 520 013.
Email: rovijayawada@nhai.org

(R.K. Singh, IES),
CGM (Tech.) & Regional Officer



भारतीय राष्ट्रीय राजमार्ग प्राधिकरण

(सडक परिवहन और राजमार्ग मंत्रालय, भारत सरकार)

National Highways Authority of India

(Ministry of Road Transport and Highways, Government of India)

श्रेणीय कार्यालय : 41-29-45A, सर्वे नं: 373/2A, कोदंडरामालयम्, चलासानी नगर,
रानीगारीतोटा, कृष्णलंका, विजयावाडा - 520 013, आन्ध्र प्रदेश

Regional Office : D.No. 41-29-45A, RS.No. : 373/2A, Kodandaramalayam, Chalasani Nagar,
Ranigari Thota, Krishna Lanka, Vijayawada - 520 013, Andhra Pradesh.

फोन / Tel : 0866-2483910, ई-मेल/e-mail: rovijayawada@nhai.org, nhairovja@gmail.com

वेब/ web: www.nhai.gov.in



Lr.No. NHAI/RO-VJA/PIU-VJA/NH-65/N-V/NOC/2025/ 4328

Dt.14.11.2025

To

The Sr. Technical Director,
NIC, Transport Bhawan,
New Delhi- 110001.

Sub: Application from Deputy Executive Engineer, APTIDCO, Vijayawada, submitted proposal for Laying Utility Pipeline across NH-65 at Km.267+440 from RHS to LHS for a length of 32.5m at Gollapudi Village, Ibrahimpatnam Mandal, NTR District on Nandigama -Vijayawada section on NH-65 in the State of Andhra Pradesh - **Public comments - Reg.**

Sir,

Please find enclosed herewith a proposal submitted by Deputy Executive Engineer, APTIDCO for providing and laying of Utility Pipeline across NH-65 at Km.267+440 from RHS to LHS at Gollapudi Village, Ibrahimpatnam Mandal, NTR District on Nandigama - Vijayawada section on NH-65 in the State of Andhra Pradesh.

2. As per MORTH guidelines vide letter No. RW/NH-33044/29/2015/S&R(R) dated 22nd November 2016, the application along with the recommendations of PD, PIU-Vijayawada & notice inviting public comments are enclosed herewith with a request to host the same in the Ministry's website for 30 days seeking claims and objections (on grounds of public inconvenience, safety and general public interest), for taking further necessary action.

Yours faithfully,

Encl: As above

(R.K. Singh, IES),
CGM (Tech.) &Regional Officer

Copy to:

- (i) PD, PIU - Vijayawada
- (ii) Deputy Executive Engineer, APTIDCO, Vijayawada



भारतीय राष्ट्रीय राजमार्ग प्राधिकरण
(सड़क परिवहन और राजमार्ग मंत्रालय)
National Highways Authority of India
(Ministry of Road Transport and Highways)



परियोजना कार्यान्वयन ईकाई
Project Implementation Unit

प्लॉट नं: 74, वनमाली भवन, एन.ए.सि. कल्याणा वेदिका के बगल में,
कमर्शियल टैक्सेज कॉलोनी, गुरुनानक नगर रोड, विजयवाडा-520 008.

Plot No. 74, Vanamali Building, Beside N.A.C. Kalyana Vedika, Commercial Taxes Colony,
Gurunanak Nagar Road, Vijayawada-520 008

दूरभाष / Phone: 0866-2543496, ई-मेल / E-mail : vij@nhai.org , nhaipiuviij@gmail.com

Ref: 11083/RWS- Mylavaram/NHAI/PIU/V/NH-30/2024/1353

Dt:31.10.2025

To
The CGM(T) & Regional Officer,
National Highways Authority of India
Regional Office, Door No.41-29-45A,
R.S.No.373/2A,Near Kodandaramalayam
Chalasani Nagar, Ranigarithota, Krishnalanka
Vijayawada - 520 013

Sub : NHAI, PIU, Vijayawada - Application from Deputy Executive Engineer, APTIDCO, Vijayawada, submitted proposal for Laying Utility Pipeline across NH-65 at Km.267+440 from RHS to LHS at Gollapudi Village, Ibrahimpatnam Mandal, N.T.R.Dist on Nandigama -Vijayawada section on NH-65 in the state of Andhra Pradesh - **Requested for Provisional Approval - Reg**

Ref:

1. Dy. Executive Engineer, APTIDCO, Vijayawada Lr. No. Gollapudi/NH-65/RWS, dated 23.05.2025
2. Morth Online Application No.20250528/1/7/12779/16564 Dt:28.05.2025
3. NHAI, PIU-Vijayawada Lr. No. 11070/APTIDCO/PIU/V/NHAI/2025/428 dated 16.06.2025
4. M/s. Theme Engineering Services Pvt. Ltd., Lr. No. TES/TL/NOC/PIU/NH-65/STPL/25-26/63 dated 07.08.2025
5. NHAI, PIU-Vijayawada Lr. No. 11070/NHAI/PIU/V/2025/885 dated 19.08.2025
6. APTIDCO, Vijayawada Lr No. GOLLAPUDI/NH-65/RWS Dt:09.09.2025
7. M/s. Theme Engineering Services Pvt. Ltd., Lr. No. TES/TL/NOC/PIU/NH-65/STPL/25-26/82 dated 17.10.2025

Sir,

It is to submit that the Dy. Executive Engineer, M/s. APTIDCO, Vijayawada, vide reference letters 1st & 2nd cited, submitted proposal in MoRT&H Portal vide Application No.20250528/1/7/12779/16564 dated 28.05.2025 and requested Permission for Laying Utility Pipeline Across NH-65 at Km.267+440 from RHS to LHS at Gollapudi Village, Ibrahimpatnam Mandal, N.T.R.District on Nandigama - Vijayawada section on NH-65 in the State of Andhra Pradesh.

2. In this connection, Upon request from PIU vide letter ref 3rd cited, the IE vide reference letter 4th cited conducted site inspection and reviewed the subject cited proposal as per the norms of MoRT&H vide Circular No. RW/NH-33044/29/2015/S&R(R) dated 22.11.2016& NH-36094/01/2022-S&R (P&B) (E-208825) dated 24.04.2023 and subsequent amendments, and raised certain observations and in turn PIU vide reference letter 5th cited communicated the same to the Dy. Executive Engineer,

Page 1 | 5

APTIDCO, Vijayawada for compliance and requested to submit revised proposal accordingly.

3. Subsequently, The Dy. Executive Engineer, M/s. APTIDCO, Vijayawada vide reference 6th cited submitted the revised proposal and again the PIU forwarded the revised proposal to the IE for further verification and submission of report/comments.

4. Accordingly, the IE, M/s. Theme Engineering Services Pvt. Ltd., vide reference letter 7th cited, informed that they have verified the revised proposal and observed the applicant has complied all the observations communicated. It was further informed that the Checklist, Drawings, Undertakings, Draft Agreement are found in order and recommended for approval of Competent Authority to accord permission for Laying Utility Pipeline across NH-65 at Km.267+440 from RHS to LHS at Gollapudi Village, Ibrahimpatnam Mandal, N.T.R.District on Nandigama -Vijayawada section on NH-65 in the State of Andhra Pradesh. The Comments / Recommendations of the Independent Engineer and proposing Authority NHA, PIU Vijayawada are as under:

- a) The Dy. Executive Engineer, APTIDCO, Vijayawada, has proposed for Laying Utility Pipeline across NH-65 at Km.267+440 from RHS to LHS at Gollapudi Village, Ibrahimpatnam Mandal, N.T.R.Dist on Nandigama -Vijayawada section on NH-65 in the state of Andhra Pradesh.
- b) The length of crossing at Km 267+440 is 32.50m
- c) HDD Method (Horizontal Directional Drilling method) is proposed for crossing of the highway at Km. 267+440.
- d) The width of ROW at Km. 267+440 is 15.5m towards RHS and 17m towards LHS for the center line of the highway.
- e) Checklist is in accordance with MoRT&H Guidelines enclosed for laying of utility pipeline on NH land and the same is found in order.
- f) Draft License Deed is in accordance with the MoRT&H Guidelines.
- g) Construction of Methodology for laying utility pipeline by HDD method is enclosed, which is found in order.
- h) Cross section showing the size of utility pipeline for HDD method is enclosed.
- i) Strip plan / Route plan for laying of utility pipeline and distance from nearest structures to road crossings is mentioned in drawings, are enclosed.
- j) Necessary undertakings are submitted by applicant which are in accordance with MoRT&H Guidelines.
- k) Undertaking submitted by the applicant for requisite Performance Bank Guarantee Rs.250/- per route meter along with License fee for 5 years as per MoRT&H Guidelines dated 22.11.2016.

- l) Calculation sheet for License Fees & Performance Bank Guarantee submitted by applicant is enclosed, which is found in order.
- m) Certificate from PD that the proposal is confirming to all standard conditions issued vide MoRT&H Circular No. RW/NH/33044/29/2015/S&R(R) dated 22.11.2016 & MoRTH Circular No. RW/NH-36094/01/2022-S&R(P&B) dated 24.04.2023 is enclosed.

In view of the above, the proposal of Deputy Executive Engineer, APTIDCO, for Laying Utility Pipeline Across NH-65 at Km.267+440 from RHS to LHS at Gollapudi Village, Ibrahimpatnam Mandal, N.T.R District on Nandigram -Vijayawada section on NH-65 in the state of Andhra Pradesh is herewith recommended for the approval of the competent Authority.

Yours faithfully,

Encl : As above


(M. Vidyasagar) 31/1/25
DGM (Tech.) & Project Director
NHAI, PIU-Vijayawada

INSPECTION REPORT

Name of Work: Proposal for Laying of utility pipeline 1000mm dia across NH-65 at Km.267+440 from RHS to LHS at Gollapudi Village, Ibrahimpatnam Mandal, N.T.R.Dist on Nandigama -Vijayawada section on NH-65 in the state of Andhra Pradesh

As per para 2.5.2 MoR&TH guidelines dated 26.06.2020." Proposal was verified and recommended by Site Engineer(T) and the documents accompanying the proposal as below:

- i) The Dy. Executive Engineer, APTIDCO, Vijayawada, has proposed for Laying Utility Pipeline across NH-65 at Km.267+440 from RHS to LHS at Gollapudi Village, Ibrahimpatnam Mandal, N.T.R.Dist on Nandigama -Vijayawada section on NH-65 in the state of Andhra Pradesh.
- ii) The length of crossing at Km 267+440 is 32.50m
- iii) HDD Method (Horizontal Directional Drilling method) is proposed for crossing of the highway at Km. 267+440.
- iv) The Proposed pipeline of 1000mm dia will not disturb the existing crust of National Highway at the above said location as the pipeline will be laid at a depth of 1.5m below ground level.
- v) The distance between the nearest structures to proposed crossing of water pipeline is more than 15m as against minimum requirement of 15 m and mentioned in Item No.1.19 C of Check list


(M. Vidyasagar)
DGM (Tech.) & Project Director
PIU-Vijayawada

CERTIFICATE

It is certified that all Standard Conditions specified in the proposal submitted by Deputy Executive Engineer, APTIDCO, for Laying Utility Pipeline Across NH-65 at Km.267+440 from RHS to LHS at Gollapudi Village, Ibrahimpatnam Mandal, N.T.R District on Nandigram -Vijayawada section on NH-65 in the state of Andhra Pradesh is herewith recommended for the approval of the competent Authority, is in conformity as per MoRT&H Guidelines vide Lr.No. RW/NH-33044/29/2015/S&R(R) dated 22.11.2016 & MoRTH Circular No.RW/NH-36094/01/2022-S&R(P&B) dated 24.04.2023.

1. It is certified that any other location of the underground utility pipeline line would be extremely difficult and unreasonably costly and installation of utility line within RoW will neither adversely affect the design, stability nor traffic safety of the highway nor the likely future improvement such as widening of the carriage way, easing of curve etc.
2. It will be ensured that supervision of the work of laying utility by Independent Engineer, M/s. Theme Engineering Services Pvt. Ltd., and also ensured that the defects in road portion after laying of utility are corrected.
3. It will be notified/forfeit the Bank Guarantee for claims for damages done/disruption in working, if any.
4. It will be ensured that upon receipt of approval for the above proposal, the same will be entered in the Register of Records of Permissions in the prescribed proforma.


(M. Vidyasagar)
DGM (Tech.) & Project Director
NHAI, PIU-Vijayawada

31/10/24