

## भारतीय राष्ट्रीय राजमार्ग प्राधिकरण

( सड़क परिवहन एवं राजमार्ग मंत्रालय, भारत सरकार )

NATIONAL HIGHWAYS AUTHORITY OF INDIA

(Ministry of Road Transport and Highways, Govt. of India)



क्षेत्रीय कार्यालय / REGIONAL OFFICE ई-6/47, स्मति परिसर, सांईबोर्ड के पास, अरेरा कॉलोनी, भोपाल ( म.प्र. )-462016

E-6/47, Smriti Parisar, Near Sai Board, Arera Colony, Bhopal (M.P.)-462016

दूरभाष/Phone: 0755-2426638, फैक्स/Fax: 0755-2426698, ई-मेल/E-mail ID: robhopal@nhai.org

भाराराप्रा/क्षे.का.-म.प्र./हरदा/2025/54498

दिनांक 17.06.2025

## Invitation of Public Comments/सार्वजनिक टिप्पणियों का आमंत्रण

यिषयः Regarding approval for laying of water pipe line KKG9/150DD line along NH 47 Betul Harda Indore Highway, chainage number 81.200 to 83.060 RHS -1860 meter 84.550 to 86.850 RHS -2300 meter, Total Length 4160 M. under Amrit 2.0 scheme of Nagar Parishad Chicholi.

संदर्भः परियोजना निदेशक-हरदा का ई- फाईल नं. 284831.

 परियोजना निदेशक, पीआईयू-हरदा, भाराराप्रा द्वारा ई-ऑफिस क्रमांक 284831 के माध्यम से नगर परिषद चिचोली की अमृत 2.0 योजनान्तर्गत एनएच 47 बैतूल हरदा इंदौर हाईवे पर चेनेज क्रमांक 81.200 से 83.060 आरएचएस -1860 मीटर 84.550 से 86.850 आरएचएस -2300 मीटर कुल लम्बाई 4160 मीटर तक पानी की पाइप लाइन KKG9/150DD लाइन बिछाने की स्वीकृति के सम्बन्ध में

PD, PIU-Harda, NHAI vide e-office no. 284831 has submitted the proposal for Permission for laying of water pipe line KKG9/150DD line along NH 47 Betul Harda Indore Highway, chainage number 81.200 to 83.060 RHS -1860 meter 84.550 to 86.850 RHS -2300 meter, Total Length 4160 M. under Amrit 2.0 scheme of Nagar Parishad Chicholi.

 मंत्रालय के कार्यालय ज्ञापन संख्या OM No. RW/NH-33044 S&R (R) dated 22.11.2016 के अनुसार, दावे और आपत्तियां (सार्वजनिक असुविधा, सुरक्षा और सामान्य सार्वजनिक हित के आधार पर) मांगने के लिए आवेदन को 30 दिनों के लिए सार्वजनिक डोमेन में रखा जाएगा।

As per Ministry vide OM No. RW/NH-33044 S&R (R) dated 22.11.2016, the application shall be put out in public domain for 30 days for seeking claims and objections (on ground of public inconvenience, safety and general public interest).

2. तदनुसार, दावे और आपत्तियां मांगने के लिए उपरोक्त प्रस्ताव (आवेदन की प्रति संलग्न) पर 30 दिनों के भीतर (यानी 16.07.2025 तक) सार्वजनिक पोर्टल (यानी MoRT&H की वेबसाइट (www.morth.nic.in)) पर जनता की टिप्पणियां आमंत्रित की जाती हैं, जिसके बाद किसी भी टिप्पणी पर विचार नहीं किया जाएगा। टिप्पणी आमंत्रित करने वाले प्राधिकारी का पता इस प्रकार है:

प्रधान कार्योलय : जी-5 एवं जी-6, सेक्टर 10, द्वाखा, नई दिल्ली - 110075, दूरभाष: 91-11-25074100/25074200, वेबसाईट: http://www.nhai.gov.in Corporate Office: G-5 & G-6, Sector-10, Dwarka, New Delhi-110075, Phone: 91-11-25074100/25074200, Website: http://www.nhai.gov.in 3. Accordingly, the public comments are hereby invited on the above proposal (copy of application enclosed) for seeking claims and objections within 30 days (i.e. by 16.07.2025) on public portal (i.e. website of MoRTH (www.morth.nic.in)) beyond which no comments will be considered. The address of comments inviting authority is as under:

राजमार्ग प्रशासक, क्षेत्रीय अधिकारी कार्यालय	The Highway Administrator O/o
भारतीय राष्ट्रीय राजमार्ग प्राधिकरण,	Regional Officer, National Highways Authority of India E-6/47, Smriti
ई-6/47, स्मृति परिसर,	Parisar, Near Sai Board Arera Colony, Bhopal (MP)-462016
साईं बोर्ड अरेरा कॉलोनी के पास,	bropat (Mr)-402010
भोपाल (मप्र)-462016	

यह पत्र राजमार्ग प्रशासक सह क्षेत्रीय अधिकारी के अनुमोदन उपरान्त जारी किया जा रहा है।

संलग्नः उपरोक्तानुसार।

## <u>प्रतिलिपिः</u>

- वेब एडमिन, भा.रा.रा.प्रा., मुख्यालय, नई दिल्ली की ओर सर्वजनिक टिप्पणियों के लिए भा.रा.रा.प्रा. की वेबसाइट पर अपलोड करने के अनुरोध के साथ।
- वरिष्ठ तकनीकी निदेशक, एनआईसी, परिवहन भवन, नई दिल्ली की ओर सार्वजनिक टिप्पणियों के लिए सड़क परिवहन की वेबसाइट पर अपलोड करने के अनुरोध के साथ।
- परियोजना निदेशक, पकाई-हरदा अपने स्तर डिमांड पत्र जारी करने के संबंध में आवश्यक कार्यवाही करें।
- 4. कार्यालय नगर परिषद चिचोली जिला, बेतूल की ओर सूचनार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित।

## Check -List

Sub - Proposal for permission for laying of drinking water supply pipeline in the space along the service road on NH 47 A from RHS from 81 + 200 To 83 +060 and 84 + 550 TO 86 + 850 (For laying 150 mm dia DI pipe).

Guidelines for Project Directors for processing the proposal for laying of water Pipe line in the land along National Highway vested with NHAI.

- Relevant circulars of ministry or road transport and highways Circular No RW/NH -33044/29/2015/S&R (R) dated 22.11.2016
- Proposal for laying of utilities along/across the National Highways.
   Ministry Guidelines no, (PB) dated 17.04.2023 amendment NH-36094/01/2022-

check list for getting approval for laying of water pipe line on NH land (to be filled by the PIU)

Check list for getting approval for laying approval for laying of water pipe line shall be considered for approval / Rejection base on the ministry circulars mentioned as above,

Carrying of water pipelines on highways bridges shall not be permitted as fumes /gasses pipes can accelerate the process of corrosion or may cause explosion, thus, being much more injurious than leakage of water.

Services are not being allowed indiscriminately on the parapet/any part of the brides, safety of the bridges has to be kept in view while permitting various services along bridge.

S.no	Item	Information Status	Remarks
1	General Information	Proposal for permission for laying of drinking water supply pipeline (for Laying 150mm dia DI pipe)	
).1	Name and address of Applicant/Agency	CMO, Nagar Parishad Chicholi Betul M.P.	
1.2	National Highway Number	NH-47	
1.3	State	Madhya Pradesh	
1.4	Location	Imlidhana jod to Chicholi	n na
1.5	Change in KM	From RHS from 81+200 To 83+060 and 84+550 To 86-850 in RHS	
1.6	Length in Meters	4160 Meter.	
1.7	Width of available ROW	60 m.	
	<ul> <li>(a) Left side from centre line towards increasing changing / Km direction</li> </ul>	As per drawing attached direction	9,0
	(b) Right Side from centre line towards increasing changing / Km direction	As per drawing attached direction	Dy Mana NHAL PIU

Director

नगर पालका आ मुख्य परिषद चिचोल

File No. ADMIN-25/117/2025-PIU Harda (Computer No. 284831) Generated from eOffice by RIYA RATHORE, MGR(RO BHOPAL) - RR, MANAGER(TECHNICAL) RO Bhopal (MP West) on 16/06/2025 11:19 am

1.8	Proposal to lay underground pipe line.	Yes	
	(a) Left side from centre line towards increasing changing / Km direction	- N 0	NA
	(b) Right side from centre line towards increasing changing / Km direction	81+200 To 83+060 and 84+550 To 86- 850 for Laying 150mm die DI pipe	Drawing Enclosed
1.9	Proposal to acquire land		As the laying of water pipeline is proposed in utility corridor at edge of the ROW
	(a) Left side from centre line	NA	1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 -
Mirobolodesiterospisardore antipo	(b) Right side from centre line	NA	
1.10	Whether proposal is in the same side where land is not be acquired	Yes .	
	If not then where to lay the Water pipe line	NA	
1.11	Details of already laid services, if any along the proposed route	OFC laying permission recommended from 314 to 38+000 (240) in whility	Details Wo Drawing
1.12	Number of existing lanes (2/4/6/8 lanes)	4 lane	suscero z
.13	Proposal Number of lanes (2 lane with paved shoulders 4/6/8 lanes	-	
1.14	Service road existing centre line	- Yes	
	If yes then which side	\$1+000 to \$1+310 (B/5) B2+60 \$6+9	0 to 83,0600
	(c) Right side from centre line	NA YEST OF	1.
	(d) Right side from centre line	NA YES	
1.15	Proposed service Road	NA	
	(a) Left side from centre line		
	(b) Right side from centre line		
1.16	Whether proposed to lay water pipeline is after the service road or between the service road main carriageway	At the extreme edge of ROW	0
1.17	Whether carrying of water pipeline has been proposed on highway Bridges. If yes, then mention the methodology proposed for the same.	NO	NY. Man NHAI, PIU
	Riger R	Bood UL 16 Re Director P.19 4000 ATT	भाग का अधिकारी बद् विचोसी रेके

File No. ADMIN-25/117/2025-PIU Harda (Computer No. 284831) Generated from eOffice by RIYA RATHORE, MGR(RO BHOPAL) - RR, MANAGER(TECHNICAL), RO BODDAI (MP West) on 16/06/2025 11:19 am

1.18	Whether carrying of water pipeline has been proposed on the parapet/any part of the Bridges. If yes then mention the methodology proposed for the same.	NO	
1.19	If crossing of the road involved if yes, it shall be either encased in pipes or through structure or conduits specially built for the agency owing the line	Yes, encloséd MU'	Open trence Method
	(a) Whether existing drainages structures are allowed to carry water pipeline	No	
	(b) Is it on a line normal to NH	Yes	
	(c) What is the distance of crossing the water pipeline from the existing structures? Crossing shall not be to near the existing structures on the National Highway, the minimum distance being 15 Meter	Yes more than 25m	
	(d) The casing pipe (or conduit pipe in the case of electric cable) carrying the utility line shall be of steel, cast iron, or reinforced strength and be3 large enough to permit ready withdrawal of the carrier pipe/cable. Mention type of casing.	Yes, Cast Iron Casing	
	(e) Ends of the casing/conduit pipe should, as minimum extend from the outside so that it does not act as a drainage path.	Yes, Agree	
	(f) The casing/conduit pipe should, as minimum extend from drain to drain in cuts and toe of slope in the fills.	Yes, Agree	
	(g) The top of the casing /conduit pipe should be at least 1.2 Meter below the surface of the road subject being at least 0.3 m below the drain inverts. Mention the proposed details.	Yes, Agree	
Januaria anna anna	(h) Mention the methodology proposed for crossing of road for the proposed water pipe line. Laying shall be by Open [ trenchless Technology],	Yes, Agree	
	Whether the case of multiple likeness	Yes, Agree	
2	Document / drawings to be enclosed with the proposal.	Single	
2.1	Cross section showing the size of trench for open trenching method (is it normal size of 1.2m deep X 0.3 m wide) (1) Should not be		401 E ma
	greater than 60cm wider than the outer diameter of the pipe (2) located as close to the extreme edge of the right-of-way as possible but not be permitted to run along the National Highway when the road formation is situated I double cutting. Nor shall these be	Yes	Enclosed
	Situated I double curting. Not gitting these be	17 मिने मुख्य नगर पापि 17 मिने मुख्य नगर पापि 17 मिने मुख्य नगर पापि	NHAL PIU-H

Genera RR, MANAGER(TECHNICAL), RO Bhopal (MP West) on 16/06/2025 11:19 am RIYA RATHORE, MGR(RO BHOPAL)

	laid over the existing culverts and bridges (4) these should be so laid that their top is at least 0.6 meter below the ground level so as not to obstruct drainage of the road land.		Providence
2.2	Cross section showing the size of pit and location of water pipeline HDD Method.	Yes	Enclosed
2.3	Strip plan / Route plan showing water pipe line, changing width of ROW, distance of proposed water pipe line from the edge of ROW, important mile stone, intersection, crows drainage work etc.	Yes	Enclosed
2.4	Methodology for lying of water pipe line.	Yes	Enclosed
2.4.1	Open trenching method (may be allowed in utility corridor only where pavement is neither cement concrete nor dense bituminous concrete type. If yes, what is the methodology of refilling of trench	Yes	Enclosed
Траличинала и становало и	<ul> <li>(a) The trench width should be at least 30 cm, but not more than 60cm wider than the outer diameter of the pipe.</li> </ul>	Yes	The typical cross section is enclosed.
	(b) For filling of the trench, bedding shall be to a depth of not less than 30 cm it shall consist of granular material, free of lumps, clods and cobbles and graded to yield a firm surface without sudden change in the bearing value. Unsuitable soil and rock edged should be /excavated and replaced by selected material.	Yes, Agrice	Herewith.
	(c) The backfill shall be completed in two stage (1) side- fill to the level of the top of the pipe and (2) overfill to the bottom of the road crust.	Yes, Agree	
and the second	(d) The side-fill shall consist of granular material laid in 15cm layers each controlled by mechanical tampering and		
	controlled by mechanical tampering and controlled addition of moisture to 95% of the Proctors Density as the material that had been removed. Consolidation by saturation or pending will not be permitted.	Yes, Agree	
	(e) The road crust shall be built to the same strength as the existing crust on either side of the trench. Care shall be taken to avoid the formation of a dip at the trench.	Yes, Agree	
	(f) The excavation shall be protected by flagmen, signs and barricades, and red light during night hours.	Yes, Agree	All safety measures shall be followed as per norms of NHAI.
ADMIN-252	117/2025-PIU Harda (Computer No. 284831)	18 Troject Director Horda (M.P.) भुख्य नगर पालिन	८ Dy. Manac Dy. Manac जा अधिकोशी चिचोली

File N Generated from eOffice by RIYA RATHORE, MGR(RO BHOPAL) - RR, MANAGER(TECHNIGAL, RO BHOPAL (MP West) on 16/06/2025 11:19 am

	(g) If, required a diversion shall be		The
	constructed at the expense of agency owing the utility line.	Yes	diversion is not required
.4.2	Horizontal directional drilling (HDD) Method	No	
.4.3	Methodology of laying of Water pipe line, through CD works and method of laying, in cases where the carrying of water pipe line on the bridge becomes inescapable.	No	
	Draft license agreement signed by two witnesses	Yes	Enclosed
	Performance bank guarantee in favor of NHAI		
	<ul> <li>has to be obtained as below:</li> <li>(1) Utility services such as pipes etc (rate in per m) provided in the ducts already providedRs. 50</li> <li>(2) &lt;=300mmdia/withRs.100</li> <li>(3) 300mm dia/width but &lt;=1000m Rs250</li> <li>(4) &gt;1000mm-Rs250</li> <li>(5) Utility services such as towers etc (rate in per m) provided Rs250</li> </ul>	Will be	Winn Solo
	Rs per sqm) Forperiod of one year initially (extendable if required til satisfactory completion of work) as security for ensuring/making good the excavated trench for laying the water pipe line ducts by proper filling and compaction, clearing debris/loose earth produced due to execution of trenching at least 50m away from the edge of the right or way. No payment for clearing debris/loose earth, performance BG as per above is to be obtained.	Submitted After Approval.	suborit with seeking pera
1.1	Conformation of BG has been obtained or not as per NHAI guidelines.	BG Shall be submitted as per NHAI guidelines	
5	Affidavit / Undertaking from the Application for the following is to be furnished.	Yes	Enclosed
5.1	Not to damage to other utility, if damaged than to pay the losses either to NHAI or to the concerned agency.	Yes	
5.2	For Renewal of Bank Guarantee	Yes	
1.3	For confirming all standard condition of ministry circulars and NHAI's guideline.	Yes	
.4	For shifting of water pipe line as and when required by NHAI at their own cost.	Yes	
5.5	For shifting of water pipe line due to 6 lanning /widening of NH	Yes	
5.6	For indemnity against all damages and claims	Yes	0,0
	Alyedan	िरेग्नी 19 टिवे. मुख्यू नगर पा	Dy. Manager Dy. Manager Rep 3100011

Generated from eOffice by RIYA RATHORE, MGR(RO BHOPAL) - RR, MANAGER(TECHNICAL), RO BHOPAL-MP West) on 16/06/2025 11:19 am

5.7	FOR traffic movement during laying of water pipe line to be managed by the applicant.	Yes	
5.8	If any claim is raised by the concessionaire then the same has to be paid by the applicant.	Yes	
5.9	Prior approval of the NHAI shall be obtained before undertaking any work of installation shifting or repairs, or alternations to the water pipe line/ any other utility located in the National Highway right -of- ways.	Yes	
5.10	Expenditure if any, incurred by NHAI for repairing any damages caused to the National Highway by the laying maintenance or shifting of the water pipeline will be borne by the applicant agency owning the line.	Yes	
5.11	If the NHAI considers it necessary in future to move the utility line for any work of improvement of repairs to the road, it will be carried out as desired by the NHAI at the cost of the agency owing the utility line within a reasonable given.	Yes	
5.12	<ul> <li>Certificate from the applicant in the following format <ul> <li>(1) Laying of water pipe line will not have any deleterious effects on any of the bridge.</li> <li>(2) "We do undertake that I /we will relocate service road/ approach road/ utilities at my/ our own cost notwithstanding the permission granted within such time as will stipulated by NHAI for future six-lanning or any other development"</li> </ul></li></ul>	Yes	Enclosed
6	Who will sign the agreement on behalf of water pipe line agency?	CMO - Nagar Parishad Chicholi Betul, M.P.	
7	Power of Attorney to sign the agreement is available or not	Yes, Enclosed	
7.1	Certificate for the proposal for confirming of all standard condition issued vide ministry of road transport and Highways circular No RW/NH-33044 /29/2015/S&R(R) dated 22.11.2016	Yes	Bnolosed
7.2	Certificates from PD in the following format (1) It is certified that any other location of the water pipe line would be extremely difficult and unreasonable costly and the installation of water pipe line within ROW will not adversely affect the design, stability & traffic safety of the highway not the likely future improvement such as widening of the carriageway, easing of curve etc	NA	
		20 Pd मुख्य नगर पालि	Dy. Manager ( NHAI, PIU-HARD

Generated from eOffice by RIYA RATHORE, MGR(RO BHOPAL) - RR, MANAGER(TECHNICAA ROBHOPAL (MP West) on 16/06/2025 11:19 am

	of underground water pipe line then photocopy of register of records of	No		
12	A certificate form PD that they will enter the proposed permission in the register of the records of the permissions in the prescribed Performa (copy enclosed) If any previous approval is accorded for lying	Yes		
40	On behalf of the NHAI	NA		
	done/disruption in working of concessionaire if asked by the concessionaire? On behalf of the Applicant	CMO - Nagar Parishad Chicholi M.P CMO - Nagar Parishad Chicholi M.P	-	
10 11	Who will ensure that the defects in road portion after laying of water pipe line are corrected and if not corrected then what action will be taken. Who will pay the claims for damages	CMO - Nagar Parishad Chicholi M.P	Undertaking attached	
	(b) On behalf of NHAI	CMO - Nagar Parishad Chícholi M.P. Manager Technical / IE/AE/SC		
9	Who will supervise the work of laying water pipeline? (a) On behalf of the Applicant	CMO - Nagar Parishad Chicholi M.P.		
8	If NH section proposed to be taken up by NHAI on HAM basis - a clause is to be inserted in the agreement. The permitted Highway on which Licenses has been granted The right to lay water pipeline has also been granted as a right of way to the concessionaire under the concession agreement for up- gradation of [- <u>SU 200</u> section from km <u>26.559</u> - to km of NH No <u>UR</u> on build Operate and transfer Basis] and therefore the licensee shall honor the same"	NA Yes		
	<ul> <li>(a) Where feasibility is available "do certify that there will be no hindrance to proposed six-lanning based on the feasibility report considering proposed structures at the said location .</li> <li>(b) In case feasibility report is not available "I do certify that sufficient ROW is available a site for accommodating proposed six lanning.</li> </ul>	NA		Land Land



Generated from eOffice by RIYA RATHORE, MGR(RO BHOPAL) - RR, MANAGER(TECHNICAL) SO Bhopal (MP (West) on 16/06/2025 11:19 am