



भारतीय राष्ट्रीय राजमार्ग प्राधिकरण

(सड़क परिवहन और राजमार्ग मंत्रालय, भारत सरकार)

National Highways Authority of India

(Ministry of Road Transport & Highways, Govt. of India)

क्षेत्रीय कार्यालय : एफ-120, जनपथ, श्याम नगर, जयपुर-302019

Regional Office : F-120, Janpath, Shyam Nagar, Jaipur-302019

Tel. (O) / फोन : (ऑ.) 0141-2292056, 2292049

E-mail / ई-मेल : rojaipur@nhai.org Web. / वेब : www.nhai.gov.in



क्रमांक: NHAI/18013/1/2020-ROJ/Permission Crossing -PHED/292/NH-52, km 218 to 235.700/2109 दिनांक:26.10.2023

INVITATION OF PUBLIC COMMENTS

- विषय:** Execution of work of Retrofitting of Cluster Distribution system of Chambal Bundi Water Supply Project FHTC under JJM: Resubmission of proposal for permission for laying of water supply pipeline along National Highway-52 and crossing across National Highway-52-reg.
- सन्दर्भ:** (i) Executive Engineer PHED, Project Division, Bundi letter no. EE/PH/Proj.Div./2023-24/722-725 dated 11.07.2023
(ii) PD, PIU-Kota letter no. 290120/2023-Bundi/Deoli-Kota/PHED/160/8767 dated 26.09.2023 (received on 29.09.2023).

Sir,

It is to inform all concern that Ex. En., PHED, Project Division, Bundi vide cited under ref. (i) above has submitted a proposal for subject work and PD, NHAI, PIU-Kota has submitted the above proposal vide letter under reference (ii) for approval of Competent Authority, Highway Administration.

2. The proposal is for permission for water supply pipeline laying along the ROW & 08 nos. crossings from Ch. 218+000 to 235+700 along NH-52 Kota to Jaipur and 08 nos. crossing Bundi to Kota NH-52 (Deoli-Kota section) in the state of Rajasthan.

3. As per para-4 of Ministry's Circular No. RW/NH-33044/29/2015 S&R (R) dated 22.11.2016, the application shall be put out in the public domain for 30 days for seeking claims and objections (on ground of public inconvenience, safety and general public interest).

4. In view of the above, before approval of the competent authority, the comments/objections of affected public is hereby invited with reference to the Ministry's circular dated 22.11.2016 due to laying and crossing of Water Pipeline on the subjected stretch. The objections/comments may be addressed to the below mentioned address upto 25.11.2023 beyond due date, no comments/objections will be accepted.

The Regional Officer, Regional Office - Jaipur
National Highways Authority of India,
F-120, Janpath, Shyam Nagar, Jaipur (Raj.)-302019,
Tel : 0141-2292049, 2292054 Email : rojaipur@nhai.org

This is issued with the approval of the Regional Officer, NHAI, RO, Jaipur (Rajasthan).


(मनोर्ज खोड़ा)
प्रबन्धक (तकनीकी)

- Copy to: (i) Web Admn., NHAI, HQ, New Delhi - for uploading in NHAI's website [web-admin@nhai.org]
(ii) Director, NIC, New Delhi - for uploading in Ministry's website. [mansoor@nic.in]
(iii) PD, PIU-Kota: for information and with the request to ensure deposition of license fee and BG amount as per applicable guideline of MoRTH.
(iv) Ex.En. PHED Project Div. Bundi: for information.



भारतीय राष्ट्रीय राजमार्ग प्राधिकरण

(सड़क परिवहन और राजमार्ग मंत्रालय)

National Highways Authority of India

(Ministry of Road Transport and Highways)

परियोजना कार्यान्वयन इकाई

ए-504, इन्द्रा विहार, कोटा (राजस्थान)-324005

Project Implementation Unit

A-504, Indra Vihar, Kota (Rajasthan)-324005

दूरभाष/ Phone : 91-744-2406315

91-744-2980181

ई-मेल/ E-mail : kota@nhai.org

kotapiu@gmail.com

M/D-MK
29/9

③

No. 290120/2023-Bundi/Deoli-Kota/PHED/160/ **8767**

Date: 26.09.2023

Regional Officer

National Highways Authority of India

F-120, Janpath, Shyam Nagar

Jaipur (Raj.)- 302019



Steno (MKS)
29/9/23

Sub: Execution of the work of Retrofitting of Cluster Distribution system of Chambal Bundi Water Supply Project FHTC including 10 years O&M under JJM.: **Resubmission of proposal for permission for laying of water supply pipeline along National Highway-52 and crossing across National Highway-52.**

- Ref.: 1. EE, PHED, Bundi letter no. 482-85 dated 13.06.2023.
2. This office letter no. 8108 dated 26.06.2023.
3. EE, PHED, Bundi letter no. 722-725 dated 11.07.2023 (received on 13.07.2023).
4. This office letter no. 8271 dated 19.07.2023.
5. SC letter no. LASA/73783/Deoli-Kota (N)/L/PIU-Kota/2023/2712 dated 21.07.2023.
6. This office letter no. 8326 dated 25.07.2023.
7. EE, PHED Bundi letter no. 959-962 dated 01.08.2023 (received on 02.08.2023)
8. This office letter no. 8409 dated 08.08.2023.
9. SC letter no. LASA/73783/Deoli-Kota (N)/L/PIU-Kota/2023/2798 dated 23.08.2023
10. EE, PHED Bundi letter no. 1391-94 dated 22.09.2023.

Sir,

In reference to subject matter, Executive Engineer, PHED, Project Div. Bundi vide letter dated 13.06.2023 (Ref.1), submitted proposal for grant of permission for laying of water supply pipeline across NH-52 to this office.

2. In this regard, PIU vide letter dated 19.07.2023 (Ref.4) requested SC M/s LASA-PICPL (Association) to examine the proposal in accordance with Ministry's guidelines issued vide letter No. NH-33032/01/2017-S&R(R) dated 26.06.2020 & 18.04.2022 and submit comments/ recommendations.

3. Further, SC M/s LASA-PICPL (Association) vide letter dated 21.07.2023 (Ref.5) & PIU vide letter dated 25.07.2023 (Ref.6) conveyed some observations/ comments to Executive Engineer PHED Division, Bundi and advised to submit revised proposal for further needful in the matter.

4. Subsequently, Executive Engineer PHED Division, Bundi vide letter dated 01.08.2023 (Ref.7) submitted revised proposal. In response to above, PIU vide letter dated 08.08.2023 (Ref.8), requested to Supervision Consultant M/s LASA-PICPL (Association) to re-examine the proposal in accordance with Ministry's guidelines and submit comments/ recommendations.

[Signature]

5. In this regard, Supervision Consultant M/s LASA-PICPL (Association) vide letter dated 23.08.2023 (Ref.9) has submitted that proposal has been verified at site and found in order. The same has been examined by this office and found in order.

In view of above, the subjected proposal is hereby submitted & recommended for approval of Competent Authority for granting permission.

Yours faithfully,



(Rakesh Kumar Meena)

DGM (T) cum Project Director

Encl: Four sets of Proposals

REVISED CHECK LIST

Refer Circular No. Ministry's circular No. RW/NH-33044/29/2015/S& R (R) Dated 22.11.2016

(Guidelines for processing the proposal for laying of utility line in the land crossing National Highways vested with NHAI/ PWD/ BRO.

General Information:

- 1 Name and Address of the Applicant /Agency : Executive Engineer, PHED
(Project Division) Bundi
- 2 National Highway Number : NH-52
- 3 State : Rajasthan
- 4 Location : Bundi to Kota Road,


218+000 TO 218+300 (RHS)
218+000 TO 218+400 (LHS)
223+000 TO 224+200 (LHS)
222+900 TO 224+200 (RHS)
224+220 TO 224+500 (RHS)
226+300 TO 226+600 (RHS)
230+270 TO 231+390 (RHS)
234+300 TO 234+400 (LHS) Kms along
and 08 nos Crossings at chainages:
218+000, 223+120, 224+500, 225+725,
226+300, 230+270, 234+300, 235+700 Km
along NH 52 Kota to Jaipur Section of
Bundi District in State Rajasthan.
- 5 (Chainage in km) :

Proposed PHED Water supply pipe line
Laying along the ROW of NH 52:
218+000 TO 218+300 (RHS) – 0.3 Kms
218+000 TO 218+400 (LHS) – 0.4 Kms
223+000 TO 224+200 (LHS) – 1.2 Kms
222+900 TO 224+200 (RHS) – 1.3 Kms
224+220 TO 224+500 (RHS) – 0.28 Kms
226+300 TO 226+600 (RHS) – 0.3 Kms
230+270 TO 231+390 (RHS) – 1.12 Kms
234+300 TO 234+400 (LHS) – 0.10 Kms


Project Director
NHAI, PIU-Kota

Proposed PHED Water supply pipe line Laying along the ROW & 08 nos Crossings from chainage 218+000 TO 235+700Km along NH 52 Kota to Jaipur and 08 nos crossing Bundi to Kota, Section of Bundi District in State Rajasthan.




Site Engineer
NHAI, PIU-Kota




Executive Engineer
PHED Project Division
BUNDI (Raj.)

08 nos Crossings at chainages:
218+000, 223+120, 224+500, 225+725,
226+300, 230+270, 234+300, 235+700
Kms across NH 52 Kota to Jaipur
Section of Bundi District in State
Rajasthan.

- 6 Length in Km : 5.00 Km
- 7 Width of available ROW in Both Side :
- 8 Side of NH :
218+000 TO 218+300 (RHS)
218+000 TO 218+400 (LHS)
223+000 TO 224+200 (LHS)
222+900 TO 224+200 (RHS)
224+220 TO 224+500 (RHS)
226+300 TO 226+600 (RHS)
230+270 TO 231+390 (RHS)
234+300 TO 234+400 (LHS) Kms
- (left or right side of
NH towards increasing
Chainage /km/ direction)
- 9 Name of Highway Authority
(NHAI/PWD/BRO) : NHAI PIU, Kota (Raj.)
- 10 Highway Administration
address : CJM RO JAIPUR
MORT&H
DCM AJMER ROD
JAIPUR (RAJ.)


Project Director
NHAI, PIU-Kota

Proposed PHED Water supply pipe line Laying along the ROW & 08 nos Crossings from chainage 218+000 TO 235+700Km along NH 52 Kota to Jaipur and 08 nos crossing Bundi to Kota, Section of Bundi District in State Rajasthan.



Site Engineer
NHAI, PIU-Kota


Executive Engineer
PHED Project Division
BUNDI (Raj.)

SL. No	Item	Measurement observations as per site conditions	MORTH Norms	Whether complying with Morth Norms
1	Detail of already laid utility service if any	No utility service of PHED	Enclosed	YES
2	Whether up-gradation of the stretch in near future is proposed or not	Not proposed		YES
	(a) if yes, provision of utility adversely affect the plan of the up- gradation	Not applicable	Not affect plan of up - gradation	
3	Laying of The utility service along the National Highways.			
3.1	Location of proposed utility service along the stretch	Chainage : 218+000 to 235+700 Km	Utility Duct/ beyond the toe line of the embankment and drains, and close to the extreme edge of the ROW.	Yes
3.2	Depth of top of utility service from ground level	0.6	0.6 meter	YES
3.3	Mechanism for crossing water channel	Not Applicable	Through utility duct (if provision exists) or beneath the bed of water channel	YES
3.4	Whether Row is restricted in this stretch	Yes, But pipeline proposed accordingly		YES
3.4.1	If yes, whether provision of land acquisition is required to lay utility	Not Applicable		
	(a) If yes, whether Undertaking for land acquisition along with relevant L.A. details has been furnished	Not Applicable		
3.4.2	Width of concrete duct, if utility services are proposed to be laid in concrete ducts	Not Applicable	Not less than one land	YES
4	Laying of utility Service across the NH			
4.1	Whether Existing drainage structures is allowed to carry the utility lines	Not Proposed	Not to be allowed	YES

**Project Director
NHAI, PIU-Kota**

Proposed PHED Water supply pipe line Laying along the ROW & 08 nos Crossings from chainage 218+000 TO 235+700Km along NH 52 Kota to Jaipur and 08 nos crossing Bundi to Kota, Section of Bundi District in State Rajasthan.



**Site Engineer
NHAI, PIU-Kota**

**Executive Engineer
PHED Project Division
BUNDI (Raj.)**

4.2	Proposed crossing of utility service	Perpendicular to NH at chainage 218+000 223+120 224+500 225+725 226+300 230+270 234+300 235+700	Perpendicular to NH	YES
4.3	Type of casing pipe/conduit carrying the utility line	Steel	Steel, cast iron, or reinforced cement concrete and have adequate strength.	YES
4.4	Whether ends of the casing/conduit pipe are sealed from the outside	YES	Sealed	YES
4.5	Length of casing/conduit pipe crossing NH	Extend from NH outer Boundary to outer Boundary.	Extend from drain to drain in cuts and toe to toe of slope in the fills	
4.6	Depth of top of the casing/conduit pipe.	1.20 M	At least 1.2 m below the top of subgrade	YES
4.7	Crossing method in case of CC pavement	HDD	Only boring method (HDD)	YES
4.8	Horizontal and vertical clearances in case utilities are allowed overhead,	Not Applicable	In accordance with IRC codes	YES
5	Document/Drawing Enclosed with the proposal .			
5.1	Cross section showing the size of trench for open trenching method.	For Laying pipeline along road, one trenching method has been proposed		YES
	(a) Trench width	OD + 30 cm	More than 30 cm and less than 60cm wider than the outer diameter of the utility pipe.	YES
	(b) Filling of trench	As per Ministry guidelines vide letter No. RW/NH-34044/29/2015/S &R(R) dated 22.11.2016	As per Ministry guidelines vide letter No. RW/NH-34044/29/2015/S &R(R) dated 22.11.2016	YES
	(c) Location of trench	Extreme edge	Extreme edge of the ROW	YES
5.2	Cross section showing the size of pit and location of	Yes Attached	Enclosed, if applicable	YES

Proposed PHED Water supply pipe line Laying along the ROW & 08 nos Crossings from chainage 218+000 TO 235+700Km along NH 52 Kota to Jaipur and 08 nos crossing Bundi to Kota, Section of Bundi District in State Rajasthan.

Project Director
NHAI, PIU-Kota




Site Engineer
NHAI, PIU-Kota

Executive Engineer
PHED Project Division
BUNDI (Raj.)

5.3	Strip, plan, /route plan showing utility line, chainage, width of ROW, distance of proposed utility from the edge of ROW, important mile stone, intersection, cross drainage works etc.	Yes Attached	Enclosed	YES
5.4	Plan and profile drawing of stretch showing cross section of road at 20m distance along with ROW and proposed utility	Yes Attached	Enclosed	YES
6	Methodology for laying of pipe line.	Open cut method, for pipe line along ROW	Enclosed	YES
7	Draft License agreement is as per Ministry guidelines vide letter No. RW/NH-34044/29/2015/S&R(R) dated 22.11.2016 and signed by two witnesses	Yes, attached	Enclosed	YES
8	License fees in Favor of Morth RPAO Jaipur		As per Ministry guidelines vide letter No. RW/NH-34044/29/2015/S&R(R)dated 22.11.2016	
9	Whether Bank Guarantee Has been Obtained		As per Ministry guidelines vide letter No. RW/NH-34044/29/2015/S&R(R)dated 22.11.2016	
	(a)If yes, whether Confirmation of BG has been obtained as per Morth, NHAI guidelines	YES		YES
10	Affidavit / under takings from the applicants for:			
10.1	Undertaking for not to damage other existing utility, if damaged then to pay the losses to either to MORTH/NHAI or to the concerned agency.	Yes, attached	Enclosed	YES
10.2	Undertaking for renewal Bank Guarantees and when asked by NHAI/MORTH.	Yes, attached	Enclosed	YES
10.3	Undertaking for confirming all standard condition of MORTH/NHAI guideines.	Yes, attached	Enclosed	YES
10.4	Undertaking for shifting of utility as and when	Yes, attached	Enclosed	YES

Proposed PHED Water supply pipe line Laying along the ROW & 08 nos Crossings from chainage 218+000 TO 235+700Km along NH 52 Kota to Jaipur and 08 nos crossing Bundi to Kota, Section of Bundi District in State Rajasthan.


Project Director
NHAI, PIU-Kota





Site Engineer
NHAI, PIU-Kota


Executive Engineer
PHED Project Division
BUNDI (Raj.)

	required by MORTH/NHAI within a month at their own cost.			
10.5	Undertaking for indemnity against all damages and claims.	Yes, attached	Enclosed	YES
10.6	Undertaking for management of traffic movement during laying of utility line without hampering the traffic.	Yes, attached	Enclosed	YES
10.7	Undertaking that If any claim is raised by the concessionaire/ contractor then the same has to be paid by the applicant.	Yes, attached	Enclosed	YES
10.8	Undertaking that the applicant has obtained various safety clearances from the representative authorities such as directorate of electricity, chief controller of Explosives, petroleum and explosive safety Organization, Oil Industry safety Directorate, State/Central Pollution Control Board and any other statutory clearances applicable, before applying to Highway Administration	Yes, attached	Enclosed	YES

The Right of the Way (ROW) of the National Highway available at the proposed location from the center line of divided carriageway is (30) m (from center of ROW to edge of ROW towards proposed utility)

The above particulars along with the drawing and documents have been verified and certified as correct as per prevailing site condition.



[Name, Designation and Signature
of the authorized representative of
applicant]
Executive Engineer
PHED Project Division
BUNDI (Raj.)



[Name, Designation and Signature
of concerned field authority of
NHAI/PWD/BRO]

Proposed PHED Water supply pipe line Laying along the ROW & 08 nos Crossings from chainage 218+000 TO 235+700Km along NH 52 Kota to Jaipur and 08 nos crossing Bundi to Kota, Section of Bundi District in State Rajasthan.





Site Engineer
NHAI, PIU-Kota