



भारतीय राष्ट्रीय राजमार्ग प्राधिकरण

(सड़क परिवहन और राजमार्ग मंत्रालय)

National Highways Authority of India
(Ministry of Road Transport & Highways)

क्षेत्रीय कार्यालय, ओडिशा / Regional Office, Odisha

301 - ए, तीसरी मंजिल, पाल हाईट्स, प्लॉट नं जे/7, जयदेव विहार
भुवनेश्वर - 751013, ओडिशा

301-A, 3rd Floor, Pal Heights, Plot No : J/7, Jayadev Vihar
Bhubaneswar- 751013, Odisha

दूरभाष/Tel. : +91-674-2361570/670

फैक्स/Fax : +91-674-2361770

ई-मेल /e-mail : roodisha@nhai.org

ronhaiodisha@gmail.com

वेबसाइट/Website : http://www.nhai.org



भारतमाला
प्रगति के पथ पर अग्रसर



BHARATMALA
ROAD TO PROSPERITY

NHAI/13011/54/RO/OD/ 419 /2021

11.02.2021

To,

**The Sr. Technical Director,
NIC Centre at MoRTH,
Transport Bhawan,
New Delhi 110001.**

Sub: ROW permission for laying of Natural gas pipelines & OFC cable lines in Chandikhole to Paradip section of NH-53 of M/s. Bharat Gas Resources Limited- Under City Gas Distribution Scheme - Reg.

Ref: 1. PD, PIU- Bhubaneswar letter no. 127 dated 02.02.2021
2. Supervision Consultant letter no. 96 dated 24.12.2020
3. M/s. Bharat Gas Resources letter no. BGRL/Odisha/JK/ NH-53/ 2020 dated 03.08.2020

Sir,


Please find enclosed herewith a proposal of M/s. Bharat Gas Resources Ltd. seeking permission for laying Natural Gas Pipeline 10", 8" & 6" OD \times 0.251" WT MS Pipeline along with 40mm OFC duct along NH-53 at various locations between Ch. 76+600 (Paradip port) and Ch. 33+450 (Duhuria Bus stop) and crossing at Ch. 72+350 (Udaybhata village), Ch. 43+960 (R.K. Filling station, Marsaghai) & at Ch. 38+790 (Gopa Chhak) on NH-53. The following table briefs the locations details of the proposal:

Along / Across NH- 53 (Old NH-5A)						
Sl. No.	Laying / Crossing	Road Chainage		Length (in meters)	Location	Side of Road
1	Laying	76+600	72+350	4,250	Paradip port gate to Udaybhata village	Right Side
2	Crossing	72+350		60	Udaybhata village	
3	Laying	72+350	38+790	33,560	Udaybhata village to Gopa Chhak	Right Side
4	Crossing	43+960		60	R.K. Filling station, Marsaghai	
5	Crossing	38+790		60	Gopa Chhak	
6	Laying	38+790	33+450	5,340	Gopa Chhak to Duhuria Bus stop	Left Side

419

2. Accordingly, as per guidelines issued by MoRT&H vide F. No. RW/NH-33044/29/2015/S&R(R) dated 22.11.2016, the application alongwith the recommendations of concerned PD & Consultant are enclosed herewith with request to hoist the same in the Ministry's Website for public comments within 30 days of uploading on the website.

Yours faithfully,


11.02.2017

Encl: As above

CGM (Tech.) & RO, Odisha

Copy to: PD, PIU- Bhubaneswar for information



भारतीय राष्ट्रीय राजमार्ग प्राधिकरण

(सड़क परिवहन और राजमार्ग मंत्रालय)

National Highways Authority of India
(Ministry of Road Transport & Highways)

क्षेत्रीय कार्यालय, ओडिशा / Regional Office, Odisha

301 - ए, तीसरी मंजिल, पाल हाईट्स, प्लॉट नं जे/7, जयदेव विहार
भुवनेश्वर - 751013, ओडिशा

301-A, 3rd Floor, Pal Heights, Plot No : J/7, Jayadev Vihar
Bhubaneswar- 751013, Odisha

दूरभाष/Tel. : +91-674-2361570/670

फैक्स/Fax : +91-674-2361770

ई-मेल /e-mail : roodisha@nhai.org

ronhaiodisha@gmail.com

वेबसाइट/Website : http://www.nhai.org

NHAI/13011/54/RO/OD/ 418 /2021

11.02.2021

INVITATION OF PUBLIC COMMENTS

Sub: ROW permission for laying of Natural gas pipelines & OFC cable lines in Chandikhole to Paradip section of NH-53 of M/s. Bharat Gas Resources Limited- Under City Gas Distribution Scheme - Reg.

M/s. Bharat Gas Resources Ltd. seeking permission for laying Natural Gas Pipeline 10", 8" & 6" - OD \times 0.251" WT MS Pipeline along with 40mm OFC duct along NH-53 at various locations between Ch. 76+600 (Paradip port) and Ch. 33+450 (Duhuria Bus stop) and crossing at Ch. 72+350 (Udaybhata village), Ch. 43+960 (R.K. Filling station, Marsaghai) & at Ch. 38+790 (Gopa Chhak) on NH-53. The following table briefs the locations details of the proposal:

Along / Across NH- 53 (Old NH-5A)						
Sl. No.	Laying / Crossing	Road Chainage		Length (in meters)	Location	Side of Road
1	Laying	76+600	72+350	4,250	Paradip port gate to Udaybhata village	Right Side
2	Crossing	72+350		60	Udaybhata village	
3	Laying	72+350	38+790	33,560	Udaybhata village to Gopa Chhak	Right Side
4	Crossing	43+960		60	R.K. Filling station, Marsaghai	
5	Crossing	38+790		60	Gopa Chhak	
6	Laying	38+790	33+450	5,340	Gopa Chhak to Duhuria Bus stop	Left Side

2. As per guidelines issued by MoRT&H vide F. No. RW/NH-33044/29/2015/S&R(R) dated 22.11.2016, the Highway Administration will put out the application in the public domain for 30 days for seeking claims and objections (on grounds of public inconvenience, safety and general public interest).

3. In view of the above, the comments of public, if any, on the above mentioned proposal is invited on below mentioned address:

WJ

**The Regional Officer,
National Highways Authority of India,
Regional Office, Odisha
301-A, 3rd Floor, Pal Heights,
J/7, Jayadev Vihar, Bhubaneswar 751013, Odisha
e-mail : roodisha@nhai.org**



**CGM (Tech.) & RO, Odisha
National Highways Authority of India,
Regional Office, Odisha
301-A, 3rd Floor, Pal Heights,
J/7, Jayadev Vihar, Bhubaneswar 751013**



CHECK - LIST

Sr. No.	Item	Information /Status	Remarks
1	General Information	Laying Pipeline across NH-53 at chainage 72.350 Km (Udaybhata), 43.960 Km (R. K. Filling Station, Marsaghai) and 38.790 Km (Gopa Chhak) along NH from chainage 76.600 Km to 33.450 Km. (From Paradeep port gate to Duhuria Bus Stop)	
1.1	Name and Address of the Applicant / Agency	Bharat Gas Resources Limited 2nd Floor, Alok Bharti Complex, Saheed Nagar, Bhubaneswar - 751007	
1.2	National Highway Number	NH-53	
1.3	State	Odisha	
1.4	Location	From Paradeep Port Gate to Duhuria Bus Stop	
1.5	(Chainage in km)	1. Across @ 72.350 Km, 43.960 Km and 38.790 Km 2. Along @ From 76.600 Km to 33.450 Km	11 ✓
1.6	Length in Meters	1. Across:- 180 Mtr. 2. Along:- 43150 Mtr.	
	Width of available ROW	60 Mtr.	
1.7	(a) Left side from center line towards increasing chainage /km direction	30 Mtr.	
	(b) Right side from center line towards increasing chainage / km direction	30 Mtr.	
1.8	Proposal to lay underground Gas Pipeline/Electrical Cable.	Gas pipeline across at chainage 72.350 Km (Udaybhata), 43.960 Km (R. K. Filling Station, Marsaghai) and 38.790 Km (Gopa Chhak) and along chainage from 76.600 Km to 33.450 Km. (From Paradeep port gate to Duhuria Bus Stop)	
	(a) Left side from center line towards increasing chainage / Km direction	Within RoW	
	(b) Right side from center line towards increasing chainage / Km direction		
1.9	Proposal to acquire Land		
	(a) Left side from center line	Not Applicable	
	(b) Right side from center line		
1.10	Whether proposal is in the same side where land is not to be acquired		
	If not then where to lay the cable	Within RoW	
1.11	Details of already laid services, if any, along the proposed route		
1.12	Number of lanes (2/4/6/8 lanes) existing	4 Lane	
1.13	Proposed Number of lanes (2 lane with paved shoulders / 4 /6/8 lanes)		
1.14	Service Road existing or not If yes then which side	No	
	(a) Left side from center line		
	(b) Right side from center line		
1.15	Proposed Service Road		
	(a) Left side from center line	No	
	(b) Right side from center line		
1.16	Whether proposal to lay Gas Pipeline is after the service road or between the service road and main carriageway	Not Applicable	
1.17	The permission for laying of Gas pipeline shall be considered for approval/ rejection based on the Ministry Circulars mentioned as above		
1.18	Whether carrying of sewage/gas pipeline has been Proposed on the parapet / part of the bridges. If yes, then mention the methodology proposed for the Same.	No	





Handwritten signature

1.19	If crossing of the road involved, If yes it shall either encased in pipes or through structure or conduits specially built for that purpose at the expenses of the agency owning the line	Yes	Case crossing or HDD method used for crossing location.
	(a) Whether existing drainage structures are allowed to carry sewage/gas pipeline	No ✓	
	(b) Is it on a line normal to NH	Yes ✓	
	(c) What is the distance of crossing the sewage / gas pipeline from the existing structures? Crossings shall not be too near the existing structures on the National Highway, the minimum distance being 15 meter.	Yes	
	(d) The casing pipe (or conduit pipe in the case of electric cable) carrying the utility line shall be of steel, cast iron, or reinforced cement concrete and have adequate strenght and be large enough to permit ready withdeawal of the carrier pipe/cable. Mention type of casing.	Yes, Casing pipe is Carbon Steel ✓	
	(e) Ends of the casing/conduit pipe shall be sealed from the outside, so that it does not act as a drainage path.	Yes	
	(f) The casing/conduit pipe should, as minimum extend from drain to cuts and toe of slope in the fills.	Yes	
	(g) The top of the casing/conduit pipe should be at least 1.2 meter below the surface of the road subject to being at least 0.3 below the drain inverts. Mention the proposed details.	Yes	
	(h) Mention the methodology proposed for crossing of road for the proposed Sewage/gas pipe line, Crossing shall be by broing method [Trenchless Technology] specially, where the existing road pavement is of cement concrete or dense bituminous concrete type.	Yes	Case crossing or HDD method used for crossing location.
	(i) The casing/conduit pipe shall be installed with an even bearing throughout its length and in such a manner as to prevent the formation of a waterway along it.	Yes	
2	Document / Drawings enclosed with the proposal	Yes	
2.1	Cross section showing the size of trench for open trenching method (Is it normal size of 1.2 meter deep X 0.8 meter wide) (i) Should not be less than 60 cm wider than the outer diameter of the pipe (ii) Located as close to the extreme edge of the right-of-way as possible but not less than 4 meter from the centre-lines of the nearest carriageway (iii) Shall not be permitted to run along the National Highways when the road formation is situated in double cutting. Nor Shall these be laid over the existing culverts and bridges (iv) These should be so laid that their top is at least 0.6 meter below the ground level so as not to obstruct drainage of the road land.	Enclosed	
2.2	Cross section showing the size of pit and location of cable for Case crossing/HDD method	Enclosed	
2.3	Strip plan / Route plan showing Gas pipeline, Chainage, Width of RoW, distance of proposed Pipeline from the edge of RoW, Important mile stone, intersections, cross drainage works etc.	Enclosed	
2.4	Methodology for laying of showing Gas pipeline.	Enclosed	




Signature

2.4.1	Open trenching method. (May be allowed in utility corridor only where pavement is neither cement concrete nor dense bituminous concrete type.) If yes, what is the Methodology of refining trench.	Yes	HDD method
	(a) The trench width should be at least 30 cm, but not more than 60 cm wider than the outer diameter of the pipe.	Yes	
	(b) For filling of the trench, Bedding shall be to a depth of not less than 30 cm. It shall consist of granular material, free of lumps, clods and cobbles and graded to yield a firm surface without sudden change in the bearing value. Unsuitable soil and rock edged should be / excavated and replaced by selected material.	Yes	
	(c) The backfill shall be completed in two stages (i) side-fill to the level of the top of the pipe and (ii) overfill to the bottom of the road crust.	Yes	
	(d) The side-fill shall consist of granular material laid in 15 cm layers each consolidated by mechanical tampering and controlled addition of moisture to 95% of the Proctor's Density. Overfill shall be compacted to the same density as the material that had been removed. Consolidation by saturation or ponding will not be Permitted.	Yes	
	(e) The road crust shall be built to the same strength as the existing crust on either side of the trench. Care shall be taken to avoid the formation of a dip at the trench.	Yes	
	(f) The excavation shall be protected by flagman, signs and barricades, and red lights during night hours.	Yes	
	(g) If required, a diversion shall be constructed at the expense of agency owning the utility line.	Yes	
2.4.2	Method of laying Gas Pipeline	Open trenching/HDD method for along the road and Cased crossing/HDD method for crossing.	
2.4.3	Methodology for Laying of Gas pipeline through CD works and method of laying. In cases where the carrying of Gas pipeline on the bridge becomes inescapable.	N.A.	
3	Draft License Agreement signed by two witnesses	Yes	
4	Performance Bank Guarantee in favour of NHAI has to be obtained as per MoRTH guidelines for a period of one year initially (extendable if required till satisfactory completion of work) as a security for ensuring/making good the excavated trench for laying the Gas pipe line/ducts by proper filling and compaction, clearing debris/loose earth produced due to execution of trenching at least 50 m away from the edge of the right of way. No payment shall be payable by the NH to the licensee for clearing debris/loose earth. Performance BG as per above is to be obtained.	Yes; As per new guidelines of MoRTH circular dt.22.11.2016.	
4.1	Confirmation of BG has been obtained or not as per NHAI guidelines.	To be confirm	
5	Affidavit / Undertaking from the Applicant for the following is to be furnished	Yes	
5.1	Not to Damage to other utility, if damaged then to pay the losses either to NH or to the concerned agency.	Yes	
5.2	For Renewal of Bank Guarantee	Yes	
5.3	For Confirming all standard condition of Ministry Circulars and NH guideline	Enclosed	



Signature

5.4	For Shifting of Gas pipeline as and when required by NHAI at their own cost.	Enclosed	
5.5	For Shifting Gas pipeline due to 4/6 lanning / widening of NH	Enclosed	
5.6	For Indemnity against all damages and claims clause (xxiv)	Enclosed	
5.7	For traffic movement during laying of Gas pipeline to be managed by the Applicant.	Enclosed	
5.8	If any claim is raised by the Concessionaire then the same has to be paid by the applicant.	Enclosed	
5.9	Prior approval of the NH shall be obtained before undertaking any work of installation, shifting or repairs, or alterations to the Gas pipe line/any other utility located in the National highway right-of-ways.	Enclosed	
5.10	Expenditure, if any, incurred by NH for repairing any damage caused to the National Highway by the laying, maintenance or shifting of the Gas pipe line will be borne by the applicant agency owning the line.	Enclosed	
5.11	If the NH considers it necessary in future to move the utility line for any work of improvement or repairs to the road, it will be carried out as desired by the NH at the cost of the agency owning the utility line within a reasonable time (not exceeding 60 days) of the intimation given.	Noted	
5.12	Certificate from the applicant in the following format (i) Laying of Gas pipeline will not have any deleterious effects on any of the bridge components and Roadway safty for traffic (ii) "We do undertake that I will relocate service road / approach road / utilities at my own cost notwithstanding the permission granted withing such time as will be stipulated by NH" for future 4/6 lanning or any other development.	Yes; Enclosed	
6	Who will sign the agreement on behalf of Gas pipeline agency	B. C. Sikder	
6.1	Power of Attorney to sign the agreement is available or not	Yes	
7	The Project Director/Excutive Engineers, will submit the following Certificates		
7.1	Certificate for proposal for confirming of all standard condition issued vide Ministry of Road Transport and Highway Circular No.-NH-III/P/66/76 dated 18/19.11.1976, RW/NH-III/P/66/76 dated 11.5.1982, (ii) RW/NH-11037/1/86/DOI dated 28.7.1993. (iii) RW/NH-11037/1/86/DOI dated 19.1.1995 (iv) RW/NH-34066/2/95/ S&R dated 25.10.1999 and (v) RW/NH-34066/7/2003 S&R (B) dated 17.9.2003	— ?	
7.2	Certificate from XEN/PD in the following format (i) "it is certified that any other location of the Gas pipeline would be extremely difficult and unreasonable costly and the installation of Gas pipe line within RoW will not adversely affect the design, stability & traffic safety of the highway nor the likely future improvement such as widening of the carriageway, easing of curve etc".	— ?	



Signature

	(ii) for 6-lanning (a) Where feasibility is available "I do certify that there will be no hindrance to proposed six laning based on the feasibility report considering proposed structures at the said location". (b) In case feasibility report is not available "I do certify that sufficient RoW is available at site for accommodating proposed six laning".		
8	If NH section proposed to be taken up by NHAI on BOT basis - a clause is to be inserted in the Agreement. "The permitted highway on which licensee has been granted the right of lay Gas pipeline/cable/duct has also been granted as a right of way to the concessionaire under the concession agreement for up-gradation of (from 77.677 Km to 34.482 Km) Section along NH No. 53 on Build, Operate and Transfer Basis and therefore, the licensee shall honor the same."	Yes	
9	Who will supervise the work of laying of Gas pipeline		
	(a) On behalf of the Applicant	Bharat Gas Resources Limited	
	(b) On behalf of NH Division	Person deputed by PD	
10	Who will ensure that the defects in road portion after laying of water / Gas supply pipeline are corrected and if not corrected then what action will be taken.		
	(a) On behalf of the Applicant	Bharat Gas Resources Limited	
	(b) On behalf of NH Division	Person deputed by PD	
11	Who will pay the claims for damages done /disruption in working of concessionaire if asked by the concessionaire		
	On behalf of the Applicant	Bharat Gas Resources Limited	
12	A certificate from Project Director/Executive Engineer that he will enter the proposed permission in the register of records of the permissions in the prescribed Performa (Copy enclosed).		
13	If any previous approval is accorded for laying of underground water / Petroleum / Gas supply pipeline then Photocopy of register of records of permissions accorded as maintained by Project Director/Executive Engineer then copy be enclosed.	Not Applicable	



Bharat Gas Resources Limited



Handwritten signature/initials.

परियोजना निदेशक
PROJECT DIRECTOR
भारतीय राष्ट्रीय राजमार्ग प्राधिकरण
National Highways Authority of India
प.का.इ. धुबनेश्वर / P. Dhubaneswar