

# भारतीय राष्ट्रीय राजमार्ग प्राधिकरण

(सडक परिवहने और राजमार्ग मंत्रालय, भारत सरकार)

## NATIONAL HIGHWAYS AUTHORITY OF INDIA

(Ministry of Road Transport & Highways, Government of india)

# क्षेत्रीय कार्यालय - हैदराबाद

प्रथम तल, नया भवन, भारतीय प्रशासनिक स्टाफ कॉलेज, रोड नं-3, बंजारा हिल्स. हैदराबाद-500 034 तेलंगाना



First Floor, New Building, Administrative Staff College of India (ASCI), Road No. 3, Banjara Hills, Hyderabad - 500 034, Telangana. देली / **Tele**: 040 - 29562147 / 48 ई-मेल / **Email**: rohyderabad@nhai.org, nhairohyd@gmail.com

## **Notice Inviting Public Comments**

NHAI/RO-HYD/25011/7/3/2022/Utility/446

Dt.20.05.2022

Sub: NHAI - RO Hyderabad - PIU Khammam- Proposal for laying of Optical Fiber Cable for a total length of 10.53 Km from Km.146+050 to Km.146+800 (RHS), Km. 167+400 to Km.175+000 (RHS), and Km. 175+000 to Km. 177+000 (LHS), along NH-563 by Open trench Methodology and Highway crossings by HDD methodology at Km.167+400, Km. 167+650, Km. 171+450, Km. 171+460, Km. 174+850, and Km. 175+000 on Warangal to Khammam section of NH-563 in the State of Telangana- Reg..

Ref: 1. PD, PIU Khammam Lr.no. NHAI/PIU-KMM/NH-563/T-Fiber/2022/5559,dt: 20.05.2022

The Project Director, PIU, NHAI, Khammam vide letter cited above has recommended the Proposal M/s Telangana Fiber Grid Corporation Limited for laying of Optical Fiber Cable for a total length of 10.53 Km from Km.146+050 to Km.146+800 (RHS), Km. 167+400 to Km.175+000 (RHS), and Km. 175+000 to Km. 177+000 (LHS), along NH-563 by Open trench Methodology and Highway crossings by HDD methodology at Km.167+400, Km. 167+650, Km. 171+450, Km. 171+460, Km. 174+850, and Km. 175+000 on Warangal to Khammam section of NH-563 in the State of Telangana.

2. As per para 4 of the Ministry's guidelines no. RW/NH-33044/29/2015/S&R(R) dated 22.11.2016, public comments is hereby invited on the above proposal seeking claims and objections (on grounds of public inconvenience, safety and general public interest) within 30 days on public portal i.e. website of Ministry of Road Transport and Highways (www.morth.nic.in) in Form-A (copy enclosed) for "Accommodation of Public and Industrial Utility Services along and across National Highways".

### Comment Inviting Authority

The Regional Officer,

National Highways Authority of India,

Regional Office: Hyderabad,

First Floor, New Building,

Administrative Staff College of India(ASCI),

College Park Campus, Road No.3,

Banjara Hills, Hyderabad 500 034,

Telangana State,

Phone: 040-29562147, 040-29562148,

Email: rohyderabad@nhai.org, nhairohyd@gmail.com

**Encls: Above Proposal** 

Yours faithfully,

333

Dy General Manager (Tech)

For Regional Officer-cum-

Highway Administrator, Hyderabad

To:

1. Senior Technical Director, NIC, Transport Bhawan, New Delhi- 110001 for uploading on Ministry's website.

2. Shri S.Manivasagam, Dy. GM (IT), NHAI HQs, New Delhi for uploading on NHAI website.

Copy to:-1. The Project Director, NHAI, PIU Khammam: for information

2. M/s Telangana Fiber Grid Corporation Limited: for information

कारपोरेट कार्यालय : जी-5 एवं 6, सेक्टर-10, द्वारका, नई दिल्ली - 110 075. वेबसाइट : http://www.nhai.org Corporate Office : G-5 & 6, Sector -10, Dwarka, New Delhi - 110 075 Website : http://www.nhai.gov.in

## FORM-A

Form for seeking claims and objections (on grounds of public inconvenience, safety and general public interest) on the application for Accommodation of Public and Industrial Utility Services along and across National Highways

Sub: NHAI - RO Hyderabad - PIU Khammam- Proposal for laying of Optical Fiber Cable for a total length of 10.53 Km from Km.146+050 to Km.146+800 (RHS), Km. 167+400 to Km.175+000 (RHS), and Km. 175+000 to Km. 177+000 (LHS), along NH-563 by Open trench Methodology and Highway crossings by HDD methodology at Km.167+400, Km. 167+650, Km. 171+450, Km. 171+460, Km. 174+850, and Km. 175+000 on Warangal to Khammam section of NH-563 in the State of Telangana-Reg.

The claims and objections (on grounds of public inconvenience, safety and general public interest) by the general public needs to be given within 30 days of uploading the online application for comments

SI. No	Item	Details
1	Name of the person who is desiring to give claims and objections (on grounds of public inconvenience, safety and general public interest)	
2	Address of the person	
3	Details of the application for Accommodation of Public and Industrial Utility Services along and across National Highways against which claims and objections are being given (name of applicant and other details like site address etc.)	
3	a) Application No.     b) Name of applicant (who applied to Accommodation of Public and Industrial Utility Services along and across National Highways)     c) Details of Application	
4	The claims and objections (on grounds of public inconvenience, safety and general public interest)	

# **CHECK-LIST**

Guidelines for Project Directors for processing the proposal of laying optical fiber cable by private parties in the land along National Highways vested with NHAI.

## Relevant circulars

- 1) Ministry Circular No. RW/NH-33044/17/2000-S&R dated 29.09.2000
- 2) NHAI's circular No. NHAI/OEC/2k/Vol II dated 7.11.2000, which includes the comprehensives guideline and draft license agreement for laying of OFC cable by private party in the land along National Highway vested with NHAI.
- Ministry's circular No. RW/NH-333044/27/2000-S&R (R) date 21.03.2016. It is regarding the modification of previous Ministry's circular enhancing the amount of Performance Bank Guarantee @ Rs. 100 per route meter and charges for granting license for use of highway land.

Check list for getting approval for laying of optical fiber cables on NH land

S. No.	Item	Information/Status	Remarks
1	General Information		* WASTERSON
1.1	Name and Address of the Applicant	M/S Telangana Fiber Grid Corporation Limited. 7th Floor splendid Tower SP Road Begumpet. Hyderabad. Telangana-	
1.2	National Highway Number	NH-563	
1.3	State	Telangana	
1.4	Location	NH-563, From KM. 146/050 to KM. 146/800 on bHS. From KM. 167/400 to KM. 167/650 on bHS. From KM. 171/460 on bHS. From KM. 171/460 to KM. 174/850 on bHS. From KM. 175/000 on bHS. From KM.	



		175/000 to KM. 177/000 on MHS. And across the road length of 0.180 KM. Total section length at different locations for ROW applied is 10.530 KM's (i.e., 10530 Mtrs)	
1.5	(Chainage In km)	NH-563, From KM. 146/050 to KM. 146/800 on kHS. From KM. 167/400 to KM. 167/650 on kHS. From KM. 171/460 on kHS. From KM. 171/460 to KM. 174/850 on kHS. From KM. 174/850 to KM. 175/000 on kHS. From KM. 175/000 to KM. 177/000 on kHS. And across the road length of 0.180 KM. Total section length at different locations for ROW applied is	
1.6	Length in Meters	10.530 KM's (i.e., 10530 Mtrs) 10530 Mtrs.	-
1.7	Width of available ROW		
	(a) Left side from center line towards increasing chainage/km direction	As per the sheet attached	
	(b) Right side from center line towards increasing chainage/km direction	As per the sheet attached	
1.8	Proposal to lay the cable	UG-OFC	_
	(a) Left side from center line towards increasing chainage/km direction	(At the edge of ROW) Yes, as per the Drawings attached	
	(b) Right side from center line towards increasing chainage/km direction	(At the edge of ROW) Yes, as per the Drawings attached	
1.9	Proposal to acquire land	NA	-
	(a) Left side form center line	NA	
	(b) Right side from center line	NA	
1.10	Whether proposal is in the same side where land is not to be acquired	NA	_
	If not then where to lay the cable		
.11	Details of already laid services, if any, along the proposed route		-



1.12	Number of lanes (2/4 / 6/8 lanes) existing		-
1.13	Proposed Number of lanes (2 lane with paved shoulders/4/6/8 lanes)	2 Lane	
1.14	Service road existing or not	NO	
	If yes then which side		
- 3	(a) Left side from center line		-
	(b) Right side from center line		_
1.15	Proposed Service Road	No	-
	(a) Left side from center Line		
	(b) Right side from center line		
1.16	Whether proposal to lay cable is after the service road or between the service road and main carriageway	Beyond Service Road or In Utility Corridor.	
1.17	The permission for laying OFC shall be considered for approval/rejection		
	(i) Where the ROW is more than 45 m then the duct	At the edge of ROW within	
	cable shall be laid at the edge of right of way within	utility corridor of 2 Mtrs	
	the utility corridor of 2m width, duly keeping in view the future widening.	width	
	(ii) where land is yet to be acquired for 4 laning and	Widdi	
	the position of new carriageway has been decided	,	
	then the cable shall be laid at the edge of right of	_	
	way within the utility corridor of 2m width, on that		
	side of existing carriageway where extra land is not		
	proposed to be acquired for 4-laning.		
	(iii) Where the widening plan for 4-laning is not yet		_
- 1	decided and available ROW is around 30m or less,		
1	a judicious decision would need to be taken for	N .	•
	permitting the laying of cable/duct. This could be		
	within 1.5m to 2m of utility corridor at the edge of		
	existing ROW, duly keeping in view the possible widening plans.		
	(iv) Where ROW is restricted and adequate only to	NA	
	accommodate the carriageway, central verge,		



	shoulders and drains (e.g. highways in cutting through hilly/rolling terrain), the cable shall be laid clear of the drain.		
	(v) Where land strip for utility corridor cannot be conveniently earmarked (available ROW restricted to the toe of the embankment) for laying of cable/ducts, the permission may be refused.		
1.18	No. of applicants on the same stretch		
1.19	Whether the case of multiple licenses	No	
1.20	If so furnish a joint implementation programmer to lay their respective ducts, within stipulated time frame.	NA	
1.21	If crossings of the road involved  If Yes it shall only be through trench-less technology		
2.	Document/Drawings enclosed with the proposal		
2,1	Cross section showing the size of trench for open trenching method (Is it normal size of 1.65m deep x 0.5m wide)  Should not be greater than 1.2m in width in multiple ducts.	2 00 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	
2.2	Cross section showing the size of pit and location of cable for HDD method	KM. 146/800 on PHS. From KM. 167/400 to KM. 167/650 on PHS. From KM. 171/460 on PHS. From KM. 171/460 to KM. 174/850 to KM. 171/460 to KM. 174/850 to KM. 175/000 on PHS. From KM. 175/000 on PHS. From KM. 175/000 to KM. 177/000 on PHS. And across the road length of 0.180 KM. Total section length at different locations for ROW applied is	
2.3	Strip plan/Route Plan showing the OFC, Chalnage, width of ROW, distance of proposed, cable from the edge of ROW, important mile stone, intersections, cross drainage works etc.	Yes Enclosed	
2.4	Methodology for laying of OFC	Yes, Enclosed	

0)

2.4.1	Open trenching method. If yes, Methodology of refilling of trench	Yes, Enclosed
2.4.2	Horizontal Directional Drilling (HDD) Method	Yes, Enclosed
2.4.3	Laying OFC Through CD Works And Method Of Laying (Whether to be hung outside parapet)	NO
3,	Draft Ilcense Agreement signed by two witnesses	Enclosed
4.	Performance Bank Guarantee	Shall be submitted as soon as permission obtain/Informed by NH
4.2	Confirmation of BG has been obtained as per NHAI guidelines	
5	Affidavit/ Undertaking from the Applicant for	
5.1	Not to Damage to other utility, if damaged then to pay the losses either to NHAI or to the concerned agency.	Yes; Enclosed
5.2	Renewal of Bank Guarantee	
5.3	Confirming all standard condition of NHAI's guideline	Yes ; Enclosed
5.4	Shifting of OFC as and when required by NHAI	Yes ; Enclosed
5.5	Shifting due to 4 lanning / widening of NH	Yes; Enclosed
5.6	Indemnity against all damages and claims clause (xxiv)	Yes; Enclosed
5.7	Traffic movement during laying of OFC to be managed by the applicant	
5.8	If any claim is raised by the Concessionaries then the same has to be paid by the applicant	Yes ; Enclosed
5.9	Certificate for 6-lanning from the applicant in following format  "We do undertake that I will relocate service road/approach road/utilities at my own cost notwithstanding the permission granted within such time as will be stipulated by NHAI" for future six-anning or any other development."	Yes; Enclosed



6.	Power of Attorney in favor of authorized signatory	Yes, enclosed
7.	Copy of DOT license	
8.	Certificate from the Project Director	
8.1	Certificate for confirming of all standard condition issued vide Ministry Circular No. RW/NH-33044/17/2000-S&R dated 29.9.2000 and NHAI's guidelines issued vide No. NHAI/OEC/2k/Vol II dated 7.11.2000 and Ministry's Circular No. RW/NH-33044/27/2000-S&R dated 21.3.2006.	1 50
8.2	Certificate for 4-lanning from PD in the following format.	Yes
	<ul> <li>(a) Where feasibility is available "I do certify that there will be no hindrance to proposed six-laning based on the feasibility report considering proposed structures at the said location.</li> <li>(b) In case feasibility report is not available "I do certify that sufficient ROW is available at site for accommodating proposed six-laning".</li> </ul>	
9.	The agreement fee of Rs. 1 shall be charged	Yes
10.	If NH section proposed to be taken up by NHAI on BOT basis - a clause in para 17 to be inserted in the agreement. "The permitted Highway on which Licensee has been granted the right to lay cable/duct has also ben granted as a right of way to the concessionaire under the concession agreement for up=gradation of [ section from Km ——— to km ——— of NMH No —— on Build, Operate and Transfer Basis] and therefore, the licensee shall honour the same."	NA
11.	Who will supervise the work of laying OFC	M/s Telangana fiber Grid Corporation Limited (State Implementation Agency) BBNL Project for Government of Telangana



12.	Who will ensure that the defects in road portion after laying of OFC are corrected and if not corrected then what action will be taken.	M/s Telangana fiber Grid Corporation Limited (State Implementation Agency) BBNL Project for Government of Telangana	
13.	Who will pay the claims for damages done/disruption in working of Concessionaire if asked by the Concessionaire.	M/s Telangana fiber Grid Corporation Limited (State Implementation Agency) BBNL Project for Government of Telangana	
14.	A Certificate from PD that he will enter the proposed permission in the register of records of the permissions in the prescribed proforma (copy enclosed) issued vide Ministry Circular No. RW/NH/33044/17/2000/S&R dated 23.7.2003.	Yes	
15.	If any previous approval is accorded for laying of cable then Photocopy of register of records of permissions accorded as maintained by PD (as per Ministry Circular No. RW/NH/33044/17/2000/S&R dated 23.7.2003) as referred in para 13 above is enclosed or not.	No	



# Annexure-II

# [Enclosure to Ministry Circular No. RW:NH-33044/17/2000-S&R dated 29.9.2000 and dt. 23.07.2003]

# Format for Maintaining Records of Right-of-Way permission granted for laying OFC

# (to be maintained separately for every NH and State)

Name of State

: Tefangana


	Date of last laspection of site	
Company of the last of the las	Date of validity of of agreem	
-	Date of algresment	
The state of the s	Name of foreign and contact andress	Telengana Fiber Srid Corporation Ud. 7th Floor splendid Tower SP Road Begumpet, Hyderabad.
	Service Service	Telangana Fiber
-	usach	
aff of right sides of	NH (lowards horeasing chainage/km dfrection	LHS and RHS
CHARLES IN CASE		NH-563, From KM. 146/050 to KM. 146/800 on RHS. From KM. 167/400 to KM. 167/650 on RHS. From KM. 167/860 to KM. 171/480 on RHS. From KM. 174/480 to KM. 174/850 on RHS. From KM. 174/850 on RHS. Fro
		-
D	COO	

Any deviation from MOST standard noms

£



	Name of Roemso and conflact andreas	Telengena Filber Gnd Corporation Lid. 7th Floor splendid Tower SP Road Begumpet, Hyderabad, Telangana-500003
×	Kinc of service	Fiber
	Section and reach	
: NH R&B : NH-563	Left or ught side of NH (towards Protesting chainage/km dfection	LHS and RHS
ancy	Locaton (change in Km)	NH-563, From KM. 146/050 to KM. 146/800 on Q-PS. From KM. 167/400 to KM. 167/650 on Q-PS. From KM. 167/650 to KM. 171/480 on Q-PS. From KM. 174/80 on Q-PS. From KM. 174/850 to KM. 175/000 on Q-PS. From KM. 175/000 on Q-PS. From KM. 175/000 to KM. 177/000 on Q-PS. From KM. 175/000 to KM. 177/000 on Q-PS. And across the road length of 0.180 KM. Total section length at different focations for ROW applied is 10.530 KM's Q.E., 10530 MIRS)
Name of Agency NH Number		NH-563, FI 146/800 on to KM, 167 167/850 to From KM, 1 PHS, From 175/000 on to KM, 177 the road le section leng ROW applie 10530 Mirs)
દું છું	RID CORSORATION	₩





# Annexure-II

( .)

1

[Enclosure to Ministry Circular No. RW/NH-33044/17/2000-S&R dated 29.9.2000 and dt. 23.07.2003]

# Format for Maintaining Records of Right-of-Way permission granted for laying OFC

# (to be maintained separately for every NH and State)

Name of State

: Telangana

Name of Agency

NHA

NH Number


က်


: NH-563

o N	Location (change in Km)	Left or right side of NH (towards increasing chainage/km direction	Section and reach	Kind of service	Name of license and contact address	Date of signing of agreement	Date of validity of agreem ent	Date of last inspection of site	Any deviation from MOST standard norms	Remarks
<b>←</b>	143/050 to 175/00	SH1		Telangana	Telangana Fiber				No	
2	175/00 to 177/00	RHS	-	Fiber	Grid Corporation					
	Crossing				7th Floor splendid					
	CH 167/400				Begumpet,					
	CH 167/650				Hyderabad.					
	Ch 171/450				Telangana-500003					
	CH 171/460				1					
	Ch 174/850									
	Ch 175/0									





# Typical Cross Sectional For HDD











(b)

