

भारतीय राष्ट्रीय राजमार्ग प्राधिकरण

(सडक परिवहने और राजमार्ग मंत्रालय,भारत सरकार)

NATIONAL HIGHWAYS AUTHORITY OF INDIA

(Ministry of Road Transport & Highways, Government of India)

क्षेत्रीय कार्यालय - हैदराबाद

प्रथम तल, नया भवन, भारतीय प्रशासनिक स्टाफ कॉलेज, रोड नं-3, बंजारा हिल्स, हैदराबाद-500 034 तेलंगाना



First Floor, New Building, Administrative Staff College of India (ASCI), Road No. 3, Banjara Hills, Hyderabad - 500 034, Telangana. टेली / **Tele**: 040 - 29562147 / 48 **ई-मेल / Email**: rohyderabad@nhai.org, nhairohyd@gmail.com

Notice Inviting Public Comments

NHAI/RO-HYD/25011/3/30/2022/Utility/4/52

Dt.20.05.2022

Sub: NHAI - RO Hyderabad - PIU Nirmal- Proposal for laying of Optical Fiber Cable for a total length of 3.33 Km from Km.450+475 to Km.452+225 (LHS), and Km.461+140 to Km.462+600 (RHS), along NH-44 by Open trench Methodology and Highway crossings by HDD methodology at Km.450+475 and Km. 452+225 on Nagpur to Hyderabad section of NH-44 in the State of Telangana- Reg..

Ref: 1. PD, PIU Nirmal Lr.no.NHAI/PIU-NRML/Utility/T-Fibre-OFC/2022/572,dt: 17.05.2022

The Project Director, PIU, NHAI, Nirmal vide letter cited above has recommended the Proposal M/s Telangana Fiber Grid Corporation Limited for laying of Optical Fiber Cable for a total length of 3.33 Km from Km.450+475 to Km.452+225 (LHS), and Km.461+140 to Km.462+600 (RHS), along NH-44 by Open trench Methodology and Highway crossings by HDD methodology at Km.450+475 and Km. 452+225 on Nagpur to Hyderabad section of NH-44 in the State of Telangana.

2. As per para 4 of the Ministry's guidelines no. RW/NH-33044/29/2015/S&R(R) dated 22.11.2016, public comments is hereby invited on the above proposal seeking claims and objections (on grounds of public inconvenience, safety and general public interest) within 30 days on public portal i.e. website of Ministry of Road Transport and Highways (www.morth.nic.in) in Form-A (copy enclosed) for "Accommodation of Public and Industrial Utility Services along and across National Highways".

Comment Inviting Authority

The Regional Officer,

National Highways Authority of India,

Regional Office: Hyderabad,

First Floor, New Building,

Administrative Staff College of India(ASCI),

College Park Campus, Road No.3,

Banjara Hills, Hyderabad - 500 034,

Telangana State,

Phone: 040-29562147, 040-29562148,

Email: rohyderabad@nhai.org, nhairohyd@gmail.com

Encls: Above Proposal

Yours faithfully,

(G.V. Bheemasena Reddy)
Dy General Manager (Tech)
For Regional Officer-cumHighway Administrator, Hyderabad

To:

 Senior Technical Director, NIC, Transport Bhawan, New Delhi- 110001 for uploading on Ministry's website.

2. Shri S.Manivasagam, Dy. GM (IT), NHAI HQs, New Delhi for uploading on NHAI website.

Copy to:-1. The Project Director, NHAI, PIU Nirmal: for information

2. M/s Telangana Fiber Grid Corporation Limited: for Information

कारपोरेट कार्यालय : जी-5 एवं 6, सेक्टर-10, द्वारका, नई दिल्ली - 110 075. वेबसाइट : http://www.nhai.org Corporate Office : G-5 & 6, Sector -10, Dwarka, New Delhi - 110 075 Website : http://www.nhai.gov.in

FORM-A

Form for seeking claims and objections (on grounds of public inconvenience, safety and general public interest) on the application for Accommodation of Public and Industrial Utility Services along and across National Highways

Sub: NHAI - RO Hyderabad - PIU Nirmal- Proposal for laying of Optical Fiber Cable for a total length of 3.33 Km from Km.450+475 to Km.452+225 (LHS), and Km.461+140 to Km.462+600 (RHS), along NH-44 by Open trench Methodology and Highway crossings by HDD methodology at Km.450+475 and Km. 452+225 on Nagpur to Hyderabad section of NH-44 in the State of Telangana-Reg.

The claims and objections (on grounds of public inconvenience, safety and general public interest) by the general public needs to be given within 30 days of uploading the online application for comments

SI. No	ltem	Details	
1	Name of the person who is desiring to give claims and objections (on grounds of public inconvenience, safety and general public interest)		
2	Address of the person		
3	Details of the application for Accommodation of Public and Industrial Utility Services along and across National Highways against which claims and objections are being given (name of applicant and other details like site address etc.)		
,	a) Application No. b) Name of applicant (who applied to Accommodation of Public and Industrial Utility Services along and across National Highways) c) Details of Application	5 0	
4	The claims and objections (on grounds of public inconvenience, safety and general public interest)		

CHECK-LIST

Guidelines for Project Directors for processing the proposal of laying optical fiber cable by private parties in the land along National Highways vested with NHAI.

Check list for getting approval for laying of optical fiber cables on NH land

S. No.	Item	Information/Status	Remarks
1	General Information		
1.1	Name and Address of the Applicant	M/S Telangana Fiber Grid Corporation Limited, 7th Floor splendid Tower SP Road Begumpet, Hyderabad. Telangana-500003	
1.2	National Highway Number	NHAI – 44	
1.3	State	Telangana	
1.4	Location	NHAI-44, Manoharabad from 450/475 to 452/225 on LHS, 461/140 to 462/600 on RHS, Section length for ROW applied 3.330 Kms (i.e. 3210Mtrs + 120Mtrs.= 3330Mtrs) including road crossings at 450/475, & 452/225 under the Jurisdiction of NHAI	
1.5	(Chainage in km)	NHAI-44, Manoharabad from 450/475 to 452/225 on LHS, 461/140 to 462/600 on RHS, Section length for ROW applied 3.330 Kms (i.e. 3210Mtrs + 120Mtrs.= 3330Mtrs) including road crossings at 450/475, & 452/225 under the Jurisdiction of NHAI	
1.6	Length in Meters	3330Mtrs.	
1.7	Width of available ROW	JOJUMUS.	
1 0	(a) Left side from center line towards increasing chainage/km direction (b) Right side from center line towards increasing chainage/km direction	30Mtrs(450/475 to 452/225) 15 Mtrs (461/140 to 462/600) 30Mtrs(450/475 to 452/225) 15 Mtrs (461/140 to 462/600	
1.8	Proposal to lay the cable (a) Left side from center line towards increasing chainage/km direction	450/475 to 452/225 on LHS,	
	(b) Right side from center line towards increasing chainage/km direction	461/140 to 462/600 on RHS.	
1.9	Proposal to acquire land (a) Left side form center line (b) Right side from center line	NA NA NA	
1.10	Whether proposal is in the same side where land is not to be acquired If not then where to lay the cable	NA NA	
1.11	Details of already laid services, if any, along the proposed route	DEPL, JIO,RCOM & MB, GMR, BSNL,RCOM & WaterPipeLine	
1.12	Number of lanes (2/4 / 6/8 lanes) existing Proposed Number of lanes (2 lane with paved shoulders/4/6/8 lanes)	4 Lane	

1 1 1	Carring road arriging or not	Yes	
1.14	Service road existing or not	Both	
	If yes then which side		
	(a) Left side from center line	Yes	
	(b) Right side from center line	Yes	
1.15	Proposed Service Road	NA	
	(a) Left side from center Line	NA	
	(b) Right side from center line	NA	
1.16	Whether proposal to lay cable is after the service road or between the service road and main carriageway	NA	
1.17	Whether carrying of sewage/gas /OFC pipeline has been proposed on highway bridges If yes, then mention the methodology proposed for the same	No	
1.18	Whether carrying of sewage/gas pipeline/OFC has been proposed parapet/any part of the bridges If yes, then mention the methodology proposed for the same	No	
1.19	If crossings of the road involved If yes, it shall be either encased in pipes or through structures or conduits specially built for that purpose at the expenses of the agency owning the	Road Crossing shall be executed by HDD Method.	
	line a) whether existing drainage structure allowed to	No	
	carry utility pipeline		
	b) is it on a line normal to NH	Yes	
	c) what is the distance of crossing the utility pipelines from the existing structures Crossings shall not be too near the existing structures on the National Highway, the minimum distance being 15 meter	NA	
	d) The casing pipe (or conduit pipe in the case of electric cable) carrying the utility line shall be of steel, cast iron, or reinforced cement concrete and have adequate strength and be large enough to permit ready withdrawal of the carrier pipe/cable. Mention type of casing	Yes	
	e) ends of the casing/conduit pipe/tower foundation shall be sealed from the outside, so that it does not act as a drainage path	Yes	
	f) the casing/conduit pipe should, as minimum extend from drain to drain in cuts and toe of slop toe of slope in the fills	Yes	
	g) the top of the casing/conduit pipe/tower foundation should be atleast 1.2meter below the surface of the road subject to bring atleast 0.3m below the drain inverts	Yes	
	h) Mention the methodology proposed for crossing of road for the proposed OFC. Crossing shall be by boring method (HDD) specially where the existing road pavement is of cement concrete or dense bituminous concrete type	HDD Methodology	
	i) The casing/conduit pipe shall be installed with an even bearing throughout its length and in such a manner as to prevent the formation of a waterway along it.	Yes	
2.	Document/Drawings enclosed with the proposal	Yes	
2.1	Cross section showing the size of trench for open	Yes, Enclosed	

	trenching method (is it normal size of 1.6m deep x		
	0.3m wide)		
	i) Should not be greater than 60cm wider than the outer diameter of the pipe	Yes	
	ii) located at close to the extreme edge of the right of way as possible but not less than 15 meter from the	Yes	
	centerline of the nearest carriageway	Yes	
	iii) Shall not be permitted to run along the NH when	100	
	the road formation is situated in double cutting, nor		
	shall these be laid over the existing culverts and	yes	
	bridges		
	iv) These should be so laid that their top is at least		
	0.6 meter below the ground level so as not to obstruct drainage of the road land		
2.2	Cross section showing the size of pit and location of	Enclosed	
2.2	cable for HDD method	Milosod	
2.3	Strip plan/Route Plan showing the utility/Gas	Enclosed, Attached as per the	
	pipeline, Chainage, width of ROW, distance of	Drawing	
	proposed pipe line from the edge of ROW, important		
0.4	mile stone, intersections, cross drainage works etc.	The slave A	
2.4.1	Methodology for laying of the utility OFC line. Open trenching method. (May be allowed in	Enclosed NA, HDD	
2.4.1	utility corridor only where pavement is neither	NA, ADD	
	cement concrete nor dense bituminous concrete		
	type.		
	If yes, what is the Methodology of refilling of trench		
	(a) The trench width should be at least 30	NA	
	cm, but not more than 60 cm wider than		
	the outer diameter of the pipe.		
	(b) For filling of the trench, Bedding shall be to a	NA	
	depth of not less than 30 cm. It shall consist		
	of granular material, free of lumps, clods and cobbles and graded to yield a firm surface		
	without sudden change in the bearing value.		
	Unsuitable soil and rock edged - should be		
	excavated and replaced by selected material.		
	(c) The backfill shall be completed in two stages	NA	
	(i) side — fill to the level of the top of the pipe		
	and (ii) overfill to the bottom of the road		
	crust.	N.	
	(d) The side-fill shall consist of granular	NA	
	material laid in 15 cm layers each		
	consolidated by mechanical tampering and controlled addition of moisture to 95% of the		
	proctor's density. Overfill shall be compacted		
	to the same density as the material that had		
	been removed. Consolidation by saturation		
	or ponding will not be permitted.		
	(e) The road crust shall be built to the same	NA	
	strength as the existing crust on either side		
	of the trench. Care shall be taken to avoid		
	the formation of a dip at the trench.		
	(f) The excavation shall be protected by	NA	
	flagman, signs and barricades, and red		
	lights during night hours.	NΔ	
	(g) If required, a diversion shall be constructed at the expense of agency owning the utility	NA	
	at the expense of agency owning the utility		



	line.		
2.4.2	Horizontal Directional Drilling (HDD) Method	Yes Attached Drawing	
2.4.3	Laying OFC Through CD Works And Method Of	Details Provided in Methodology	
	Laying (Whether to be hung outside parapet)	of Laying	
3	Draft License Agreement is signed by two witnesses	Enclosed	
3.1	The licensee fees estimate as per Ministry's	Furnished	
	guidelines issued vide circular No. RW/NH-		
	33044/29/2015/ S&R(R) dated 22.11.2016.		
4	Whether Performance Bank Guarantee as per	No	
	Ministry's Circular no. RW/NH 33044/29		
	/2015/S&(R) dated 22.11.2016 is obtained.		
4.1	Confirmation of BG has been obtained or not	No	
	as per MoRTH/NHAI guidelines		
5	Affidavit / Undertaking from the Applicant		
	for the following is to be furnished		
5.1	Undertaking for not to Damage any other	Yes ; Enclosed	
3.1	utility, if damaged then to pay the losses either to	res , Enclosed	
	NHAI or to the concerned agency.		
5.2	Undertaking for Renewal of Bank Guarantee as and	Yes	
J, Z	when asked by MoRTH/NHAI.	162	
5.3	Undertaking for Confirming all standard	Enclosed	
0.0	condition of Ministry Circulars and NHAI's	Effetosea	
	guidelines.		
5.4	<u>₩</u> .	Enclosed	
3.4	Undertaking for Indemnity against all damages and claims	Enclosed	
		Enclosed	
5.5	Undertaking for management of traffic movement	Enclosed	
	during laying of utility line without hampering the traffic.		
F 6		Dualand	
5.6	Undertaking that if any claim is raised by the	Enclosed	
	Concessionaire/contractor then the same has to be		
	paid by the applicant.	TD 1 1	
5.7	Undertaking that prior approval of the NHAI	Enclosed	
	shall be obtained before undertaking any work		
	of installation, shifting or repairs, or alterations		
	to the utility located in the National Highway		
F 0	right-of-ways.	D 1 1	
5.8	Undertaking that expenditure, if any, incurred by	Enclosed	
	NHAI for repairing any damage caused to the		
	National Highway by the laying, maintenance or		
	shifting of the utility line will be borne by the		
5.9	applicant agency owning the line.	Double and	
5.9	Undertaking that text of the text of the license	Enclosed	
	deed is as per verbatim of MoRTH format (issued		
	vide Ministry's Circular no. RW/NH-		
	33044/29/2015/S&R(R) dated 22.11.2016)	D 1	
	Undertaking that the applicant has obtained	Enclosed	
	various safety clearances from the representative		
	authorities such as Directorate of Electricity,		
F 16	Chief controller of Explosives, Petroleum and		
5.10	Explosive Safety Organization, Oil Industry	×0	
	Safety Directorate, State/Central Pollution		
	Control Board and any other statutory clearance s		
	applicable, before applying to Highway		
	Administration		
5.11	If the MoRTH/NHAI considers it necessary in	Enclosed	
	future to move the utility line for any work of		
	improvement or repairs to the road, it will be		
	carried out as desired by the MoRTH/NHAI at the		



	cost of the agency owning the utility line within a reasonable time (not exceeding 60 days) of the intimation given.		
5.12	Certificate from the applicant in the following format	Enclosed	
	(i) Laying of OFC pipe line will not have any deleterious effects on any of the bridge components and roadway safety for traffic.		
	(ii)"We do undertake that I/we will relocate service road/approach road / utilities at my/our own cost notwithstanding the permission granted within such time as will be stipulated by NHAI" for future		
	six-laning or any other development."		
6.	Power of Attorney in favour of authorized signatory	Yes ; Enclosed	
7.1	Certificate from the Project Director Certificate that the proposal is confirming to all	Yes	
7.1	standard conditions issued vide Ministry's Circular No: RW/NH- 33044/29/2015/S&(R) dated 22.11.2016.	165	
7.2	Certificate from PD in the following format	Yes	
	(i) "It is certified that any other location of the		
	OFC pipe line would be extremely difficult and		
	unreasonable costly and the installation of OFC pipe line within ROW will not adversely affect the		
	design, stability & traffic safety of the highway nor		
	the likely future improvement such as widening of		
	the carriageway, easing of curve etc".		
	(ii) for 6-lanning		
	(a) Where feasibility is available		
	"I do certify that there will be no hindrance to		
	Proposed six-laning based on the feasibility		
	report considering proposed structures at the said location".		
	(b) In case feasibility report is not available		
	"I do certify that sufficient ROW is available		
	at site for accommodating proposed six-	_	
0	laning".		
8	If NH section proposed to be taken up by NHAI on	Inserted in the Agreement	
	BOT basis - a clause in para 17 to be inserted in the agreement. "The permitted Highway on which		
	Licensee has been granted the right to lay		
	cable/duct has also been granted as a right of way to		
	the concessionaire under the concession agreement		
	for up=gradation of [section from Km to		
	km of NMH No on Build, Operate and	1	
	Transfer Basis] and therefore, the licensee shall		
	honour the same."	(-) M (O T-1	
9	Who will supervise the work of laying OFC (a) On Behalf of the Applicant	(a) M/S Telangana Fiber Grid	
	(b) On Behalf of MORTH/NHAI	Corporation Limited (Master system Integrator) BBNL Project	
	(S) SH Bellan Of MORTH/ MIM	for Government of Telangana	
		(b) IE	
10	Who will ensure that the defects in road portion after	(a) M/S Telangana Fiber Grid	
	laying of OFC are corrected and if not corrected then	Corporation Limited (Master	
	what action will be taken.	system Integrator) BBNL Project	
	(a) On Behalf of the Applicant	for Government of Telangana	



	(b) On Behalf of MORTH/NHAI	(b) IE
11	Who will pay the claims for damages done/disruption in working of Concessionaire if asked by the Concessionaire.	M/S Telangana Fiber Grid
12	A Certificate from PD that he will enter the proposed permission in the register of records of the permissions in the prescribed proforma (copy enclosed) issued vide Ministry Circular No. RW/NH/33044/17/2000/S&R dated 23.7.2003.	Yes
13	If any previous approval is accorded for laying of cable then Photocopy of register of records of permissions accorded as maintained by PD (as per Ministry Circular No. RW/NH/33044/17/2000/S&R dated 23.7.2003) as referred in para 13 above is enclosed or not.	No



Annexure-II

[Enclosure to Ministry Circular No. RW/NH-33044/17/2000-S&R dated 29.9.2000 and dt. 23.07.2003]

Format for Maintaining Records of Right-of-Way permission granted for laying OFC

(to be maintained separately for every NH and State)

Name of State

: Telangana

Name of Agency (NHAI)

ö

: NHAI

NHAI Number

ю :

: NHAI-44

Re mar ks	
Any deviat ion from MOS T stand ard norm s	No
Dat e of last ins pect ion of site	
Da te of val idit y of of aggree ee me nt	
Dat e of sign ing of agr eem ent	
Name of license and contact address	Telangana Fiber Grid Corporation Ltd. 7th Floor SplendidTower SP Road Begumpet, Hyderabad. Telangana- 500003
Kind of service	Telangan a Fiber
Section and reach	NHAI-44, Manoharabad from 450/475 to 452/225 on LHS, 461/140 to 462/600 on RHS, Section length for ROW applied 3.330 Kms (i.e. 3210Mtrs + 120Mtrs.= 3330Mtrs) including road crossings at 450/475, & 452/225 under the Jurisdiction of NHAI
Left or right side of NH (towar ds increa sing chaina ge/km directi	LHS/RH S
Location (change in Km)	NHAI-44, Manoharabad from. 450/475 to 452/225 on LHS, 461/140 to 462/600 on RHS, Section length for ROW applied 3.330 Kms (i.e. 3210Mtrs + 120Mtrs.= 3330Mtrs) including road crossings at 450/475, & 452/225 under the Jurisdiction of NHAI
S.No	1









