ST TELL

भारतीय राष्ट्रीय राजमार्ग प्राधिकरण

(सड़क परिवहन और राजमार्ग मंत्रालय, भारत सरकार)

NATIONAL HIGHWAYS AUTHORITY OF INDIA

(Ministry of Road Transport and Hignways, Govt. of India)


क्षेत्रीय कार्यालय \ REGIONAL OFFICE

ई-2/167, अरेरा कॉलोनी, हबीबगंज रेल्वे स्टेशन के पास, भोषाल (म.प्र.) 462 016

E-2/167, Arera Colony, Near Habibganj Railway Station, Bhopal (M.P.)-462 016

दूरभाष/Phone : 0755-2426638, फैक्स/Fax : 0755-2426698, ई-मेल/E-mail : robhopal@nhai.org

NHAI/RO-MP/JBP/OFC/Airtel/2022/46097



BHARATMALA

Invitation of Public Comments

Sub: Permission to lay optical fiber cable on NH-30 from Jabalpur Km. 878+000 to Lakhnadon Km. 892+000 on Jabalpur Bypass Road. Total section length ROW applied for 14+000 Kms.-Reg.

Ref: PD, PIU-Jabalpur letter no. NHAI/PIU-JBP/OFC M/s Airtel/2022/18746 dated 12.02.2022

The Project Director, PIU-Jabalpur NHAI vide their letter dated 12.02.2022 has submitted the Proposal for grant of ROW Permission to lay optical fiber cable on NH-30 from Jabalpur Km. 878+000 to Lakhnadon Km. 892+000 on Jabalpur Bypass Road. Total section length ROW applied for 14+000 Kms.

- 2. As per Ministry vide OM No. RW/NH-33044/29/2015/S&R (R) dated 22.11.2016, the Highways Administrator will make available the proposal seeking permission for utility laying for public comments for **30 days** on ground of public interest.
- 3. In view of the above the comments of public are invited on captioned proposal (copy of application is enclosed) and the same should reach to below mentioned address till **10.04.2022** beyond which no comments will be considered.

The Highway Administrator
O/o Regional Officer,
National Highways Authority of India
E-2/167, Arera Colony,
Near Rani Kamlapati Railway Station,
Bhopal (MP)-462016
E-mail ID:robhopal@nhai.org

4. This issues with the approval of Highways Administrator Cum Regional Officer, NHAI, Bhopal (MP).

(Anand Prasad)

Manager (T)

Copy to:

(i) Web-Admin, nhai.org@gmail.com, NHAI-HQ for uploading on NHAI website.

(ii) The Senior Technical Director, NIC, Transport Bhawan, New Delhi-110001 for uploading on Ministry's Website.

(iii) The Project Director, PIU-Jabalpur (MP) for information please.

(iv) M/s Telesonic Networks, 3rd & 4th floor, Scheme No. 54, A. b. Road, Metro Tower, Near Vijay Nagar Square, Indore for information.


प्रधान कार्यालय : जी 5 एवं 6, सेक्टर 10, द्वारका, नई दिल्ली-110 075 दूरभाष : 91-11-2507 4100/2507 4200 वेबसाइट : http:\\www.nhai.org

CHECK-LIST

Guidelines for Project Directors for processing the proposal of laying optical fiber cable by private parties in the land along National Highways vested with NHAI.

Relevant circulars

- 1) Ministry Circular No. RW/NH-33044/17/2000-S&R dated 29.09.2000
- 2) NHAI's circular no. NHAI/OEC/2k/Vol II dated 7.11.2000, which includes the comprehensives guideline and draft license agreement for laying of OFC cable by private party in the land along National Highway vested with NHAI.
- 3) Ministry's circular no. RW/NH-333044/27/2000-S&R (R) date 21.03.2006. It is regarding the modification of previous Ministry's circular enhancing the amount of Performance Bank Guarantee @ Rs. 50/- per route meter in place of earlier rate of Rs. 25/- per route meter.
- 4) Ministry's circular no. RW/NH-33044/27/2005-S&R (R) (Pt.) date 06/07.08.2013. It is regarding the modification of previous Ministry's circular enhancing the amount of Performance Bank Guarantee @ Rs. 100/- per route meter in place of earlier rate of Rs. 50/- per route meter.
- 5) Ministry of Road Transport & Highways letter No. 33044 / 29 / 2015 /S&R(R) dated 22.11.2016.It is regarding the modification of previous Ministry's circular enhancing the amount of Performance Bank Guarantee @ Rs. 100/-& additional charges as per utilized NH Land area.



Check list for getting approval for laying of optical fiber cables on NH land

S.No.	Item	Information/Status	Remarks
1	General Information		
1.1	Name and Address of the Applicant	Telesonic Network	
		Regd. Office: Corp. Office:	
a in the second		Bharti crescent Vasant Kunj, t, 1-	
		Nelson Mandela road	
		Phase- , New Delhi – 110 070,	n en f
		India	
1.2	National Highway Number	NH-30	
1.3	State	Madhya Fradesh	
1.4	Location	Jabalpur Bypass Road	
1.5	(Chainage in km)	on NH-30 from	
		Jabalpur Kms- 878+000 to	
		Lakhnadon Kms –	
		892+000 on Jabaipur Bypass Road.Total	•
		section length ROW	2
		applied for 14+000KMs.	
1.6	Length in Meters	14000 Mtrs.	
1.7	Width of available ROW	Varying from 60	
	(a) Left side from center line towards increasing	As per Drawings	
	chainage/km direction	attached	
i	(b) Right side from center line towards increasing	As per Drawings	
	chainage/km direction	attached	

1.8	Proposal to lay the cable		
	(a) Left side from center line towards increasing chainage/km direction	on NH-30 from Jabalpur Kms- 878+000 to Lakhnadon Kms - 892+000 on Jabalpur	
		Bypass Road.Total section length ROW applied for 14+000KMs.	
	(b) Right side from center line towards increasing	NA	
	chainage/km direction		AND DESCRIPTION OF THE PARTY OF
1.9	Proposal to acquire land	No	
	(a) Left side form center line		
	(b) Right side from center line		a
1.10	Whether proposal is in the same side where land is not to be acquired	YES	
	If not then where to lay the cable		
1.11	Details of already laid services, if any, along the proposed route	BSNL	
1.12	Number of lanes (2/4 / 6/8 lanes) existing	4 Lanes	
1.13	Proposed Number of lanes (2 lane with paved shoulders/4/6/8 lanes)	NA	
1.14	Service road existing or not	Not	
	If yes then which side		
	(a) Left side from center line	NA	
	(b) Right side from center line	NA ·	
1.15	Proposed Service Road		
	(a) Left side from center Line	NA	
	(b) Right side from center line	NA	
1.16	Whether proposal to lay cable is after the service road or between the service road and main carriageway	Extreme Edge of RoW	

1.17	The permission for laying OFC shall be considered for		
	approval/rejection		
	(i) Where the ROW is more than 60 m then the duct cable	Yes	
	shall be laid at the edge of right of way within the utility		
	corridor of 2m width, duly keeping in view the future		,
	widening.		
	(ii) where land is yet to be acquired for 4 laning and the	NA	
	position of new carriageway has been decided then the		
	cable shall be laid at the edge of right of way within the		
	utility corridor of 2m width, on that side of existing		r r
	carriageway where extra land is not proposed to be		
	acquired for 4-laning.		
	(iii) Where the widening plan for 4-laning is not yet	NA	
	decided and available ROW is around 30m or less, a		
	judicious decision would need to be taken for permitting		
	the laying of cable/duct. This could be within 1.5m to 2m	e e e e e e e e e e e e e e e e e e e	
	of utility corridor at the edge of existing ROW, duly		
	keeping in view the possible widening plans.		
A1.7	(iv) Where ROW is restricted and adequate only to	NA	
	accommodate the carriageway, central verge, shoulders		
	and drains (e.g. highways in cutting through hilly/rolling		
	terrain), the cable shall be laid clear of the drain.		
	(v) Where land strip for utility corridor cannot be	NA	
	conveniently earmarked (available ROW restricted to the		P
	toe of the embankment) for laying of cable/ducts, the		8
	permission may be refused.	e " e	D.
1.18	No. of applicants on the same stretch	01	
1.19	Whether the case of multiple licenses	Single	
1.20	If so furnish a joint implementation programmer to lay	NA	
	their respective ducts within stipulated time frame.		
1.21	If crossings of the road involved		
	If Yes it shall only be through trench-less technology	No Road Crossing	
	Contract of the second		

2.	Document/Drawings enclosed with the proposal	YES
2.1	Cross section showing the size of trench for open	Yes Standard Size
	trenching method (Is it normal size of 1.65m deep x 0.5m	
	wide)	
	Should not be greater than 1.2m in width in multiple	
	duets.	
2.2	Cross section showing the size of pit and location of cable	DrawingAttached
	for HDD method	
2.3	Strip plan/Route Plan showing the OFC, Chainage, width	Yes Attached
	of ROW, distance of proposed, cable from the edge of	
	ROW, important mile stone, intersections, cross drainage	
	works etc.	
2.4	Methodology for laying of OFC	OT & HDD
2.4.1	Open trenching method. If yes, Methodology of refilling	Yes, refilling by
	of trench	excavated material
2.4.2	Horizontal Directional Drilling (HDD) Method	Only for crossing
2.4.3	Laying OFC Through CD Works And Method Of Laying	Yes
	(Whether to be hung outside parapet)	
3.	Draft license Agreement signed by two witnesses	Yes
4.	Performance Bank Guarantee	Submitted After
ļ		approval
4.2	Confirmation of BG has been obtained as per NHAI	BG shall be submitted
	guidelines	as per MoRTH
		Guidelines
5	Affidavit/ Undertaking from the Applicant for	
5.1	Not to Damage to other utility, if damaged then to pay the	Yes ; Covered in
	losses either to NHAI or to the concerned agency.	Agreement
5.2	Renewal of Bank Guarantee	Yes ; Covered in Agreement
5.3	Confirming all standard condition of NHAI's guideline	Yes ; Covered in
	Chiffing of OEC og and what are included.	Agreement Van Coursed in
5.4	Shifting of OFC as and when required by NHAI	Yes ; Covered in Agreement
5.5	Shifting due to 6 lanning / widening of NH	Yes ; Covered in Agreement
	10-1	

S


177

	<u> </u>	<u> </u>	
5.6	Indemnity against all damages and claims clause (xxiv)	Yes ; Covered in Agreement	
5.7	Traffic movement during laying of OFC to be managed by		
	the applicant	Agreement	
5.8	If any claim is raised by the Concessionaries then the	Yes ; Covered in Agreement	
	same has to be paid by the applicant	Agreement	
5.9	Certificate for 6-lanning from the applicant in following	Yes ; Covered in	
	format	Undertaking	
	"We do undertake that I will relocate service		
	road/approach road/utilities at my own cost		
	notwithstanding the permission granted within such time	* .	
	as will be stipulated by NHAI" for future six-lanning or		
	any other development."		
6.	Power of Attorney in favor of authorized signatory	Yes ; Enclosed	1
7.	Copy of DOT license	Yes ; Enclosed	
8.	Certificate from the Project Director	PD NHAI PIU Jabalpur	
8.1	Certificate for confirming of all standard condition issued		
	vide Ministry Circular No. RW/NH-33044/17/2000-S&R		
	dated 29.9.2000 and NHAI's guidelines issued vide No.		**
	NHAI/OEC/2k/Vol II dated 7.11.2000 and Ministry's		
	Circular No. RW/NH-33044/27/2000-S&R dated		
	21.3.2006. Ministry's circular No. RW/NH-		
	33044/27/2005-S&R (R) (Pt.) date	*	
	06/07.08.2013&Ministry of Road Transport &		,
	Highways letter No. 33044 / 29 / 2015 /S&R(R) dated		
	22.11.2016.		
8.2	Certificate for 4-lanning from PD in the following format.	NA	
0.2		2	
	(a) Where feasibility is available "I do certify that there	Jabalpur Bypass Road	
	will be no hindrance to proposed six-laning based on the		
	feasibility report considering proposed structures at the	•	
	said location.	3 3	
	(b) In case feasibility report is not available "I do certify		
	that sufficient QW is available at site for accommodating	,	
		3.00	


{

DINO

	proposed six-laning".		
9.	The agreement fee of Rs. 1 shall be charged	Yes	
10.	If NH section proposed to be taken up by NHAI on BOT		
	basis - a clause in para 17 to be inserted in the agreement.		
N 2/	"The permitted Highway on which Licensee has been		
	granted the right to lay cable/duct has also been granted		•
	as a right of way to the concessionaire under the		í
E .	concession agreement for up=gradation of [section		
	from Km to km of NMH No on Build,		
	Operate and Transfer Basis] and therefore, the licensee		
	shall honour the same."		
11.	Who will supervise the work of laying of OFC	PD NHAI PIU Jabalpur	
12.	Who will ensure that the defects in road portion after		
	laying of OFC are corrected and if not corrected then what		,
	action will be taken.		
13.	Who will pay the claims for damages done/disruption in	TNL	
	working of Concessionaire if asked by the Concessionaire.		
14.	A Certificate from PD that he will enter the proposed	Yes	
	permission in the register of records of the permissions in	. F	
	the prescribed Performa (copy enclosed) issued vide	, , ,	
ы	Ministry Circular No. RW/NH/33044/17/2000/S&R dated		
	23.7.2003.Ministry's circular No. RW/NH-		
	33044/27/2005-S&R (R) (Pt.) date 06/07.08.2013 &		2
	Ministry of Road Transport & Highways letter No. 33044	. *	
	/ 29 / 2015 /S&R(R) dated 22.11.2016.		
15.	If any previous approval is accorded for laying of cable	NA	
٠	then Photocopy of register of records of permissions		
:	accorded as maintained by PD Ministry of Road Transport		e e
	& Highways letter No. 33044 / 29 / 2015 /S&R(R) dated		
я .	22.11.2016. as referred in para 13 above is enclosed or		
	not.		



ANNEXURE NO-7





Annexure 8

Methodology of Laying of OFC - Open Trenching & Trenchless (HDD)

Trenching Method:

Laying of Optical Fiber Cable along NH-30 along the mentioned route will be done by conventional method/manual and Machine Trenching method. The dimension of the trench will be 165 cms in depth and 45 cms in width. The Cable laying work will be carried out in phased manner in such a way that after the HDPE / Protection ducts are laid for Optical Fiber Cable, the trench will be reinstated to its original surface.


Trench Filling Method:

As a measure of abundant precaution against future settlement and other allied problems, only selected granular material will be used in filling reinstatement of trenches. The entire depth of cutting will be filled either with coarse sand or the excavated material, compacted in layers not exceeding 75 mm when compacted by ordinary power roller /plate compacter. Special Compaction equipment like plate compacter, frog hammer will be utilised besides ordinary power roller.

Trenchless Crossing: HDD Method


Horizontal Directional Drilling (HDD) is a technique for installing product pipes, including utility lines, below ground using a surface-mounted drill rig that launches and places a drill string at a shallow angle to the surface and has tracking and steering capabilities. In recent years HDD has been the preferred methodology due to several government policies conducive to infrastructure growth.

All crossing on the Route will be done by Horizontal Directional Drilling method without disturbing the road surface.



A Typical HDD Methodology is shown below:





We shall make our own arrangement for crossing of cross-drainage structure, rivers, etc, below the bed. In case, this is not feasible; the cables/ducts may be carried outside the railing/parapets and supported on brackets fixed to the outside of the bridge superstructure.

Telesonic Network

Ltd.


Proposed Route

Ch: KM 875 to 882 km Along - L H.S NHAI

Jabalpur-Tikariya NLD Route

Name of Route





We shall make our own arrangement for crossing of cross-drainage structure, rivers, etc, below the bed. In case, this is not feasible; the cables/ducts may be carried outside the railing/parapets and supported on brackets fixed to the outside of the bridge superstructure.

Telesonic Network

Ltd.

Proposed Route


Ch: KM 882 to 886km Along - L H.S NHAI

Jabalpur-Tikariya NLD Route

Name of Route







structure, rivers, etc, below the bed. In case, this is not feasible, the We shall make our own arrangement for crossing of cross-drainage cables/ducts may be carried outside the railing/parapets and supported on brackets fixed to the outside of the bridge superstructure.

Telesonic Network

Ltd.

Proposed Route

Ch: KM 886 to 892 km Along - LH.S

HAH

Jabalpur-Tikariya NLD Route

Name of Route



