



भारतीय राष्ट्रीय राजमार्ग प्राधिकरण

(सड़क परिवहन एवं राजमार्ग मंत्रालय, भारत सरकार)

National Highways Authority of India

(Ministry of Road Transport & Highways, Govt. of India)

क्षेत्रीय कार्यालय : "नारंग टावर", तिसरी मंजिल, उपआयुक्त यातायात पुलिस (नागपुर शहर) कार्यालय के सामने, पाम रोड, सिविल लाईन्स नागपुर-440 001 महाराष्ट्र
Regional Office : "Narang Tower", 3rd Floor, Opp. to Office of Dy. Commissioner of Police Traffic (Nagpur City), Palm Road, Civil Lines, Nagpur-440 001 Maharashtra
Tel/Fax : 0712-2520091, 0712-2980554 ई-मेल/ Email : ronagpur@nhai.org



भारतमाला
प्रगति के पथ पर अग्रसर

NHAI/RO-NAG/Elec.Cable/A-C/Vyalla-Km.261.4008/MSEDCL/UT-68/2021/48 Date : 06.04.2021

Invitation of Public Comments

Sub: Proposal for laying / crossing of 11 KV underground electrical Cable at Km.261.400 at Vyalla, Tq. Balapur, District Akola on Amravati - Chikali Section of NH-53 in the State of Maharashtra by the Executive Engineer, MSEDCL, CCO&M Rural Division, Akola-Reg.

Ref.: (i) PD, PIU, Amravati Lr.No.NHAI/PIU/AMT/AC/NOC/MSEDCL2021/1922, dtd.24.03.2021
(ii) EE, MSEDCL, Akola Lr.No. EE/AKL/R/488, dated 09.02.2021

It is to inform all concern that the Executive Engineer, MSEDCL, CCO&M Rural Division, Akola vide letter under reference (ii) has submitted a proposal for the subjected work and PD, NHAI, PIU, Amravati has recommended the above proposal vide letter under reference (i) for approval of the Competent Authority / Highway Administrator.

2. The alignment proposed Executive Engineer, MSEDCL, CCO&M Rural Division, Akola for crossing of 11 KV underground Electrical Cable at Km.261.400 at Vyalla, Tq. Balapur, District Akola on Amravati - Chikali Section of NH-53 in the State of Maharashtra is as detailed below:

- One crossing Km.261.400 at Vyalla, Tq. Balapur, District Akola
- The Crossing will be done through HDD method and without causing any damages to highway assets.

3. As per Para-4 of Ministry's Circular No.RW/NH-33044/29/2015/S&R(R), dated 22.11.2016, the Highway Administration shall be put out in the public domain for 30 days for seeking claims and objections (on grounds of public inconvenience, safety and general public interest).

4. In view of the above, the comments / objections of affected public is hereby invited with reference to the Ministry's circular dated 22.11.2016 due to shifting / crossing of above water supply pipelines on the subjected stretch. The objections / comments may be addressed to the below mentioned address upto 05.05.2021, beyond due date, no comments/ objections will be accepted.

The CGM(T)/Regional Officer,

Regional Office - Nagpur

National Highways Authority of India,

"Narang Towers", 3rd Floor, Opp.to Office of Dy. Commissioner of Police Traffic
(Nagpur City), Palm Road, Civil Lines, Nagpur-440 001, Maharashtra

Tel : 0712-2520091; Email : ronagpur@nhai.org

(Naresh Y. Wadetwar)
06.04.21

(Naresh Y. Wadetwar)

General Manager (Tech.)

Copy to : (i) Web Admn., NHAI, HQ, New Delhi - for uploading in NHAI's website

[web-admin@nhai.org]

(ii) Director, NIC, New Delhi [transoer@nic.in] ई-मेल/ Email : ronagpur@nhai.org for uploading in Ministry's website

Head Office : G-5 & 6, Sector-10, Dwarka, New Delhi - 110 075