

No. RW/TRI/Utility/11/2018-19 Government of India

Ministry of Road Transport & Highways

Regional Office (Kerala & Lakshadweep Region)
Public Office Building, Opposite to Museum,
Thiruvananthapuram - 695033.
Phone No. 0471-2320879, 2326306; email: rokeralamorth@gmail.com

Dated: 4 .09.2019

Invitation of public comments

Sub:- Proposal for laying OFC on NH 966 in between Km 49/800 to 51/000 in Malappuram District -reg.

The proposal is seeking permission to laying OFC along the road from Km.49/800 to 51/000 on NH-966 in Malappuram district in the state of Kerala by M/s Reliance infocomm Limited submitted to this office vide EE,PWD NH Division, Malappuram's letter dated 17.08.2019 in accordance with Ministry's latest guidelines dated 22.11.2016.

2. The proposal for laying of OFC along the NH from Km.49/800 to 51/000 on NH-966 as under:

Stretch in Km. Length (Km.)		ROW (m)	Dist. Of Prop. OFC line from centre of NH (m).	
LHS (Open trench Me	ethod)			
49/800 to 50/100 0.300 km 11.0		11.00		
NH Crossing(HDD Me	thod)			
At Km.50/100	0.050 km	11.00	NA	
RHS (Open trench Me	ethod)			
50/150 to 51/000	0.850 km	11.00		

- 3. M/s Reliance Jio Infocomm Limited, Cochin has proposed to lay OFC from Km.49/800 to 51/000 on NH-966 by Open Trench/HDD method.
- 4. M/s Reliance Jio Infocomm Limited, Cochin has furnished an undertaking that, they will shift the utility at their own cost if required for expansion of reach by MORTH/NHAI/PWD or any other Highways authorities within the time frame prescribed by MORTH/NHAI/PWD. Further, it is also mentioned by the M/s Reliance Jio Infocomm Limited, Cochin that the proposed OFC work will not affect the design, stability, traffic safety and future improvement of proposed stretch. In addition, all the undertakings as prescribed in the checklist has been furnished by the M/s Reliance Jio Infocomm Limited, Cochin.
- 5. As per the guidelines issued by the Ministry vide letter No.RW/NH-33044/29/2015/S&R (R) dated 22.11.2016, the application will be made available for public comments and the comments will be invited within 30 days from the date of uploading in the Ministry's web site.
- 6. In view of above, comments of the public on the above proposal is invited to the below mentioned address:

The Regional Officer Ministry of Road Transport & Highways, Public Office Building, Thiruvananthapuram - 695033.

Encl: As above.

Yours faithfully,

(V.V. Sastry) Regional Officer cum Highway Administration

Copy to:

1. Senior Technical Director, NIC for uploading in the Ministry's website

2. The Executive Engineer, PWD NH Division, Malappuram for information please.

Regional Officer cum Highway Administration

CHECK LIST

Guidelines for processing the proposal for accommodation of Public and Industrial Utility services along and across National Highways

Relevant circulars

- 1. Ministry circular No. NH-41(58)/68 dated 31-01-1969
- 2 Ministry eircular No. NH-III/P/66/76 dated 18-11-1976
- 3 .Ministry circular No. RW- NJ-III/P/66/76 dated 01-05-1982
- 4. Ministry circular No. RW/NH-11037/1/86-DOi(II) dated 28-07-1993
- 5. Ministry circular No. RW/NH-11037/1/86-DOI dated 19-01-1995
- 6 .Ministry Circular No.R W/NH-34066/2/95/S&R dated 25-10-1999
- 7. Ministry Circular No.RW/NH-34066/7/2003 S&R (B) dated 17-09-2003
- 8. Ministry Circular No.RW/NH-33044/29/2015/S&.R(R) dated 22.11.2016

L. No		JTEM			Information/Status	Remarks
1.	General Information		Pı	oposal description		
1.1	Name and	Name and Address of the applicant/agency		IR:	ELIANCE JIO	
1.2	National	Highway Number			H 966	
1.3	State			K	ERALA	
1,4	Location		M	ALAPPURAM TOWN	KM 51/000	
	ige in Km	Length (km)	ROW (m)		Distance of Proposed Utility from Centre of NH	LHS/RHS
KM.49 51/000		850M	11.00			RHS
KM.49 51/000		300M	11.00			LHS
HDD		50M	11.00			<u></u>
HDD PI	**************************************	2NOS(1.5x1.5)	11.00			
1.5	Defect Lia undertake	bility Period of las	st work	NI	L	
1.6	Proposed location of Utility line crossing the NH		1	AR MALAPPURAM POLICE ATION		
1.7	Proposal	Proposal to acquire land		NO)	
1.8	Whether proposal is in the same side where land is not to be acquired.		NC)		
1.9	Details of already laid services, if any along the proposed route		l	VA,BSNL,RELIANCE,OTHER IVATE UTILITIES,KSEB	***************************************	
1.10	Number of existing lanes (2/4/8 lanes)		2 L	ANES		
1.11	Proposed number of lanes (2 lane with paved shoulders/4/6/8 lanes)			ANES WITH PAVED OULDERS		
		- pares oncorrector	100 miles)	DIT.	OULDERS	



EXECUTIVE ENGINEER
NATIONAL HIGHWAY DIVISION
MALAPPURE

1

			
1.12	Service road existing or not if yes, then which side	N.A	
1.13	Proposed service road	NIL	
1.14	Whether proposed utility line is after the service road or between the service road and main carriageway	NA	
1.15	Whether carrying of utility line has been proposed on highway bridges if yes then mention the methodology proposed for the same		
1.16	Whether carrying of utility line has been proposed on the parapet /any part of the bridges. If yes then mention the methodology proposed for the same	NA	
		50M NEAR MALAPPURAM	
1.17	Length and Locations where HDD Proposed	POLICE STATION	
	tion of the section o	850 (RHS) -300 (LHS)	
		MALAPPURAM POLICE	a pamer in the
1.18	Length and Locations where Open Cut is		
	proposed	STATION TO KSRTC	
		MALAPPURAM	
1.19	If crossing of the road involved. If yes it shall be either encased in pipes or through structure or conduit specially built for the purpose at the expense of the agency owing the line	HDD THROUGH PIPES	
	(a) whether existing drainage structures are allowed to carry utility line	NO	· · · · · · · · · · · · · · · · · · ·
	(b) Is It on a line normal to NH	NO IT ON A LINE INCLINED TO NH	
	(c) what is the distance of crossing the utility line from the existing structures crossing shall not be too near the existing structures on the NH minimum distance being 15m	MORE THAN 15M	
	(d) The casing pipe (or conduit pipe in the case of electric cables) carrying the utility line shall be of steel, Cast iron or reinforce cement concrete or have adequate strength and be large enough to permit ready withdrawal of the carrier pipe/cable. Mention type of casing	NA	OFC CABLE LAYING PURPOSE
,	(e) Ends of casing / conduit pipes shall be sealed form outside, so that it does not act as drainage path	YES	
1	(g) The top of the casing /conduit pipe containing the utility services to cross the road shall be atleast 1.2m below the top of the sub	YES	
	new Wilder		, A



EXECUTIVE ENGINEER
NATIONAL HIGHWAY DIVISION
MALAPPURA*

	grade or the existing ground level whichey	/er	· · · · · · · · · · · · · · · · · · ·
	is lower, subject to being atleast 0.3m belo	YW.	
	the drain inverts. Mention the propose	ed .	
	details.		
	(h) Mention the methodology proposed for the	ha l	
	crossing of road for the proposed utility lin	ing .	, ,
	Crossing shall be by boring method (HDI) HDD	alcorer
	(trenchless technology) . where the stretch	3	NIL
	in Defect Liability Period (DLP)	15	
	(i) the casing / conduit pipe shall be installed		
	with an even bearing throughout its length an	e i -	
	in such a manner as to prevent the formation	YES	
	of a water way along it	n j	: . !
	Pocument May along It		artest, com esco
2.	Document/drawings to be enclosed with the proposal	e YES	
	The state of the s		The state of
	Cross section showing the size of the trenc	h 1.5Mx1.5M	
	for open trenching method		100
	(Is it normal size of 1.2 m deep x 0.3m wide)		
	1. Should not be greater than 60cm wide	r YES	
	than the outer diameter of the pipe.		January January
	2. Located as close to the extreme edge of		
	the right of way as possible.		
2.1	3. shall not be permitted to run along the	a	
	national highways when the road	1 1.02	
	formation is situated in double cutting	y .	
	nor shall be laid over the existing		
	culverts and bridges.		
	4. These should be so laid that their ton is	YES	Marie San
4.600	least 0.5m below the ground level so as		
	not to obstruct the drainage of the road		•
	land.		
2.2	Cross section showing the size of the pit and		
	the location of the cable for HDD method	1.5Mx1.5M	
	1	PROPERTATION TO THE	
	Strip plan/route plan showing the proposed	EDGE DISTANCE =,50M	ender 📗
2,3	utility line, distance of proposed pipe line from	KM STONE=NIL	
<i>€.</i>	the edge of ROW, important mile stone,		
1.	intersections, cross drainage works etc.	INTERSECTION =YES	- ' '
	diamage works etc.	CROSS DRIYANGE =NILL	1
2.4			į.
2.7	Methodology for laying of utility line	HDD	
	Open trenching method (Open trenching in		
	Bituminous surface will be allowed in the		
	utility corridor only where road is not under		
2.4.1	Defect liability Period, with proper	NO	İ
	justification for not using HDD)		
1	If yes, what is the methodology for refilling		ļ
	the trench		
		210	
	a) Defect Liability Period of the Stretch	NO	





•			
,	b) The trench width should be atleas	st VEG	
İ	30cm, but not more than 60cm wide	YES	
	than the outer diameter of the pipe c) For filling of the trench, hedding shall		
	c) For filling of the trench, bedding shal be at a depth of not less than 30cm.		
	shall consist of granular material, fre		
	of lumps, clods, and cobbles and	₽ 	
	graded to yield a firm surface withou	YES	
	a sudden change in the bearing values		
	Unsuitable soil and rock edged should		
	be excavated and replaced by selected		
	materials.	医翼动物 医二十二十二十二十二十二十二十二十二十二十二十二十二十二十二十二十二十二十二十	
	d) The backfill shall be completed in two		
	stages (1) side fill to level of the top o	f YES	
	the pipe and (2) over fill to the bottom		
	of the road crest.		
ŀ	e) The side fill shall consists of granular		, , ,
	material laid in 15 cm layers each		
	consolidated by mechanical tempering and controlled addition of moisture to		
	95 % of the proctors density. Over fill	YES	
1	shall be compacted to the same density		
	as the material that has been removed.		
	Consolidation by saturation or ponding		
ļ	will not be permitted.		
	f) The road crest shall be built to the same		
	strength as the existing crest on either		ł
	side of the trench. Care shall be taken	YES	
1	to avoid the formation of a dip at the trench.		1
<u> </u>			
	g) The excavation shall be protected by flag man, signs and barricades and red	YES	
	lights during night hours.	FLSO	
	h) If required, a diversion shall be		
	constructed at the expense of the	type	1
	agency owing the petroleum line/	YES	1
	underground water conductor system		•
		LENGTH=11.50M	
2.4.2	Locations and Total length of Stretch where	MALAPPURAM POLICE	ŀ
	Open trenching adopted		
0.40		STATION KSRTC STAND	
2.4.3	Horizontal directional drilling (HDD), method	HDD	
I	Methodology for laying of utility line through		
2.4.4	CD works and method of laving. In cases	NIL	
	where the carrying of Gas pipe line on the		
	bridge becomes in escapable.		






EXECUTIVE ENGINEER
MATIONAL HIGHWAY DIVISION
MALAPPURA*

		LENGTH=50M, NEAR
2.4.	5 Location and Total length of Stretch where HDD adopted	MALAPURAM POLICE
	auopied	TARRIED ON AM POLICE
-		STAION
3,		3 YES
	UVURE URC DEODOSAL	1
	The license fee estimate as per ministry's	
3.1	Suite the Issued Vide circules	RS/-968963
	1 N 3 N 1 N 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	
	22.11.2016 Gated	
	Whether performance bank guarantee as per	
4.	Third 1949'S CHCHIST Brushon Date Aux	· I
	33044/29/2015/S&.R(R) dated 22.11.2016 is	101-289000
	1 VV Guitar all all all all all all all all all a	1
4.1	Confirmation of BG has been obtained or not	NOT CONFIRMAED
	as per MORTH /NHAI guide lines	1401 COMMINIMAED
5,	Affidavit /Undertaking form the applicant for	YES
ulen sa anje	1 22 VIVAVIII IS TO be himiched	
	Undertaking for not to damage any other	
5.1	damaged then to pay the losses either	BG ASSIGNED
J. S.	TO THE MORTH/NHAMPWD or to the	DO VROIGINED
San Sanada	concerned agency as decided by MoRTH.	
5.2	toudenaking for renewal of hank gunnanta.	CAN BE RENEWED
	Land when asked by MCR TH Alle Albania	CATA DIE MEINE MEIN
* 4	Undertaking for confirming all standard	
5.3	conditions of MoRTH's circulars number	YES
	RW/NFI-33044/29/2015/S&.R(R) dated 22.11.2016	
5.4	1 In Acres 1st Acres 1st	
J.4	Undertaking for indemnity against all damages and claims	YES
	Undertaking for	
5.5	Undertaking for management of traffic	3.277.0
	movement during laying of utility line without hampering the traffic	YES
	Undertaking that prior approval of the	
	MoRTH/NHAI/PWD shall be obtained before	
5.6	undertaking any work for installation, shifting	AEC
	or repairs or alterations to the utility line	YES
	located in the National Highway right of ways.	
	Undertaking that expenditure if any incurred	
f -	by PWD/MoRTH/NHAI for repairing any	
.7	ualitage caused to the national klokers, to at 1	
· /	laying, maintenance or shifting of the utility	/ES
	line will be borne by the applicant agency	
1.0	owing the line.	. 1
l	Indertaking that text of license deed is as per	
8 \	Cloaum of MORTH format Granatt	
I	ninistry's Circular number RW/NH-	FTER CONFIRMATION
3	73044/29/2015/S&.R(R) dated 22.11.2016	
	22.11.2016	







	Undertaking that the applicant has obtained		
	various safety clearances from the		
-	representative authorities such as directorate		
5.9	of electricity, Chief controller of explosives,		
	petroleum and explosive organization, oil	YES	
	industry safety directorate, state / central		
	pollution control board and any other statutory		
	clearances as applicable before applying to the highway administrations.		
	Undertaking that the utility line will be shifted		
	by the utility agency at the cost of the agency		
5.10	owing the utility line, if the MORTH /	YES	
	NHAI/PWD consider it necessary in future to		
ļ <u> </u>	shift the utility line for expansion of road.		
6.	Who will sign the agreement on behalf of	RELIANCE JIO INFOCOMM	
	utitry line agency	LTD	
	Power of attorney to sign the agreement is	YES	
<u> </u>	available or not	V Log	
7.	Certificate from PD NHAI/Executive Engineer, PWD as per the format	YES	Prince of the control





EXECUTIVE ENGINEER
HATIONAL HIGHWAY DIVISION
MALAPPURA*

Road Cutting for RELIANCE JIO - KM 49/800 -51/000 of NH 966 KM 51/000 LHS RHS Palakkad 850 m OT HDD Pit 1.50x1.50m 50m HDD HDD Pit 1.50x1.50m 300 m OT Kozhikode Maiappuram KM 49/800 " W.B. NATIONAL MICHWAY DIVISION Assistant Engineer II MAY SPECIAN

P.W.D. NH. Sub Division

Perintal manna