



भारतीय राष्ट्रीय राजमार्ग प्राधिकरण

(सड़क परिवहन एवं राजमार्ग मंत्रालय)

National Highways Authority of India

(Ministry of Road Transport & Highways)

क्षेत्रीय कार्यालय (राजस्थान) /Regional Office (Rajasthan)

एफ-120, जनपथ, श्याम नगर, जयपुर-302019

F-120, Janpath, Shyam Nagar, Jaipur-302019

दूरभाष /Tel : 0141-2292049

: 0141-2292054

फैक्स /Fax : 0141-2292049

ईमेल /Eail : rojaipur@nhai.org

No.: NHAI/18013/1/2020-ROJ/Permission-PHED Pipeline/NH-481, km 352.3/4902 Date: 04.03.2020

INVITATION OF PUBLIC COMMENTS

Sub.: Proposal for grant of permission for laying PHED Pipeline along with NH-8 (New NH-48) at Ch. 352.300 to 364+900 with one no. of crossing at Ch. 352+300 at Kishangarh on Jaipur-Kinshangarh section of NH-48 in the State of Rajasthan – reg.

Ref.: (i) Ex.En.PHED Dn. Kishangarh letter no.4097 dated 02.12.2019 and no. 4451 dt.06.01.2020.

(ii) MoRTH, Jaipur letter no. 5179 dated 14.10.2019.

(iii) PD, PIU-Jaipur letter no. NHAI/JPR/NOC/PHED/OFC/2019-20/3142 dated 26.02.2020.

Sir,

It is to inform all concern that the Executive Engineer, PHED Dn., Kishangarh vide letter under reference (i) has submitted a proposal for the subjected work and PD, NHAI, PIU, Jaipur has submitted the above proposal vide letter under reference (iii) for approval of the Competent Authority, Highway Administration.

2. The proposal regarding laying PHED Pipeline along with NH-8 (New NH-48) at Ch. 352.300 to 364+900 with one no. of crossing at Ch. 352+300 at Kishangarh on Jaipur-Kinshangarh section of NH-48 in the State of Rajasthan.

3. As per Para-4 of Ministry's Circular No. RW/NH-33044/29/2015S&R(R) dated 22.11.2016, the Highway Administration shall be put out in the public domain for 30 days for seeking claims and objections (on grounds of public inconvenience, safety and general public interest).

4. In view of the above, the comments/objections of affected public is hereby invited with reference to the Ministry's circular dated 22.11.2016 due to laying PHED Pipeline along and across on the subjected stretch. The objections/comments may be addressed to the below mentioned address upto 07.04.2020, beyond due date, no comments/objections will be accepted.

The Regional Officer, Regional Office - Jaipur

National Highways Authority of India,

F-120, Janpath, Shyam Nagar, Jaipur (Raj.)-302019,

Tel : 0141-2292049, 2292054 Email : rojaipur@nhai.org

This is issued with the approval of the Regional Officer, NHAI, RO, Jaipur (Rajasthan).

Yours faithfully,

(Pradeep Mudgal)

General Manager (T)

Copy to: (i) Web Admn., NHAI, HQ, New Delhi - for uploading in NHAI's website [web-admin@nhai.org]

(ii) Director, NIC, New Delhi - for uploading in Ministry's website. [mansoor@nic.in]

(iii) PD, PIU-Jaipur: for information.

(iv) Ex. En. PHED Dn. Kishangarh: for information and further necessary action pl.



भारतीय राष्ट्रीय राजमार्ग प्राधिकरण (सड़क परिवहन और राजमार्ग मंत्रालय)

National Highways Authority of India

(Ministry of Road Transport & Highways)

परियोजना कार्यान्वयन इकाई, जयपुर

Project Implementation Unit, Jaipur

डी-148, आर. एस.ई.बी. सब-स्टेशन के पीछे, वैशाली नगर, जयपुर-302021

D-148, Behind RSEB Sub-Station, Vaishali Nagar, Jaipur-302021

दूरभाष / Phone : 91-141 - 2351427

फैक्स / Fax : 91-141 - 4026465

ई-मेल / E-mail : jai@nhai.org



No. NHAI/JPR/NOC/PHED/OFC/2019-20/ 3142

Date 24.02.2020

Chief General Manager (Tech)/Regional Officer

National Highways Authority of India

Regional Office,

F-120, Janpath, Shyam Nagar

Jaipur (Raj.).

GMD

Ugupt
Manglam

Money
chode

Sub. : **Regarding permission for laying pipeline along with NH-8 Ch. 352+300 to Ch. 364+900 with one no. of crossing at 352+300 Km at Kishangarh in the State of Rajasthan.**

- Ref.:i) Highway Administration -cum-Regional Officer, MoRTH, Jaipur letter No. 5179 dated 14.10.2019 through PD, PIU-Ajmer letter no. 8549 dated 31.10.2019 received in this office on dt. 06.11.2019.
- ii) This office letter no. 2093 dated 06.11.2019 addressed to IE.
- iii) Independent Engineer M/s. LEA Associates South Asia Pvt. Ltd. letter no. 1336 dated 22.11.2019 received in this office on dated 23.11.2019.
- iv) This office letter no. 2282 dated 22.11.2019 addressed to EE PHED, Dn. Kishangarh.
- v) EE PHED, Dn. Kishangarh letter no. 4097 dated 02.12.2019 received in this office on 13.12.2019.
- vi) This office letter no. 2472 dated 16.12.2019 addressed to IE.
- vii) Independent Engineer M/s. LEA Associates South Asia Pvt. Ltd. letter no. 1378 dated 21.12.2019 received in this office on dated 24.12.2019.
- viii) This office letter no. 2599 dated 27.12.2019 addressed to EE, PHED, Dn. Kishangarh.
- ix) EE PHED, Dn. Kishangarh letter no. 4451 dated 06.01.2020.

Sir,

Office of the Highway Administration -cum-Regional Officer, MoRTH, Jaipur letter No. 5179 dated 14.10.2019 through PD, PIU-Ajmer letter no. 8549 dated 31.10.2019 received in this office on dt. 06.11.2019 (**Annex-1**) submitted to this office for examination & confirmation w.r.t. Ministry's Guidelines issued vide no. RW/NH-33044/29/2015/S&R(R) dated 22.11.2016 & Ministry letter no. RW/JAI/RJ/PS/2017/UTILITY/GENL/1161-1189 dated 16.03.2017 and to certify the drawings & documents as correct as per the prevailing site conditions.

2. The said proposal has been examined in Consultation with Independent Engineer of Jaipur Kishangarh section of NH-8 M/s. LEA Associates South Asia Pvt. Ltd. IE vide their letter dated 22.11.2019 (**Annex-2**) has raised certain observations which was communicated to EE PHED, Dn. Kishangarh vide this office letter dated 22.11.2019 (**Annex-3**) duly returning the said proposal with the request to re-submit the modified proposal to this office. EE PHED, Dn. Kishangarh vide their letter dated 13.12.2019 (**Annex-4**) has submitted the modified proposal to this office duly compliance of observations as raised by IE.

3. Accordingly, this office vide above referred letter dated 16.12.2019 (**Annex-5**) has submitted the modified proposal to this office duly compliance of observations as raised by IE of the Project said modified proposal. IE vide their above referred letter dated 21.12.2019 (**Annex-6**) has informed to this office


that the calculation of the License Fee amounting to Rs. 12,32,175/- & Performance Security as Rs. 12,64,500/- to this office.

4. EE PHED, Dn. Kishangarh vide above referred letter dated 06.01.2020 (**Annex-7**) has submitted the required B.G. No. 1588IGPER000120 of Rs. 12,64,500/- to this office.

5. In view of the above, it is certified that said proposal is confirming with Ministry's Guidelines issued vide no. RW/NH-33044/29/2015/S&R(R) dated 22.11.2016 and dt. 16.03.2017 and subject proposal alongwith drawing and documents has been verified and are certified as correct as per the prevailing site conditions. Duly signed checklist & drawings by Undersigned is enclosed with said proposal.

Submitted for further needful action please.

Encl. : As above.


भवदीय,
परियोजना निदेशक
भाराराप्रा प.का.ई. जयपुर

Copy to : Highway Administration -cum-Regional Officer, MoRTH, Jaipur for kind information please.

CHECK-LIST

Guideline for processing the proposal for laying of utility line in the along National Highways vested with NHAI/PWD/BRO.


General Information


- 1 Name and Address of the Application/Agency : **Office of the Executive Engineer, PHED, Division, Kishangarh**
- 2 National Highway No. : NH -8
- 3 State : Rajasthan
- 4 Location : Laying and Jointing of water pipeline along NH-8 in Kishangarh
- 5 Chainage in Km. :
From LHS CH 351+300 to CH 363+885
Crossing CH 351+300 (NH 8)
- 6 Length in m : 12585 m
- 7 Width of available ROW in both side : 60m (30m in LHS & 30m in RHS)
- 8 Side of NH (left or right of NH towards increasing chainage/KM direction) :
From LHS Ch 351+300 to CH 363+885
Crossing ch 351+300 towards Jaipur
- 9 Name of Highway Authority of NHAI/PWD/BRO. : Project Director, NHAI, PIU Ajmer
- 10 Highway Administration address : Highway Administration cum Regional officer, Ministry of Road transport & Highways, DCM, Ajmer Road, Jaipur-302019


HIGHWAY MAINTENANCE ENGINEER


Project Director
NHAI, PIU
Jaipur




Manager (Tech.)
NHAI, PIU, JAIPUR



(सम्पत लाल जीनगर)
अधिकाारी अधिस्तता
जन स्वा. अधि. विभाग
खण्ड किशनगढ़

S. NO.	Item	Measurement. Observations as per site conditions	MORTH Norms	Whether complying with MORTH Norms
1	Detail of already laid utility service, if any	Utility of other agencies laid		Yes
2	Whether up gradation of the stretch in near future is proposed or not	Widening of Kishangarh Toll Plaza Proposed		
	(a) If yes, provision of utility adversely affect the plan of up-gradation	Pipeline to be laid in utility Corridor	Not affect plan of up-gradation	Yes
3	Laying of the utility service along the National Highways.			
3.1	Location of proposed utility service along the stretch	Beyond the toe line of the embankment and drains and close to the extreme edge of the ROW	Utility Duct/beyond the toe line of the embankment and drains and close to the extreme edge of the ROW.	Yes
3.2	Depth of top of utility service from ground level	1.0 meter	0.6 meter	Yes
3.3	Mechanism for crossing water channel	Will be done beneath the bed of water channel	Through utility duct (if provision exists) or beneath the bed of water channel	Yes
3.4	Whether ROW is restricted in this stretch ?	No		
3.4.1	If yes, whether provision of land acquisition is required to lay utility	Not applicable		Yes
	(a) If yes, whether undertaking for land acquisition along with relevant L.A. details has been furnished	Not applicable		Yes
3.4.2	Width of concrete duct, if utility services are proposed to be laid in concrete ducts	Not applicable	Not less than one lane	Yes
4	Laying of utility services across the NH			
4.1	Whether Existing drainage structures is allowed to carry the utility lines.	No	Not to be allowed	Yes
4.2	Proposed crossing of utility service	At Km 351+300	Parallel to NH	Yes
4.3	Type of casing pipe/conduit carrying the utility line.	MS Pipe (For Casing)	Steel, cast iron or reinforced cement concrete and have adequate strength	Yes
4.4	Whether ends of the casing/conduit pipe are sealed from the outside	To be sealed	Sealed	Yes
4.5	Length of casing/conduit pipe crossing NH.	60 Mt		Yes
4.6	Depth of top the	2.00 Mt	Enclose,	Yes





(सम्मत लास जीकर)
अधिशायी अ
जन स्वा. अ. विभाग

HIGHWAY MAINTENANCE ENGINEER


Project Director
NHAI, PIU
Jaipur




प्रबन्धक (प्रक.)
Manager (Tech.)
भारतीय प्रकाई. जयपुर
NHAI, PIU, JAIPUR

	casing/conduit pipe		iapplicable	
4.7	Crossing method in case of CC pavement.	Not applicable	Only boring method (HDD)	Yes
4.8	Horizontal and vertical clearances in case utilities are allowed overhead.	Not applicable	In accordance with IRC codes.	Yes
5	Documents/Drawing enclosed with the proposal			Yes
5.1	Cross-Section showing the size of trench for open trenching method	Drawing Enclosed	Enclosed, if applicable	Yes
	(a) Trench width	650mm	More than 30 cm and less than 60cm wider than the outer diameter of the utility pipe	Yes
	(b) Filling of trench	As per ministry guidelines vide letter NO. RW/NH-34044/29/2015/S&R (R) dated 22.11.2016	As per ministry guidelines vide letter NO. RW/NH-34044/29/2015/S&R (R) dated 22.11.2016	Yes
	(c) Location of trench	(i) For 250mm - Width 650 mm Ch 351+300 to Ch 363 +885	Extreme edge of the ROW	Yes
5.2	Cross section showing the size of pit and location of conduit for HDD method	351+300	Enclosed, if applicable	Yes
5.3	Strip plan/Route plan showing utility line, chainage width of ROW distance of proposed utility from the edge of ROW important mile stone intersections cross drainage works etc.	Enclosed	Enclosed	Yes
5.4	Plan and profile drawing of stretch showing cross section of road at 20 m distance along with ROW and proposed utility	Enclosed	Enclosed	Yes
6	Methodology for laying of utility line	Enclosed	Enclosed	Yes
7	Draft License Agreement is as per Ministry guidelines vide letter No. RW/NH-34044/29/2015/S&R (R) dated 22.11.2016 and signed by two witnesses	Enclosed	Enclosed  Project Director NHAI, PIU Jaipur	Yes
8	License fees in favor of MORTH RPAO Jaipur	Rs 677947/- 1232175/- 	As per Ministry vide circular no. RE/NH-33044/29/2015/S &(R) dated 22.11.2016  Manager (Tech.) NHAI, PIU, JAIPUR	Yes
9	Whether bank guarantee has been obtained	The required BG will be submitted as per instructions of NHAI.  अधिकांशी अभियन्ता जन स्वा. अभि. विभाग जयपुर	As per Ministry vide circular no. RE/NH-33044/29/2015/S	Yes

		(Rs 1264500/- 1264500)	&(R) dated 22.11.2016	
	(a)if yes, whether confirmation of BG has been obtained as per MoRTH/NHAI guidelines.			
10	Affidavit/Undertaking from the Applicant for			
10.1	Undertaking for not to damage other existing utility, if damages then to pay the losses to either to MORTH/NHAI or to the concerned agency.	Enclosed	Enclosed	Yes
10.2	Undertaking for renewal of Bank Guarantee and when asked by NHAI/MORTH	Enclosed	Enclosed	Yes
10.3	Undertaking for confirming all standard condition of MORTH/NHAI guidelines.	Enclosed	Enclosed	Yes
10.4	Undertaking for shifting of utility as and when asked by MORTH/NHAI within a month at their own cost.	Enclosed	Enclosed	Yes
10.5	Undertaking for indemnity against all damages and claims.	Enclosed	Enclosed	Yes
10.6	Undertaking for management of traffic movement during laying of utility line without hampering the traffic.	Enclosed	Enclosed	Yes
10.7	Undertaking that if any claims is raised by the Concessionaire/contractor then the same has to be paid by the applicant	Enclosed	Enclosed	Yes
10.8	Undertaking that the applicant has obtained various safety clearances from the representative authorities such as directorate of Electricity, Chief controller of Explosives, Petroleum and Explosive Safety Organization, Oil Industry Safety Directorate, State/Central Pollution Control Board and any other statutory clearances applicable, before applying to Highway Administration.	Enclosed	Enclosed	Yes



Project Director
NHAI, PIU
Jaipur



प्रबन्धक (तक.)
Manager (Tech.)
NHAI, PIU, जयपुर
Kishangarh


The Right of the way (ROW) of the National Highway available at the proposed location from the center line of divided carriageway is (30)m (from center of ROW to edge of ROW towards proposed utility) *As per drawing.* & land acquired at Kishangarh

The above particulars along with the drawings and documents have been verified and certified as correct as per prevailing site conditions.


HIGHWAY MAINTENANCE ENGINEER




(सम्पत लाल जोनगर)
आदेशाधी अभियन्ता
जन स्वा. अभि. विभाग
खण्ड किशनगढ़


(संजय लाल जीनगर)
अधिकाधी अधियन्ता
जन स्वा. अधि. विभाग
खण्ड किशनगढ़

[Name designation and
signature of the authorized
representative of applicant]


Project Director
NHAI, PIU
Jaipur

[Name designation and signature of
concerned filed authority of
NHAI/PWD/BRO]


HIGHWAY MAINTENANCE ENGINEER




प्रबन्धक (तक.)
Manager (Tech.)
भारतप्रा. पकाई, जयपुर
NHAI, PIU, JAIPUR