



भारतीय राष्ट्रीय राजमार्ग प्राधिकरण

(सड़क परिवहन एवं राजमार्ग मंत्रालय, भारत सरकार)

क्षेत्रीय कार्यालय - नागपुर : "नारंग टावर", तिसरी मंजिल, उपआयुक्त यातायात पुलिस (नागपुर शहर)
कार्यालय के सामने, पाम रोड, सिविल लाईन्स नागपुर-440 001 महाराष्ट्र टेलि. 0712-2520091, 2980554
ई-मेल : ronagpur@nhai.org वेबसाइट : www.nhai.gov.in



National Highways Authority of India

(Ministry of Road Transport & Highways, Govt. of India)

Regional Office - Nagpur : "Narang Towers", 3rd Floor, Opp. to Office of Dy. Commissioner of Police Traffic (Nagpur City), Palm Road, Civil Lines, Nagpur- 440 001 Maharashtra. Tel. 0712-2520091, 2980554
e-mail : ronagpur@nhai.org website : www.nhai.gov.in

NHAI/RO/NAG/UT-387/NH-44/MSEDCL/2024-25/1276

Date: 11.09.2024

INVITATION OF PUBLIC COMMENTS

Sub: Supervision of Borkhedi-Wadner-Deodhari-Kelapur- Maharashtra /Telangana Border (from km 36.600 to km 175.000 of NH-44 old NH-7) on Toll Operate Maintain and transfer Basis (InVIT Bundle-2)- Submission of Proposal as per the circular of the Ministry of Road Transport and Highway Authority of India of crossing of National Highway by 11 KV line 3 core 95 sqmm cable at km. 144.630, km 146.450, km 152.000, km 169.500, km 170.250, km 172.000 section of NH-44 Hyderabad Road to Datpadi, Pimpri, Kelapur bypass, Bori near Pimpalkhuti Vg. Under Padharkwada Division-Reg.

Ref.:

1. PD, PIU Chandrapur /CMU Yavatmal letter no. 60 dated 06.09.2024.
2. EE, O&M Dn. MSEDCL, Pandharkawada letter no. 2865 dated 30.07.2024.

It is to inform all concern that M/s MSEDCL. letter under reference (2) has submitted a proposal for the subjected work and PD, PIU Chandrapur /CMU Yavatmal has recommended the above proposal vide letter under reference (1) for approval of the Competent Authority / Highway Administrator.

2. The alignment proposed by that M/s MSEDCL is across subject stretch is as follows:
 - 11KV underground cable crossing at km. 144.630, km 146.450, km 152.000, km 169.500, km 170.250, km 172.000.

3. As per Para-4 of Ministry's Circular No.RW/NH-33044/29/2015/S&R(R), dated 22.11.2016, the Highway Administration shall be put out in the public domain for 30 days for seeking claims and objections (on grounds of public inconvenience, safety and general public interest).

4. In view of the above, the comments / objections of affected public is hereby invited with reference to the Ministry's circular dated 28.01.2016 due to above transmission line on the subjected stretch. The objections / comments may be addressed to the below mentioned address within 30 days from issuance of public comments, beyond due date, no comments/ objections will be accepted.

The Regional Officer,
Regional Office - Nagpur,
National Highways Authority of India,
"Narang Towers", 3rd Floor,
Opp.to Office of Dy. Commissioner of Police Traffic (Nagpur City),
Palm Road, Civil Lines, Nagpur-440 001, Maharashtra
Tel : 0712-2520091 Email : ronagpur@nhai.org

Akash
11/09/24
(Akash Chouksey)
Manager (Tech.)
NHAI, RO, Nagpur

Copy to: (i) Web Admn., NHAI, HQ, New Delhi - for uploading in NHAI's website
[web-admin@nhai.org]

(ii) Director, NIC, New Delhi - for uploading in Ministry's website
[mansoor@nic.in]