



भारतीय राष्ट्रीय राजमार्ग प्राधिकरण

(सड़क परिवहन एवं राजमार्ग मंत्रालय, भारत सरकार)

क्षेत्रीय कार्यालय - नागपुर : "नारंग टावर", तिसरी मंजिल, उपआयुक्त यातायात पुलिस (नागपुर शहर)
कार्यालय के सामने, पाम रोड, सिविल लाईन्स नागपुर-440 001 महाराष्ट्र टेलि. 0712-2520091, 2980554
ई-मेल : ronagpur@nhai.org वेबसाइट : www.nhai.gov.in



National Highways Authority of India

(Ministry of Road Transport & Highways, Govt. of India)

Regional Office - Nagpur : "Narang Towers", 3rd Floor, Opp. to Office of Dy. Commissioner of Police Traffic (Nagpur City), Palm Road, Civil Lines, Nagpur-440 001 Maharashtra. Tel. 0712-2520091, 2980554
e-mail : ronagpur@nhai.org website : www.nhai.gov.in

NHAI/RO/NAG/UT-310/NH-53/Water/2023-24/ 2498

Date: 01.01.2024

Invitation of Public Comments

Sub: Balance works for four laning of Amravati-Chikhali section of NH-6, Package-II [km 270.000 (Near Shelad) to km 315.000 (Near Nandura)] section of Amravati-Chikhali NH-53 in the State of Maharashtra to execute on Hybrid Annuity mode under NHDP Phase-IV- Proposal for laying of water supply pipeline at Matka & Kokta at km 306.540 crossing Ta. Khamgaon Dist. Buldhana-Reg.

Ref.:

1. PD, PIU-Amravati letter no. 2114 dated 22.12.2023.
2. Sub Div. Engineer, ZP, Khamgaon Akola letter no. 1260 dated 31.10.2023.

It is to inform all concern that Zilla Parishad, Khamgaon letter under reference (2) has submitted a proposal for the subjected work and PD, PIU, Amravati has recommended the above proposal vide letter under reference (1) for approval of the Competent Authority / Highway Administrator.

2. The alignment proposed by that Zilla Parishad, Khamgaon is across the road for the subject work:

- Crossing at 306.540 through HDD method.

3. As per Para-4 of Ministry's Circular No.RW/NH-33044/29/2015/S&R(R), dated 22.11.2016, the Highway Administration shall be put out in the public domain for 30 days for seeking claims and objections (on grounds of public inconvenience, safety and general public interest).

4. In view of the above, the comments / objections of affected public is hereby invited with reference to the Ministry's circular dated 28.01.2016 due to above transmission line on the subjected stretch. The objections / comments may be addressed to the below mentioned address within 30 days from issuance of public comments, beyond due date, no comments/ objections will be accepted.

The Regional Officer,
Regional Office - Nagpur
National Highways Authority of India,
"Narang Towers", 3rd Floor,
Opp.to Office of Dy. Commissioner of Police Traffic (Nagpur City),
Palm Road, Civil Lines, Nagpur-440 001, Maharashtra
Tel : 0712-2520091 Email : ronagpur@nhai.org

(Naresht Y. Wadetiwar)
General Manager (Tech.)
NHAI, RO, Nagpur

Copy to: (i) Web Admn., NHAI, HQ, New Delhi - for uploading in NHAI's website

[web-admin@nhai.org]

(ii) Director, NIC, New Delhi

[mansoor@nic.in]

- for uploading in Ministry's website