



# भारतीय राष्ट्रीय राजमार्ग प्राधिकरण

(सड़क परिवहन एवं राजमार्ग मंत्रालय, भारत सरकार)

क्षेत्रीय कार्यालय - नागपुर : "नारंग टावर", तिसरी मंजिल, उपआयुक्त यातायात पुलिस (नागपुर शहर)  
कार्यालय के सामने, पाम रोड, सिविल लाईन्स नागपुर-440 001 महाराष्ट्र टेलि. 0712-2520091, 2980554  
ई-मेल : ronagpur@nhai.org वेबसाइट : www.nhai.gov.in



## National Highways Authority of India

(Ministry of Road Transport & Highways, Govt. of India)

Regional Office - Nagpur : "Narang Towers", 3<sup>rd</sup> Floor, Opp. to Office of Dy. Commissioner of  
Police Traffic (Nagpur City), Palm Road, Civil Lines, Nagpur- 440 001 Maharashtra. Tel. 0712-2520091, 2980554  
e-mail : ronagpur@nhai.org website : www.nhai.gov.in

NHAI/RO/NAG/ UT-343/NH-53/MSEDCL/2023-24/ 41

Date: 02.04.2024

### Invitation of Public Comments

Sub: Improvement, Operation and Maintenance including strengthening and widening of existing 2- lane road to 4 - lane dual carriageway from Km.09.200 to Km. 50.000 of NH-6 (Nagpur-Kondhali Section) in the State of Maharashtra on BOT basis - Proposal to lay underground electrical cable crossing National Highway at 11 KV XLPE cable 185 sqm National Highway at crossing 20.779 on NH-53 from Gondkhairi-Ta. Kamlmeshwar, Dist. Nagpur in Nagpur - Kondhali section of NH-6-Reg.

#### Ref.:

1. PD, PIU-Amravati letter no. 2795 dated 15.03.2024.
2. EE, MSEDCL, O&M Div. Saoner letter no. 284 dated 30.01.2024.

It is to inform all concern that M/s MSEDCL letter under reference (2) has submitted a proposal for the subjected work and PD, PIU, Amravati has recommended the above proposal vide letter under reference (1) for approval of the Competent Authority / Highway Administrator.

2. The alignment proposed by that M/s MSEDCL is Nagpur - Kondhali Section of NH-53 (old NH-6) in the State of Maharashtra is as follows:

- Crossing at km 20.779.

3. As per Para-4 of Ministry's Circular No.RW/NH-33044/29/2015/S&R(R), dated 22.11.2016, the Highway Administration shall be put out in the public domain for 30 days for seeking claims and objections (on grounds of public inconvenience, safety and general public interest).

4. In view of the above, the comments / objections of affected public is hereby invited with reference to the Ministry's circular dated 28.01.2016 due to above transmission line on the subjected stretch. The objections / comments may be addressed to the below mentioned address within 30 days from issuance of public comments, beyond due date, no comments/ objections will be accepted.

The Regional Officer,

Regional Office - Nagpur

National Highways Authority of India,

"Narang Towers", 3<sup>rd</sup> Floor,

Opp.to Office of Dy. Commissioner of Police Traffic (Nagpur City),

Palm Road, Civil Lines, Nagpur-440 001, Maharashtra

Tel : 0712-2520091 Email : ronagpur@nhai.org

*(Signature)*  
03.04.24

(Naresh Y. Wadetwar)  
General Manager (Tech.)  
NHAI, RO, Nagpur

Copy to: (i) Web Admn., NHAI, HQ, New Delhi - for uploading in NHAI's website

[web-admin@nhai.org]

(ii) Director, NIC, New Delhi

[mansoor@nic.in]

- for uploading in Ministry's website