



भारतीय राष्ट्रीय राजमार्ग प्राधिकरण

(सड़क परिवहन और राजमार्ग मंत्रालय, भारत सरकार)

National Highways Authority of India

(Ministry of Road Transport & Highways, Govt. of India)

क्षेत्रीय कार्यालय : एफ-120, जनपथ, श्याम नगर, जयपुर-302019

Regional Office : F-120, Janpath, Shyam Nagar, Jaipur-302019

Tel. (O) / फोन : (ऑ.) 0141-2292056, 2292049

E-mail / ई-मेल : rojaipur@nhai.org Web. / वेब : www.nhai.gov.in



No.: NHAI/18013/1/2020-ROJ/Permission-Laying Water Pipeline/PHED/222/NH-48 km 204.400 to 210.450/52 Date:10.04.2023

INVITATION OF PUBLIC COMMENTS

Sub.: Proposal for grant of permission for laying Water Pipeline along the road on NH-8 (New NH-48) on Gurgaon-Kotputli-Jaipur section at Km. 204.400 to 210.450 (RHS) (Total 6.090 Km. length), Village-Shahpura in the state of Rajasthan by PHED- reg.

Ref.: 1.Ex.En. PHED, Div. Shahpura Letter dated 07.12.2022 and letter no. 5754 dated 24.02.2023 and letter no. 6120 dated 17.03.2023.
2.PD, PIU-Jaipur letter no. NHAI/JPR/NOC/PHED/204-400-210-450/2023/3698 dated 29.03.2023 (received on 03.04.2023).

Sir,

It is to inform all concern that Executive Engineer, PHED, Div. Shahpura vide letter under reference (1) above has submitted a proposal for the subjected work and PD, NHAI, PIU, Jaipur has submitted the above proposal vide letter under reference (2) for approval of the Competent Authority, Highway Administration.

2. The proposal is regarding grant of permission for laying Water Pipeline along the road on NH-8 (New NH-48) on Gurgaon-Kotputli-Jaipur section at Km. 204.400 to 210.450 (RHS) (Total 6.090 Km. length), Village-Shahpura in the state of Rajasthan by PHED.

3. As per Para-4 of Ministry's Circular No. RW/NH-33044/29/2015S&R(R) dated 22.11.2016, the Highway Administration shall be put out in the public domain for 30 days for seeking claims and objections (on grounds of public inconvenience, safety and general public interest).

4. In view of the above, before approval of the competent authority, the comments/objections of affected public is hereby invited with reference to the Ministry's circular dated 22.11.2016 due to laying PHED Water Pipeline on the subjected stretch. The objections/comments may be addressed to the below mentioned address upto 09.05.2023, beyond due date, no comments/objections will be accepted.

The Regional Officer, Regional Office - Jaipur

National Highways Authority of India,

F-120, Janpath, Shyam Nagar, Jaipur (Raj.)-302019,

Tel : 0141-2292049, 2292054 Email : rojaipur@nhai.org

This issues with the approval of Highway Administration-cum Regional Officer, NHAI, Jaipur

Yours faithfully,


(Manoj Khoda)
Manager (Tech.)

- Copy to: (i) Web Admn., NHAI, HQ, New Delhi - for uploading in NHAI's website [web-admin@nhai.org]
(ii) Director, NIC, New Delhi - for uploading in Ministry's website. [mansoor@nic.in]
(iii) PD, PIU-Jaipur: for information.
(iv) Ex. En. PHED Div. Shahpura: for information.



भारतीय राष्ट्रीय राजमार्ग प्राधिकरण

(सड़क परिवहन और राजमार्ग मंत्रालय, भारत सरकार)

National Highways Authority of India

(Ministry of Road Transport & Highways, Government Of India)

परियोजना कार्यान्वयन इकाई, जयपुर/ Project Implementation Unit, Jaipur

डी-148, आर. एस.ई.बी. सब-स्टेशन के पीछे, वैशाली नगर, जयपुर-302021

D-148, Behind RSEB Sub-Station, Vaishali Nagar, Jaipur-302021

दूरभाष / Phone : 91-141 - 4026465, ई-मेल / E-mail : jai@nhai.org



②

No. NHAI/JPR/NOC/PHED/204-400-210-450/2023/ 3698

Date: 28.03.2023

GM (T) cum Regional Officer

National Highways Authority of India

Regional Office, F-120, Janpath

Shyam Nagar, Jaipur-302019

M(T)-MK



Sh. Mangal Singh

Sub.: Permission for laying water pipeline along the road on NH-8 at Km. 204.400 to Km. 210.450 total length is 6.090km Village Shahpura in the State of Rajasthan-reg.

- Ref.:**
1. Executive Engineer, PHED, Div. Shahpura letter dated 07.12.2022.
 2. This office letter no. 2484 dated 27.12.2022
 3. IE M/s L.N. Malviya Infra Projects Pvt. Ltd. letter no. 318 dated 10.01.2023
 4. This office letter no. 3389 dated 23.02.2023
 5. Executive Engineer, PHED Div. Shahpura letter no. 5754 dated 24.02.2023
 6. This office letter no. 3452 dated 03.03.2023
 7. Executive Engineer, PHED Div. Shahpura letter no. 6120 dated 17.03.2023

Sir

Please refer Executive Engineer, PHED, Div. Shahpura letter dated 07.12.2022 regarding Permission for laying water pipeline along the road on NH-8 at Km. 204.400 to Km. 210.450 total length is 6.090 km, Village Shahpura in the State of Rajasthan under Gurgaon-Jaipur section of NH-08.

2. The said proposal has been examined in consultation with IE of the project highway. IE M/s L.N. Malviya Infra Projects Pvt. Ltd. vide letter dated 10.01.2023 has submitted the following

"It is to mentioned that all others stipulated norms mentioned on the check list as per MoRTH Circular RW/NH33044/29/2015/S&R dated 22.11.2026 have also been comply with.

In the view of above, the iE recommended that the said proposal for construction & use of approaches access road to the proposed for laying water pipelines along the road on NH-08 at km. 204.400 to km. 210.450 total length is 6.090 km. ROW applied in the state of Rajasthan may be approved".

3. Further, this office vide above referred letter dated 03.03.2023 has requested to applicant to deposit the requisite License Fee and Performance Bank Guarantee. Executive Engineer, PHED Shahpura vide letter dated 17.03.2023 has submitted the proof of deposition of License Fee of amounting of Rs. 3,93,643/- in Bharat Kosh vide Receipt No. 1703230013403 dated 17.03.2023 and Performance Security in the form of Demand Draft no. 168010 dated 16.03.2023 of Rs. 6,09,000/- of Punjab & Sindh Bank, Station road, Jaipur Branch. Further applicant has also submitted an undertaking that "PHED will submit any kind of additional license deed amount as when as it was demanded by NHAI/MoRTH within 07 days of receipt of notice".

4. In view of the above, the said proposal has been examined in this office and seems to be found in order.

5. Duly signed checklist & documents is enclosed with the proposal and recommended to grant permission for laying water pipeline along the road on NH-8 at Km. 204.400 to Km. 210.450 total length is 6.090 km at Village Shahpura in the State of Rajasthan.

The proposal is forwarded for approval please.

Encl. : As above

Yours faithfully,

Q2m
Project Director
NHAI, PIU Jaipur

CHECK -LIST		
Guidelines for processing the proposal for laying of Water pipe line in the land along National Highways vested with NHAI/PWD/BRO.		
General Information		
1	Name and Address of the Applicant/ Agency	OFFICE OF M/s EXECUTIVE ENGINEER PUBLIC HEALTH ENGINEERING DEPARTMENT (PHED) Division, Shahpura
2	National Highway No.	NH-8
3	State	Rajasthan
4	Location	Shahpura-Manoharpura road
5	Chainage in KM	MS- 204.400 to MS-210.450
6	Length in mtrs	6090
7	Width of available ROW in both Side	31.05 mtr
8	Side of NH (left or right side of NH towards increasing chainage/Km direction)	RHS
9	Name of Highway Authority of NHAI	Project Director, PIU-NHAI, Jaipur
10	Highway Administration address	Regional Officer NHAI, Shyam Nagar, Jaipur (Raj.)

वि. (महानगर)
अधिशायी अभियन्ता
जन स्वा. अभि. विभाग
खण्ड-शाहपुरा (जयपुर)
पो.डी.ओ. कोड- 32105



Sagar

Check List				
S.No.	Item	Measurement. Observation as per site conditions	Morth Norms	Whether Complying with MORTH Norms
1	Details of already laid utility service, if any	NO	Enclosed	NA
2	Whether up gradation of the stretch in near future is proposed or not			
	(a) if yes, provision of utility adversely affect the plan of up-gradation	NO	Not affect plan of Up-gradation	NA
3	Laying of the utility service along the National Highways			
3.1	Location of proposed utility service along the stretch	Extreme edge of the RoW on NH-8, MS- 204.400 to MS-210.450	Utility Duct/ beyond the toe line of the embankment and drains, and close to the extreme edge of the RoW	
3.2	Depth of top of utility service from ground level	1.65 Mtr	At least 1.2 m below the top	YES
3.3	Mechanism for crossing water channel	Beneath the bed of water channel	Through utility duct (if provision exists) or beneath the bed of water channel	NA
3.4	Whether ROW is restricted in this stretch			
3.4.1	if yes, whether provision of land acquisition is required to lay utility			
	(a) if yes, whether undertaking for land acquisition along with relevant L.A.details has been furnished	NA		NA
3.4.2	Width of concrete duct,if utility services are proposed to be laid in concrete ducts	NA	Not less than one lane	NA
4	Laying of utility services across the NH			
4.1	Whether Existing drainage structures is allowed to carry the utility lines.	NA	Not to be allowed	NA
4.2	Proposed crossing of utility service	NA	Prependicular to NH	YES
4.3	Type of casing pipe/conduit carrying the utility line.	NA	Steel, cast iron, or reinforced cement concrete and have adequate strength	YES
4.4	Whether ends of the casing/conduit Pipe are sealed from the outside	NA Yes	Sealed	YES
4.5	Length of casing/conduit pipe crossing NH.	NA	Extend from drain to drain in cuts and toe to toe of slope in the fills	NA
4.6	Depth of top of the casing/conduit pipe.	NA 1.65m	At least 1.2 m below the top of subgrade	NA
4.7	Crossing method in case of CC Pavement.	NA	Only boring method(HDD)	NA
4.8	Horizontal and vertical clearances in case utilities are allowed overhead	NA	In accordance with IRC codes	NA
5	Document/Drawings enclosed with the proposal			
5.1	Cross-Section showing the size of trench for open trenching method			
	(a) Trench width	More than 30 cm and less than 60 Cm wider than the outer diameter of the utility pipe	More than 30 cm and less than 60 Cm wider than the outer diameter of the utility pipe	NA

अधिशायी अभियन्ता
जन स्वा. अभि. विभाग
खण्ड-शाहपुरा (जयपुर)
डी.डी.ओ. कोड- 32105



परियोजना निदेशक / Project Director
नगरपालिका, प.का.ई. / NHAI PIU, Jaipur

	(b) Filling of trench	as per Ministry guidelines vide letter No. RW/NH-34044/29/2015/S&R (R) dated 22.11.2016	as per Ministry guidelines vide letter No. RW/NH-34044/29/2015/S&R (R) dated 22.11.2016	NA
	(c) location of trench	extreme edge of the ROW	extreme edge of the ROW	NA
5.2	Cross section showing the size of pit and location of conduit for HDD method	Yes	Enclosed ,if applicable	YES
5.3	Strip plan/Route plan showing utility line, chainage, width of ROW, distance of proposed utility from the edge of ROW, important mile stone, intersections, cross drainage works etc.	Yes	Enclosed	YES
5.4	Plan and profile drawing of stretch showing cross section of road at 20m distance along with ROW and proposed utility	Yes	Enclosed	YES
6	Methodology for laying of utility line	HDD	Enclosed	YES
7	Draft License Agreement is as per Ministry guidelines vide letter No.	Yes	Enclosed	YES
8	License fees in favor of MoRTH RPAO Jaipur		as per Ministry guidelines vide letter No. RW/NH-33044/29/2015/S & R, Dt. 22/11/2016	YES
9	Whether Bank Guarantee has been obtained		as per Ministry guidelines vide letter No. RW/NH-33044/29/2015/S & R, Dt. 22/11/2016	YES
	(a) if yes, whether Confirmation of BG has been obtained as per MoRTH/NHAI guidelines	Yes	Enclosed	Yes
10	Affidavit/Undertaking from the Applicant for			
10.1	Undertaking for not to damage other existing utility, if damaged than to pay the losses to either to MoRTH/NHAI or to the concerned agency	Yes	Enclosed	Yes
10.2	Undertaking for renewal of Bank Guarantees and when asked by NHAI/MoRTH	Yes	Enclosed	Yes
10.3	Undertaking for confirming all standard condition of MoRTH/NHAI guidelines.	Yes	Enclosed	Yes
10.4	Undertaking for Shifting of Utility as and when asked by MoRTH/NHAI within a month at their own cost	Yes	Enclosed	Yes
10.5	Undertaking for Indemnity against all damages and claims.	Yes	Enclosed	Yes
10.6	Undertaking for management of traffic movement during laying of utility line without hampering the traffic.	Yes	Enclosed	Yes
10.7	Undertaking that if any claim is raised by the Concessionaire/ contractor then the same has to be paid by the applicant.	Yes	Enclosed	Yes

Sgn

विशाल
अधिसायी अभियन्ता
जन स्वा. अभि. विभाग
खण्ड-शाहपुरा (जयपुर)
डी.डी.ओ. कोड- 32105

परियोजना निदेशक / Project Director
भारतसरा, प.काई. / NHAI PIU, Jaipur



10.8	Undertaking that the applicant has obtained Various safety clearances from the representative authorities such as directorate of Electricity, Chief controller of Explosives, Petroleum and Explosive Safety Organization, Oil Industry Safety Directorate, State/Central Pollution Control Board and any other statutory clearances applicable, before applying to Highway Administration.	Yes	Enclosed	Yes
------	---	-----	----------	-----

The Right of the Way (ROW) of the National Highway available at the proposed location from the Center line of divided carriageway is (.....) m (from center of ROW to edge of ROW towards proposed utility)

The above particulars along with the drawings and documents have been verified and certified as correct as per prevailing site conditions.

[Name Designation and signature of the authorized representative of applicant]

वि. (14) अखिल
जिला शाखा विभाग
खण्ड-शाहपुर (जयपुर)
डी.डी.ओ. कोड- 32105



[Name Designation and signature of concerned field authority of NHAI]
परियोजना निदेशक / Project Director
भारतमार्ग, प.का.ई. / NHAI PIU, Jaipur

Q3m

50~