



भारतीय राष्ट्रीय राजमार्ग प्राधिकरण

(सड़क परिवहन एवं राजमार्ग मंत्रालय, भारत सरकार)

National Highways Authority of India

(Ministry of Road Transport and Highways, Govt. of India)

क्षेत्रीय कार्यालय : एफ-120, जनपथ, श्याम नगर, जयपुर-302019

Regional Office : F-120, Janpath, Shyam Nagar, Jaipur-302019

Tel. (O.)/ फोन : (ऑ.) 0141-2292056, 2292049

E-mail / ई-मेल : rojaipur@nhai.org Web. / वेब : www.nhai.gov.in



क्रमांक: NHAI/18013/1/2020-ROJ/Permission Crossing -PHED/319/NH-25, km 235.700 to 236.700/2964

दिनांक: 07.02.2024

INVITATION OF PUBLIC COMMENTS

विषय: Proposal for grant of NOC for laying 350mm Dia DI K-9 water pipeline along NH-25 (Bar-Bilara-Jodhpur section) in Km. stone no. 235+700 to 235+900 & 236+600 to 236+700 (RHS) village Dantiwara, Tehsil-Jodhpur in the state of Rajasthan- reg.

- सन्दर्भ: (i) Executive Engineer PHED Project Division Jaitaran letter no. 428 dated 18.08.2023
(ii) PD, PIU-Jodhpur letter no. 15014/3/2024/BBJ/US-OFC/175 dated 12.01.2024 (received on 19.01.2024).

Sir,

It is to inform all concern that Ex. En., PHED, Project Division, Jaitaran vide cited under ref. (i) above has submitted a proposal for subject work and PD, NHAI, PIU-Jodhpur has submitted the above proposal vide letter under reference (ii) for approval of Competent Authority, Highway Administration.

2. The proposal is for permission for laying 350mm Dia DI K-9 water pipeline along NH-25 (Bar-Bilara-Jodhpur section) in Km. stone no. 235+700 to 235+900 & 236+600 to 236+700 (RHS) village Dantiwara, Tehsil-Jodhpur in the state of Rajasthan.

3. As per para-4 of Ministry's Circular No. RW/NH-33044/29/2015 S&R (R) dated 22.11.2016, the application shall be put out in the public domain for 30 days for seeking claims and objections (on ground of public inconvenience, safety and general public interest).

4. In view of the above, before approval of the competent authority, the comments/objections of affected public is hereby invited with reference to the Ministry's circular dated 22.11.2016 due to laying and crossing of Water Pipeline on the subjected stretch. The objections/comments may be addressed to the below mentioned address upto 06.03.2024 beyond due date, no comments/objections will be accepted.

The Regional Officer, Regional Office - Jaipur

National Highways Authority of India,

F-120, Janpath, Shyam Nagar, Jaipur (Raj.)-302019,

Tel : 0141-2292049, 2292054 Email : rojaipur@nhai.org

This is issued with the approval of the Regional Officer, NHAI, RO, Jaipur (Rajasthan).

भवदीय,

(मन्मोज खोड़ा)
प्रबन्धक (तकनीकी)

- Copy to: (i) Web Admn., NHAI, HQ, New Delhi - for uploading in NHAI's website [web-admin@nhai.org]
(ii) Director, NIC, New Delhi - for uploading in Ministry's website. [rahul.sh@nic.in]
(iii) PD, PIU-Jodhpur: for information and with the request to ensure deposition of license fee and BG amount as per applicable guideline of MoRTH.
(iv) Ex.En. PHED Project Div. Jaitaran: for information.



भारतीय राष्ट्रीय राजमार्ग प्राधिकरण

(सड़क परिवहन एवं राजमार्ग मंत्रालय, भारत सरकार)

National Highways Authority of India

(Ministry of Road Transport & Highways, Government of India)

परियोजना कार्यान्वयन इकाई, जोधपुर - 188, उम्मेद हैरिटेज, रातानाड़ा,

जोधपुर - 342011 (राजस्थान)

Project Implementation Unit- Jodhpur - 188, Umaid Heritage, Ratanada

Jodhpur - 342011 (Rajasthan), फोन / Tel. : 0291-2510065, 2511165

ई-मेल : jodhpur@nhai.org, jodhpurpiu3@gmail.com



3

No.: 15014/3/2024/BBJ/US-OFC/175

To,

The General Manager (Tech.)

National Highway Authority of India,

Regional Office, F-120, Janpath,

Shyam Nagar, Jaipur (Raj) 302019



Date: 12.01.2024

MID-MK
D

Sub: Four laning of Bar-Bilara-Jodhpur section NH-112 from Km. 0.000 to 111.000 (Existing Chaingae) under NHDP Phase -IV in the state of Rajasthan under EPC Mode -**Proposal for grant of NOC for laying 350mm Dia DI K-9 water pipeline along NH-25, in Km stone no. 235+700 to 235+900 & 236+600 to 236+700 RHS Village Dantiwara Tehsil Jodhpur in the state of Rajasthan.**

- Ref:**
1. Your office E-mail dated 05.01.2024
 2. This office letter no. NHA/PIU/Jod/2023-24/BG- Conf./84 dated 05.01.2024
 3. Executive Engineer PHED Project Division Jaitaran office letter no. 754 dated 20.11.2023
 4. This office Letter no. 15014/3/2023/BBJ/US-OFC/2586 dated 13.10.2023
 5. AE letter no. LASA/BBJ/AE/BBJ-73581/2023/359 dated 09.10.2023
 6. This office Letter no. 15014/3/2023/BBJ/US-OFC/2438 dated 29.09.2023
 7. Executive Engineer PHED Project Division Jaitaran office letter no. 428 dated 18.08.2023

Sir,

Executive Engineer PHED Project Division Jaitaran vide letter under ref.(7) has submitted proposal for grant of NOC for laying 350mm Dia DI K-9 water pipeline along NH-25, in Km stone no. 235+700 to 235+900 & 236+600 to 236+700 RHS Village Dantiwara Tehsil Jodhpur in the state of Rajasthan.

The same was forwarded to the Authority Engineer vide letter under ref. (6) deployed on project captioned to scrutinize the proposal in accordance with the Ministry's guidelines, issued vide letter no. RW/NH-33044/29/2015 S&R(R) dated 22.11.2016 and was asked to submit comments / recommendation. Authority Engineer vide letter under ref.(5) submitted recommendation after examination of proposal in the light of Ministry Guidelines.

Vide this office letter no. 2586 dated 13.10.2023 a demand note for license fee and Bank Guarantee in accordance with Ministry Circular no. RW/NH-33044/29/2015 S&R(R) dated 22.11.2016 was issued to Executive Engineer PHED Project Division Jaitaran for submission Bank Guarantee & Licence fees.

Executive Engineer PHED Project Division Jaitaran vide their letter no. 754 dated 20.11.2023 submitted Bank Guarantee & Licence fees. Vide this office letter no. NHA/PIU/Jod/2022/BG conf./84 dated 05.01.2024 has requested RO-Jaipur for confirmation of the BG on SFMS. Further, RO-Jaipur E-mail dated 05.01.2024 has confirmed that the BG is Shown on SFMS.

Hence proposal submitted by Executive Engineer PHED Project Division Jaitaran document which are enclosed for grant of NOC for laying 350mm Dia DI K-9 water pipeline along NH-25, in



भारतीय राष्ट्रीय राजमार्ग प्राधिकरण

(सड़क परिवहन एवं राजमार्ग मंत्रालय, भारत सरकार)

National Highways Authority of India

(Ministry of Road Transport & Highways, Government of India)

परियोजना कार्यान्वयन इकाई, जोधपुर – 188, उम्मेद हैरिटेज, रातानाड़ा,

जोधपुर – 342011 (राजस्थान)

Project Implementation Unit- Jodhpur – 188, Umaid Heritage, Ratanada

Jodhpur – 342011 (Rajasthan), फोन / Tel. : 0291-2510065, 2511165

ई-मेल : jodhpur@nhai.org, jodhpurpiu3@gmail.com



Km stone no. 235+700 to 235+900 & 236+600 to 236+700 RHS Village Dantiwara Tehsil Jodhpur in the state of Rajasthan is being submitted details as under:-

- 1) As per MoRTH circular dated 22.11.2017 license agreement on 500/- Rs. Stamp and under taking as per SI No. 10.0 to 10.8 are enclosed.
- 2) DLC rates duly verified Office are enclosed.
- 3) Certified calculation sheet showing calculation amount of Licence Fee and Bank Guarantee is enclosed.
- 4) Incumbent has deposited Licence fee in Bharat Kosh vide Transaction Reference No. 0211230028510 dated 02.11.2023

In view of above, the detailed proposal is herewith submitted with recommendation of PIU for accord of approval of Competent Authority.

Thanking you,

Yours faithfully,

Encl: (2 Original, 1 Copy)

(GPS Chauhan)
Project Director

19/11/24

- Copy to:
1. M/s LEA Associates South Asia Pvt. Ltd.: for information.
 2. M/s L&T Limited, for information.
 3. Executive Engineer PHED Project Division Jaitaran for information.

CHECKLIST

{Guideline for Processing the proposal for laying of utility line in the land along national Highway vested with NHAI / PWD/BRO.

General Information

1. Name and Address of the Application / Agency : Executive Engineer
P.H.E.D. Project
Division Jaitaran
- 2 National Highway No. : NH-25
- 3 State : RAJASTHAN
- 4 Location : Dantiwara, Jodhpur
- 5 (Chainage in km) : 235/700, 235/900 & 236/600, 236/700
83/473 to 83/673
8 83/170 to 83/070
6. Length in M : 200.0 + 100 = 300 Mters. ✓
- 7 Width of available ROW in both side : RHS 22.50 M, LHS 22.50 M *2L. 672*
23.328
- 8 Side of NH : Right Hand Side / *LH*
(left or right side of NH towards increasing chainage / km direction)
- 9 Name of Highway Authority of NHAI/PWD/BRO : NHAI
10. Highway Administration Address. : Project Director,
NHAI, PIU
188, Umaid Heritage, Ratanada
Jodhpur-342011 (Rajasthan)



freedom
अधिकाारी अभियन्ता
जन स्वास्थ्य अभियांत्रिकी विभाग
परियोजना खण्ड-जैतारण
डी.डी.ओ.कोड न.-12905



A. S.
Manager (Tech.)
NHAI, PIU Jodhpur

Stipulated Norms

| Sl. No. | Item | Measurement Observation as per site condition | MORTH Norms | Whether complying with MORTH |
|---------|---|---|--|------------------------------|
| 1 | Detail of already laid utility service If any | NA | Enclosed | Yes |
| 2 | Whether up gradation of the stretch in near future is proposed or not | NA | | Yes |
| | (a) If yes , provision of utility adversely affect the plan of up gradation | No affect | Not affect plan of up gradation | Yes |
| 3 | Laying of the utility service along the National Highways | NO | | Yes |
| 3.1 | Location of proposed utility service along the stretch | Beyond the toe line of the embankment and drains, and close to the extreme edge of the RoW. | Utility Duct / Beyond the toe line of the embankment and drains, and close to the extreme edge of the RoW. | Yes |
| 3.2 | Depth of top of utility service from Ground level | 1.20Mtrs. | 0.6 meter | Yes |
| 3.3 | Mechanism for crossing water channel | Not applicable | Through Utility duct (If provision exist)or beneath the bed of water channel | Yes |
| 3.4 | Whether ROW is restricted in this stretch | No | | |
| 3.4.1 | If yes , whether provision of land acquisition is required to lay utility | Not applicable | | |
| | (a) If yes , whether undertaking for land acquisition along with relevant L.A. details has been furnished | Not applicable | | |

अधिकाारी अभियन्ता
जन स्वास्वा अभियांत्रिकी विभाग
परियोजना एड-जैतारण
डी.डी.आ. नोड न.-12905



Project Director
NHAI
PTU Jodhpur

Manager (Tech.)
NHAI, PTU Jodhpur


| | | | | |
|-------|--|-----------------------|---|-----|
| 3.4.2 | With of concrete duct , if utility for services are proposed to be laid in concrete duct | Not applicable | Not less Then one lane | |
| 4 | Laying of utility services across the NH | NA | | Yes |
| 4.1 | Whether existing drainage structure is allowed to carry the utility lines. | Not applicable | Not be allowed | |
| 4.2 | Proposed crossing of utility service | Along to NH | Perpendicular to NH | Yes |
| 4.3 | Type of casing pipe / conduct carrying the utility line. | NA | Steel ,cast iron or reinforced cement and have adequate strength | Yes |
| 4.4 | Whether ends of the casing / conduit pipe are sealed from the outside | NA | Sealed | Yes |
| 4.5 | Length of casing / conduit pipe crossing NH | NA | Extend from drain to drain to drain in cuts and toe to toe of slope in the fills | Yes |
| 4.6 | Depth of top the casing / conduit pipe | 1.20 Mtrs (Minimum) | At least 1.2m Below the top of sub grade | Yes |
| 4.7 | Crossing method in case of cc pavement. | H D D method | Only boring method | Yes |
| 4.8 | Horizontal and vertical clearance in case utilities are allowed overhead | Yes | In accordance with IRC codes | Yes |
| 5 | Document / drawing enclosed with the the proposal | Enclosed | | Yes |
| 5.1 | Cross section showing the size of trench for Open trenching method | Not applicable | Enclosed if applicable | Yes |
| | (a) Trench width | Not applicable | More then 30 cm and less then the outer 60 cm wider then the outer diameter of the utility pipe | Yes |

Project Director
NHAI
PIU Jodhpur

अधिकाारी अधिकाारी
जन स्वास्थ्य अधिकाारी विभाग
परियोजना खण्ड जिला
डी.डी.ओ.कोड न.-12905

Manager (Tech.)
NHAI, PIU Jodhpur

| | | | | |
|------|--|--|---|-----|
| | (b) Filling of trench | Not applicable | As per Ministry guideline vide letter no.RW/NH-34044/29/2015/S&R @ dated 22.11.2016 | yes |
| | (c) Location of trench | Not applicable | Extreme edge of the ROW | Yes |
| 5.2 | Cross section showing the size of pit And location of conduit of HDD method | Enclosed | Enclosed applicable | Yes |
| 5.3 | Strip plan / route plan showing utility line chainage width of ROW distance of proposed utility from the edge of ROW important mile Stone intersection cross drainage works etc. | Enclosed | Enclosed | Yes |
| 5.4 | Plan and profile drawing of stretch showing cross section of road at 20 m distance along with ROW and proposed utility | Enclosed | Enclosed | Yes |
| 6. | Methodology for laying of utility | Enclosed | Enclosed | Yes |
| 7. | Draft license agreement is as per ministry Guidelines vide letter No. RW/ NH – 34044 / 29 / 2015 / S & R @dated 22.11.2016 and signed by | Enclosed | Enclosed | Yes |
| 8. | License fees in favor of MORTH RPAO jaipur | License fee amt. to Rs. Will be submitted as per the direction | | Yes |
| 9. | Whether bank guarantee has been obtained | | | |
| | (a) If yes , whether confirmation of BG has been obtained as per MoRTH/NHAI Guidelines | Performance bank Guarantee amounting Rs. Will be submitted as per the direction | | Yes |
| 10. | Affidavit / Undertaking from the Applicant for | | | |
| 10.1 | Undertaking for not to damage other existing Utility if damages then to pay the losses to either To MoRTH /NHAI or to the concerned | Enclosed | Enclosed | Yes |
| 10.2 | Undertaking for renewal to bnak guarantee and when asked by NHAI / MORTH | Enclosed | Enclosed | Yes |
| 10.3 | Undertaking for confirming all standard condition of MORTH / NHAI guidelines. | Enclosed | Enclosed | Yes |


 अधिशासी अभियन्ता
 जनसम्व्य अभियांत्रिकी विभाग
 पंजाब खण्ड-जैतार
 डी.ओ.कोड न.-12005



Project Director
 NHAI
 PIU Jodhpur

Manager (Tech.)
 NHAI, PIU Jodhpur

| | | | | |
|------|---|----------|----------|-----|
| 10.4 | Undertaking for Sifting of utility as and when asked by MORTH / NHAI within a month at their own cost | Enclosed | Enclosed | Yes |
| 10.5 | Undertaking for indemnity against all damages And claim . | Enclosed | Enclosed | Yes |
| 10.6 | Undertaking for Management of traffic movement during laying of utility line without hampering the traffic . | Enclosed | Enclosed | Yes |
| 10.7 | Undertaking that if any claims is raised by the concessionalre / contractor then the some has to be paid by the applicant . | Enclosed | Enclosed | Yes |
| 10.8 | Undertaking that the applicant has obtained various safety clearances from the representative Authorities such as directorate of electricity , Chief controller of Explosive , Petroleum and Explosive safety organization oil industry safety Directorate , State / Central Pollution Control Board and any other statutory clearances applicable .before applying to Highway Administration | Enclosed | Enclosed | Yes |

The Right Of Way (ROW) of the National Highway available at the proposed location from the centre line is [45.0 M][RHS-22.50, LHS-22.50]. (From center of ROW to edge of ROW towards proposed utility)

23.328
21.672

The above particulars along with the drawings and documents have been verified and are certified as correct as per the prevailing site conditions.

[Name, Designation and Signature of the authorized representative of the concerned Company]

(मोहिन्द सिंह)
अधिकाधी अभियन्ता
जन स्वास्थ्य अभियांत्रिक विभाग
परियोजना खण्ड-जैतारण (पाली)
DDC नं: 12905

[Name, Designation and Signature of the concerned field authority of NHAI/State PWD/BRO]

Project Director
NHAI

Manager (Tech.)
NHAI, PIU Jodhpur