

## भारतीय राष्ट्रीय राजमार्ग प्राधिकरण National Highways Authority of India

(सडक परिवहन एवं राजमार्ग मंत्रालय, भारत सरकार)

(Ministry of Road Transport & Highways, Govt. of India) परियोजना कार्यान्वयन इकाई, लखनऊ / Project Implementation Unit, Lucknow 2/5. विक्रान्त खण्ड, गोमती नगर, लखनऊ-226010 (उ०प्र०)

2/5, Vikrant Khand, Gomti Nagar, Lucknow-226010 (U.P.)

दूरभाष / Phone : 91-522-4571399, ई-मेल / E-mail : luc@nhai.org, वेबसाइट / Website : www.nhai.gov.in

NHAI/PIU/LKO/NH-30/NOC/2025/16 33

Dated: 24.09.2025

### **INVITATION OF PUBLIC COMMENTS**

Sub.: Permission for Laying of 8-inch (203.200 mm) Carbon steel pipeline with OFC along NH-30, RHS from Sitapur Ch.419+590 Kms to Ataria Shiv Filing Station Ch.467+630 on LHS and crossing at Ch.420+100 approximately length 48.100 Kms.

The Authorized Signatory, M/s Bharat Petroleum Corporation Limited, Sitapur has submitted the proposal for Laying of 8-inch (203.200 mm) Carbon steel pipeline with OFC along NH-30, RHS from Sitapur Ch.419+590 Kms to Ataria Shiv Filing Station Ch.467+630 LHS and crossing at Ch.420+100 approximately length 48.100 Kms.

2. As per the guidelines, issued by the Ministry vide OM No. RW/NH-33044/29/2015/S&R (R) dated 22.11.2016, the application shall be put out in the public domain for 30 days for seeking claims and objections (on grounds of public inconvenience, safety and general public interest).

In view of above, comments of the public on the above application is invited to the below mentioned address, which should reach by this office within 30 days from the date of publication beyond which no comments shall be entertained.

The Project Director
National Highways Authority of India
Project Implementation Unit-Lucknow
2/5, Vikrant Khand, Gomti Nagar,
Lucknow-226010

This issues with the approval of the Competent Authority.

Encl: - As above.

(Shriram Kushwaha) Manager (Tech.)

#### Copy to: -

- 1. The Regional Officer-UP (W), Lucknow.
- 2. Web admin, NHAI-HQ-with request for uploading on the NHAI website.
- 3. The Technical Director, NIC, Transport Bhawan, New Delhi- with request for uploading on the Ministry's Website.
- 4. The Authorized Signatory, M/s Bharat Petroleum Corporation Limited, Sitapur.

मुख्यालय : प्लाट सं0 जी-5 एवं 6, सेक्टर-10, द्वारका, नई दिल्ली - 110 075, दूरभाष : 91-11-25074100/200 Head Office : Plot No. G-5 & 6, Sector - 10, Dwarka, New Delhi - 110 075 Phone : 91-11-25074100/200

# CHECK LIST FOR GETTING APPROVAL FOR LAYING OF UNDERGROUND GAS PIPELINE ON NH LAND

Guidelines to Project Director for Processing the Proposal for laying of Underground Gas Pipeline in the land along/across the National Highways vested with NH.30

#### Relevant circulars

- 1) Ministry Circular No. NH-41 (58)/68 dated 31.1.1969
- 2) Ministry Circular No. NH-III/P/66/76 dated 18/19.11.1976
- 3) Ministry Circular No. RW/NH-III/P/66/76 dated 11.5.1982
- 4) Ministry Circular No. RW/NH-11037/1/86-DOI (ii) dated 28.7.1993
- 5) Ministry Circular No. RW/NH-11037/1/86/DOI dated 19.1.1995
- 6) Ministry Circular No. RW/NH-34066/2/95/ S&R dated 25.10.1999
- 7) Ministry Circular No. RW/NH-34066/7/2003 S&R (B) dated 17.9.2003
- 8) Ministry Circular No. RW/NH-33044/29/2015-S&R (R) dated 22.11.2016

Sr. No.	Item	Information/ Status	Remarks
1	General Information		
1.1	Name and Address of the Applicant	M/s. Bharat Petroleum Corporation Limited - First floor Keshav Green City Sitapur.uttar Pradesh 261001.	
1.2	National Highway Number	NH- 30	
1.3	State	Uttar Pradesh	
1.4	Location	Sitapur to Atria, Uttar Pradesh	
1.5	(Chainage in km)	Steel Natural Gas Pipeline: (i)Along From CH.419.590 km to CH.467.630 km and Across at CH.420.100 kms	
1.6	Length in Meters	48100	
1.7	Width of available ROW	60 M	
	(a) Left side from center line towards increasing Chainage / km direction	22.5,30 M	
	(b) Right side from center line towards increasing Chainage / km direction	22.5,30 M	
1.8	Proposal to lay underground Gas pipe line.		

	(a) Left side from center line towards increasing chainage / km direction	(i) Along From Ch. 419.590 km to Ch.421.190 Km and Across at Ch.420.100 Km
	(b) Right side from center line towards increasing chainage/km direction	
1.9	Proposal to acquire land	No
	(a) Left side from center line	Noted
	(b) Right side from center line	NA
1.10	Whether proposal is in the same side where land is not to be acquired	NA
	If not then where to lay the Pipe	NA
1.11	Details of already laid services, if any, along the proposed route	NA
1.12	Number of lanes (2/4 / 6/8 lanes) existing	4 Lanes
1.13	Proposed Number of lanes (2 lane with paved shoulders 4/6/8 lanes)	NA
1.14	Service road existing or not	No
	If yes then which side	
	(a) Left side from center line	NA
	(b) Right side from center line	NA
1.15	Proposed Service road	
	(a) Left side from center line	NA
	(b) Right side from center line	NA
1.16	Whether proposal to lay Gas Pipeline is after the service road or between the service road and main carriageway	At the extreme edge of Utility Corridor
1.17	Whether carrying of Gas pipeline has been proposed on highway Bridges.  If Yes, then mention the methodology proposed for the same.	No

1.18	Whether carrying of gas pipeline has been proposed on the parapet/any part of the bridges.  If Yes, then mention the methodology proposed for the same.	No
1.19	If crossings of the road involved  If Yes, it shall be either encased in pipes or through structure or conduits specially built for that purpose at the expenses of the agency owning the line	Yes
	(a) Whether the existing drainage structures are allowed to carry the pipeline.	No
	(b) Is it on a line normal to NH	Yes
8 4	(c) Crossings shall not be too near the existing structures on the National Highway, the minimum distance being 15 meter. What is the distance from the existing structures.	Noted
	(d) The casing pipe (or conduit pipe in the case of electric cable) carrying the utility line shall be of steel, cast iron, or reinforced cement concrete and have adequate strength and be large enough to permit ready withdrawal of the carrier pipe/cable.	Noted
	(e) Ends of the casing / conduit pipe shall be sealed from the outside, so that it does not act as a drainage path.	Noted
	(f) The casing / conduit pipe should, as minimum extend from drain to drain in cuts and toe of slope toe of slope in the fills.	Noted



	(g) The top of the casing / conduit pipe should be at least 1.2 meter below the surface of the road subject to being at least 0.3 m below the drain inverts.	Noted
	(h) Mention the methodology proposed for crossing of road for the proposed Sewage/ gas pipe line, Crossing shall be by boring method (HDD) [Trench-less Technology], specially, where the existing road pavement is of cement concrete or dense bituminous concrete type.	Noted
	(i) The casing / conduit pipe shall be installed with an even bearing throughout its length and in such a manner as to prevent the formation of a waterway along it.	Noted
2	Document / Drawings enclosed with the proposal	Yes
	Cross section showing the size of trench for open trenching method (Is it normal size of 1.2m deep X 0.3m wide)  (i) Should not be greater than 60 cm wider than the outer	
2.1	diameter of the pipe  (ii) located as close to the extreme edge of the right-of-way as possible but not less than 15 meter from the center-lines of the nearest carriageway	NA
	(iii) Shall not be permitted to run along the National Highways when the road formation is situated in double cutting. Nor shall	

	these be laid over the existing culverts and bridges  (iv) These should be so laid that their top is at least 0.6 meter below the ground level so as not to obstruct drainage of the road land.		
2.2	Cross section showing the size of pit and location of gas pipeline for HDD / Boring method	Yes	
2.3	Strip plan / Route Plan showing Gas pipeline, Chainage, width of ROW, distance of proposed, pipe line from the edge of ROW, important mile stone, intersections, cross drainage works etc.	Enclosed	
2.4	Methodology for laying of showing Gas pipe line.	Enclosed	
2.4.1	Open trenching method. (May be allowed in utility corridor only where pavement is neither cement concrete nor dense bituminous concrete type. If yes, Methodology of refilling of trench	Noted, Methodology is enclosed.	
	(a) The trench width should be at least 30 cm, but not more than 60 cm wider than the outer diameter of the pipe.	Noted	

(b) For filling of the trench, Bedding shall be to a depth of not less than 30 cm. It shall consist of granular material, free of lumps, clods and cobbles and graded to yield a firm surface without sudden change in the bearing value. Unsuitable soil and rock edged should be excavated and replaced by selected material.	Noted
(c) The backfill shall be completed in two stages (i) side – fill to the level of the top of the pipe and (ii) overfill to the bottom of the road crust.	Yes
(d) The side fill shall consist of granular material laid in 15 cm layers each consolidated by mechanical tampering and controlled addition of moisture to 95% of the Proctor's Density. Overfill shall be compacted to the same density as the material that had been removed. Consolidation by saturation or ponding will not be permitted.	Noted
(e) The road crust shall be built to the same strength as the existing crust on either side of the trench. Care shall be taken to avoid the formation of a dip at the trench.	Noted
(f) The excavation shall be protected by flagman, signs and barricades, and red lights during night hours.	Noted
(g) If required, a diversion shall be constructed at the expense of agency owning the utility line	Yes



2.4.2	Horizontal Directional Drilling (HDD) Method	Yes
2.4.3	Methodology for laying of Gas Pipe Line through CD works and method of laying. In cases where the carrying of gas pipe line on the bridge becomes inescapable.	NA
3	Draft License Agreement signed by two witnesses	Yes, MOU b/w NHAI & BPCL is attached.
4	Performance Bank Guarantee in favour of NHAI/NH has to be obtained @ Rs100/- per running meter (parallel to NH) and Rs1,00,000/- per crossing of NH, for a period of one year initially (extendable if required till satisfactory completion of work) as a security for ensuring/making good the excavated trench for laying the cables/ducts by proper filling and compaction, clearing debris/loose earth produced due to execution of trenching at least 50m away from the edge of the right of way. No payment shall be payable by the NH to the licensee for clearing debris/loose earth.	
4.1	Performance BG as per above is to be obtained.	This shall be submitted after the receipt/payment of Demand Note.
4.2	Confirmation of BG has been obtained as per NHAI/NH guidelines	BG shall be submitted after the receipt/payment of Demand Note.
5	Affidavit / Undertaking from the Applicant for	
5.1	Not to Damage to other utility, if damaged then to pay the losses either to NHAI/NH or to the concerned agency	Yes

	Renewal of Bank		
5.2	Guaranteeas and when asked by Morth/NHAI	Yes	
5.3	Confirming all standard condition of Ministry Circulars and NHAI's guideline.	Yes	
5.4	Shifting of Gas pipe line as and when required by NH at their own cost	Yes	
5.5	Shifting due to 6 lanning / widening of NH	Yes	
5.6	Indemnity against all damages and claims clause (xxiv)	Yes	10 P
5.7	Traffic movement during laying of Gas pipe line to be managed by the applicant	Yes	
5.8	If any claim is raised by the Concessionaire then the same has to be paid by the applicant	Yes	
5.9	Prior approval of the NH shall be obtained before undertaking any work of installation, shifting or repairs, or alterations to the showing Gas Pipeline located in the National highway right-of-ways.	Yes	
5.10	Expenditure, if any, incurred by NH for repairing any damage caused to the National Highway by the laying, maintenance or shifting of the Gas Pipe line will be borne by the agency owning the line.	Yes	



5.11	If the NH considers it necessary in future to move the utility line for any work of improvement or repairs to the road, it will be carried out as desired by the NH at the cost of the agency owning the utility line within a reasonable time (not exceeding 60 days)	Yes	
5.12	Certificate from the applicant in the following format (i) Laying of Gas Pipeline will not have any deleterious effects on any of the bridge components and roadway safety for traffic. (ii) for 6 –lanning "We do undertake that I will relocate service road/approach road/utilities at my own cost notwithstanding the permission granted within such time as will be stipulated by NH" for future six- lanning or any other development."	Yes	
6.	Who will sign the agreement on behalf of Gas pipeline agency	Ajit Singh Territory Manager Up-3 ( Gas) First foor keshav green city Sitapur.	
7	The Project Director will submit the following.		
7.1	Certificate for confirming of all standard condition issued vide Ministry Circular No. Ministry Circular No. NH-41 (58)/68 dated 31.1.1969, Ministry Circular No. NH-III/P/66/76 dated 18/19.11.1976, Ministry Circular No. RW/NH-	NA	



_				
		III/P/66/76 dated 11.5.1982,		
		Ministry Circular No. RW/NH-		1
		11037/1/86-DOI (ii) dated		
		28.7.1993, Ministry Circular		
		No. RW/NH-11037/1/86/DOI		
		Circular No. RW/NH-		
		34066/2/95/ S&R dated		
		25.10.1999 and Ministry		
		Circular No. RW/NH-		
		34066/7/2003 S&R (B) dated		
		17.9.2003 and Ministry		
1		Circular No. RW/NH-		
		33044/29/2015-S&R (R)		
1		dated 22.11.2016.		
-		Certificate from Project		
		Director in the following		
		format		
		(i) "It is certified that any other		
		location of the Gas pipeline		
		would be extremely difficult		
		and unreasonable costly and	9	
		the installation of Gas	,	
		pipeline within ROW will not		
		adversely affect the design,		
		stability & traffic safety of the		
		highway nor the likely future		
		improvement such as		
		widening of the carriageway,		
	7.2	easing of curve etc".	NA	
		(ii) for 6 –lanning		2
		(a) Where feasibility is		
		available "I do certify that	4)	
		there will be no hindrance to		
		proposed six-lanning based	W 1	
		on the feasibility report		2
		considering proposed		
		structures at the said	98	
		location".	*	
		(b) In case feasibility report is		
		not available "I do certify that		
		sufficient ROW is available at		
		site for accommodating	24	
		proposed six-lanning".		

8	If NH section proposed to be taken up by NHAI on BOT basis - a clause is to be inserted in the agreement. "The permitted Highway on which Licensee has been granted the right to lay the pipelines has also been granted as a right of way to the concession agreement for up-gradation of	NA	
9	Who will supervise the work of laying of Gas pipeline		
	(a) On behalf of the Applicant	TERRITORY MANAGER (GAS) Sitapur Lakhimpur, Bahraich, Srawasti, Balrampur ,MahrajGanj ,Sidharth nagar.	
10	(b) On behalf of NHAI/NH Who will ensure that the defects in road portion after laying of Gas pipeline are corrected and if not corrected then what action will be taken.		
	(b) On behalf of NHAI/NH		
11	Who will pay the claims for damages done / disruption in working of Concessionaire if asked by the Concessionaire?	M/s. Bharat Petroleum Corporation Limited.	
12	A certificate from Project Dicretor that he will enter the proposed permission in the register of records of the permissions in the prescribed Performa (copy enclosed).	NO	



If any previous approval is accorded for laying of underground Gas Pipeline then photocopy of register of records of permissions accorded as maintained by Project Director then copy be enclosed	
---	--

